



Individual Lifestyle Knauf EASYPUTZ Plaster




Individual Lifestyle -Knauf EASYPUTZ Plaster

Are you interested in creating or changing interior sceneries? Then Knauf EASYPUTZ Plaster is exactly the right choice for you! Walls and ceilings are easily coated with Knauf EASYPUTZ Plaster. Knauf EASYPUTZ Plaster is a pure mineral, ready-touse decorative plaster which allows the creation of fascinating highlights in nearly all kinds of accomodations.

With more than 50% marble content Knauf EASYPUTZ Plaster gives walls and ceilings a noble and bright white touch with a smooth and lively structure.

For a really smooth texture choose Knauf EASYPUTZ Plaster "extra fine-grained" (with 0,5 mm grain size). If seting more course is desired then Knauf EASYPUTZ Plaster "fine-grained" (with 1,0 mm grain size) is the right choice.

Due to its microstructure Knauf EASYPUTZ Plaster helps to maintain a constant humidity and to improve the quality of your indoor environment.



Knauf EASYPUTZ Plaster will help you creating colourful lifes for your clients! Knauf Compact Colors let you choose from a wide range of harmonious shades. Be inspired by a trip around the world of wall designs using Knauf EASYPUTZ Plaster.

Discover the possibilities of accentuating walls and ceillings as you wish, making them to a very personal place of tranquillity and inspiration.





Perfect decorative coating in both cases: Constructing new buildings and modernizing objects

Apply Knauf EASYPUTZ Plaster on ceilings:

Wallpapering ceilings is not one of the easiest jobs when renovating. And when wallpapering is finished a subsequent painting has to be done in most cases. It's much easier and efficient with Knauf EASYPUTZ Plaster, which can easily be applied to the ceiling.

In contrast to available paints one coat with Knauf EASYPUTZ Plaster is sufficient, because Knauf EASYPUTZ Plaster consists of excellent hiding power. Apply Knauf EASYPUTZ Plaster on wallpapers:

When moving home or modernizing accomodations you might ask yourself what should be done with old wallpapers.

From now on, instead of re-wallpapering Knauf EASYPUTZ Plaster can simply be used on top of the wallpaper after priming with Knauf Sperrgrund Block & Bond. The only demand is, that the wallpaper has to have a good adhesion on the wall and is not too intensely structured.



Highly abrasion resistant!

Knauf EASYPUTZ stands out due to it's high abrasion resistance — small scratches and grazes remain nearly unnoticed: therefore Knauf EASYPUTZ offers the optimal surface for staircases, halls and children's rooms as well.

But what if something happens? Don't worry. Simply rub the damaged area with a cloth. Even with colored plaster children are allowed to romp around. As Knauf EASYPUTZ Plaster is pigmented with Knauf Compact Colors and not simply painted, damages to the wall will not leave white patches in the plaster.



Knauf Sperrgrund Block & Bond

- Special primer prior the application of mineral based decorative plasters, synthetic resin plasters, dispersion-based plasters, etc.
- Reduces the absorbency of substrate and ensures optimal application and texture properties of the following coating.
- For an optimal adhesion of mineral based decorative plasters, coatings, etc. (e.g. Knauf EASYPUTZ Plaster).
- For full-surface priming on almost all substrates used in buildings.
- Highly effective stain block against any kind of discoloration (nicotine, soot, yellowing).
- Open to vapor diffusion.
- White colored, ready-made and solvent-free.




Manual application of Knauf EASYPUTZ Plaster by using Knauf APPLICATION ROLLER



Priming the substrate with Knauf Sperrgrund Block & Bond. Knauf Sperrgrund Block & Bond has to dry for approx. 6 hours before Knauf EASYPUTZ Plaster can be applied.



Knauf EASYPUTZ Plaster - here colored with Knauf Compact Color "Raspberry" - is applied by rolling it on the substrate with the Knauf APPLICATION ROLLER, lusciously and crosswise. To achieve a uniform structure it is important that there is an sufficient amount of material rolled on per square unit.






A nice, uniform finish is obtained by using the Knauf FINISH ROLLER for Knauf EASYPUTZ Plaster.



Alternatively, individual decorative surface structures are obtained by using Knauf FINISH BRUSH.



Mechanical application of Knauf EASYPUTZ Plaster by using PFT QUICKLI

Knauf EASYPUTZ Plaster "fine" (1.0 mm) and "extra fine" (0.5 mm)

- Pure mineral plaster for fascinating accents in the arrangement of indoor rooms.
- For application on concrete, cement plasters, lime cement plasters, gypsum plasters, gypsum- and gypsum fiber boards, sessile wallpapers, sessile coats of paint.
- Ideal for living spaces, halls, staircases, hotel rooms, bureaus, bathrooms, e.g.
- More than 50% marble contingent for noble and bright white walls and living accessories.
- Vapour permeable; helps to develope a healthy interior climate.
- Bright white color; excellent hiding power; gloss level matt.
- Ready- made, solvent- free, free of preservatives.
- For manual and mechanical application..

Additional products for Knauf EASYPUTZ Plaster:


- Knauf Sperrgrund Block & Bond
- Knauf Compact Color
- Knauf APPLICATION ROLLER
- Knauf FINISH ROLLER
- Knauf FINISH BRUSH



Priming the substrate with Knauf Sperrgrund Block & Bond. Knauf Sperrgrund Block & Bond has to dry for approx. 6 hours before Knauf EASYPUTZ Plaster can be applied with PFT QUICKLI.

Knauf EASYPUTZ Plaster - here colored with Knauf Compact Color "Terra Cotta" - is applied by spraying it on the substrate with PFT QUICKLI. To achieve a uniform structure it is important that there is an sufficient amount of material prayed on per square unit.

A nice, uniform finish is obtained by using the Knauf FINISH ROLLER for Knauf EASYPUTZ Plaster.












Live life colorful - Knauf Compact Color

Colorful walls help to motivate, make people happy, bring back nice memories and also improve room proportions. Knauf Compact Colors offer countless possibilities to pigment Knauf EASYPUTZ Plaster and to fulfill individual ideas for an attractive colorful interior.

Ten trendy colors, each available in different shades — for example warm terra cotta shades like terra cotta and café au lait as well as yellow and green and blue tones like azure and ice blue. The best part is: they are easy to use. Simply mix one of the trendy shades of Knauf Compact Colors with the mixing ratio desired into Knauf EASYPUTZ Plaster and roll or spray the colored plaster on the substrate.







Light colors give the impression of size and spaciousness — ideal for small rooms.

In low rooms the ceiling should have a lighter color than the walls, this way the ceiling seems higher than it actually is.









If the ceiling in a high room has been painted in dark colors then the room seems lower.

Use warm colors to make large rooms look more comfortable.

Long slanted walls rising up into the room should be plastered in the same color of the wall to make the room look bigger.

Shorter slanted walls look less dominating and can be better integrated into the room when they are plastered in the same color of the wall as well.





Knauf EASYPUTZ Plaster pigmented also ex works

For mechanical application and for large new building constructions or modernization projects Knauf offers also pigmented Knauf EASYPUTZ Plaster ex works. Even individual colors are possible!

Please send us your color demands. Our coloristic department is waiting or your request.





Small - but powerful

Knauf Compact Colors are highly concentrated, granulated pigments. They have been developed for Knauf EASYPUTZ Plaster and do not change its quality or its outstanding application properties. Even small amounts are enough to turn Knauf EASYPUTZ Plaster into powerful colors. Knauf Compact Colors are non-fading, UV-stable, wiping resistant and available in 2g and 6g units for an easy dosage.

Knauf Compact Color

- Highly concentrated, non- dusting grained color pigments.
- To color almost all mineral and dispersion bound systems, like Knauf EASYPUTZ Plaster, as well as other mineral and resin bound plasters, cement- and gypsum-based materials, concrete as well as dispersion colors and dispersion compounds.
- For a complete imbuing. Avoids different colored points in case of later damages on the surface.
- Setting behavior of mineral or dispersion bound systems is not affected.
- Conserves the optimal vapor permeability of mineral systems.
- Pre-portioned for a very easy dosage without residues.
- Lightfast, UV- stable, alkali resistant and wiping resistant.
- No restriction in shelf life as long as it is closed.

Available colors:

lemon, honey glaze, pistachio, ice blue, cotto, azure blue, mocha, raspberry, sand, cafè au lait.

knauf

Compact Color

Pistazie

2 a

Compact



2g

6g

12g

18g

lemon





*Amount in gramm Knauf Compact Color in 10 kg Knauf EASYPUTZ Plaster. Differences in structure and color are due to print technique.

raspberry







pistachio

Compact

2 g*

ice blue

enalismo

knauf

Compact Color

Knauf EASYPUTZ Plaster extra fine-grained Grain size: 0.5 mm Consumption: ca. 500 g/m²

Finishing tool used: Knauf Finish Roller

Finishing tool used: Knauf Finish Brush

Knauf EASYPUTZ fine-grained grain size: 1.0 mm Consumption: ca. 950 g/m²

Finishing tool used: Knauf Finish Roller

Finishing tool used: Knauf Finish Brush



The content of this technical data sheet corresponds to our knowledge at time of printing. Technical data sheets are actualized regularly. The relevant version is available on our web page or by calling our Technical Service Department. Knauf Bauprodukte, does not authorize anyone, including Knauf Bauprodukte Representatives, to make any statements which supersede, modify or supplement the information provided on its printed literature or package labels without written confirmation from Knauf Bauprodukte Technical Service Department. Knauf Bauprodukte makes no warranty of merchantability or suitability of its products for any particular purpose. All product demonstrations are placed for illustrative purposes only and do not constitute a warranty of any kind. Knauf Bauprodukte sells its products upon the condition that customers shall conduct their own tests to determine the suitability of the products for the customers ' intended purposes. Under no circumstances will Knauf Bauprodukte be liable for economic, special, incidental, or consequential damages or losses of any kind whatsoever arising out of or occasioned by the selection, use, installation, or replacement of these products.

BPBC002/eng/intermediell/11.08



Knauf Bauprodukte GmbH & Co. KG Technical Support:

- Phone: +49 (0) 9323 31-247
- ▶ Fax: +49 (0) 9323 31-1024
- ▶ www.knauf-bauprodukte.de www.buildingchemicals.de

Decorative Coatings

Knauf Bauprodukte GmbH & Co. KG Export-Department Am Bahnhof 7, 97346 Iphofen, Germany Phone: +49 (0) 9323 31-0, Fax: +49 (0) 9323 31-1024 www.knauf-bauprodukte.de www.knauf.com