

ex aquaflex opella pegler yorkshire terrain polysystem bagno design re
nit vado asi aquadrain kme epc aquaeco geberit brandoni mult
bossini pex aquaflex opella pegler yorkshire terrain polysystem bagno a
ginox sanit vado asi aquadrain kme epc aquaeco geberit brand
multikwik bossini pex aquaflex opella pegler yorkshire terrain poly
bagno design reginox sanit vado asi aquadrain kme epc aquaeco
andoni multikwik bossini pex aquaflex opella pegler yorkshire terrain
system bagno design reginox sanit vado asi aquadrain kme epc a
eberit brandoni multikwik bossini pex aquaflex opella pegler yorkshire
in polysystem bagno design reginox sanit vado asi aquadrain kme
quaeco geberit brandoni multikwik bossini pex aquaflex opella peg
ire terrain polysystem bagno design reginox sanit vado asi aquadr

PLUMBING SOLUTIONS 2012

ex aquaflex opella pegler yorkshire terrain polysystem bagno design r
nit vado asi aquadrain kme epc aquaeco geberit brandoni mult
bossini pex aquaflex opella pegler yorkshire terrain polysystem bagno a
ginox sanit vado asi aquadrain kme epc aquaeco geberit brand
multikwik bossini pex aquaflex opella pegler yorkshire terrain poly
bagno design reginox sanit vado asi aquadrain kme epc aquaeco
andoni multikwik bossini pex aquaflex opella pegler yorkshire terrain
system bagno design reginox sanit vado asi aquadrain kme epc a
eberit brandoni multikwik bossini pex aquaflex opella pegler yorkshire
in polysystem bagno design reginox sanit vado asi aquadrain kme
quaeco geberit brandoni multikwik bossini pex aquaflex opella peg
ire terrain polysystem bagno desian reginox sanit vado asi aquadr

DRAINAGE

Terrain

PVC Soil Systems	2-5
PVC Roof Outlets	6
MU-PVC Waste Systems	7-8
PVC Underground Systems	9-10
Flexible Couplers	11

Aquadrain

Stainless Steel Floor Drains	13
Roof & Floor Drains	14
Floor Drains & Channels	15
Shower & Floor Drains	16-18
ABS Plastic Drains	19
Tools	20

COPPER - WATER & GAS SUPPLY

KME

Copper Tubes	22-23
--------------	-------

Endex

End Feed Fittings	24-25
-------------------	-------

EPC

ASTM End Feed Fittings	26-27
------------------------	-------

KME

ASTM Copper Tubes	28
-------------------	----

PPR PIPES & FITTINGS

Polysystem

PPR Pipes & Fittings	30-32
----------------------	-------

VALVES

PEX

Brass Valves	34-37
--------------	-------

Brandoni

Industrial Valves	38
-------------------	----

PLUMBING ACCESSORIES

Aquaflex

Stainless Steel Braided Flexibles	40
-----------------------------------	----

PEX

Chrome Angle Valves	41
Chrome Wastes & Trap	42

Sanit

Plastic Wastes & Traps	43
Collars	43

Opella

Euroflo Waste Traps	44
WC Connectors	45

Multikwik

WC Connectors	46
---------------	----

CONCEALED CISTERNS & MECHANISMS

Geberit

Concealed Cisterns	48
Flush Plates	49

Sanit

Concealed Cisterns	50
Flush Plates	51

Aquaeco

Concealed Cisterns	53
Flush Plates	53
Flush Mechanisms	54

SANITARYWARE

Bagno Design

Remo II	56
Wash Basin Collection	57
Undercounter Wash Basin	58

MIXERS

Bagno Design

Malmo	60
Berlin	61
Palma	61
York	62

Vado Contract

Chelsea	63
Matrix	64
Warwick	65
Infrared Mixers	66

Aquqeco

Push Taps	67
Water Saving Solutions	68

ACCESSORIES

ASI

Hand Dryers	70
Washroom Accessories	71-73
Disabled Accessories	74

Bagno Design

Washroom	75
Hand Dryer	76
DOC M	76
Duro	77
M-line	79
Contract	80
IX-304	81
Hotel	82-83
Contract Mirrors	84

SHOWERING ACCESSORIES

Bossini

Bidet Sprays	86
Fixed Heads & Hand Shower	87
Sets, Rails & Hoses	88

Bagno Design

Rainshower	89-90
Enclosures & Doors	91
Bath Screens	91
Acrylic Stone Shower Trays	92

BATHING

Bagno Design

Acrylic Inset bath Tubs	94-95
Whirlpool Systems	96

SINKS & SINK MIXERS

Reginox

Lay-on Sinks	98
Undermount Sinks	99
Inset Sinks	100

Bagno Design


Sink Mixers	101
-------------	-----

Vado

Sink Mixers	102
-------------	-----

INDEX

DRAINAGE



Size(mm)	L	Code
Soil Pipe - Plain Ended		
82	4m	TER-100-3-40G
110	4m	TER-100-4-40G
160	4m	TER-100-6-40G



Size(mm)	Code
Ring Seal Adapter	
82	TER-109-3G
110	TER-109-4G
160	TER-109-6G



Size(mm)	L	Code
Straight Coupler Double Socket		
82	92	TER-110-3G
110	102	TER-110-4G
160	160	TER-110-6G



Size(mm)	L	Code
Expansion Coupler		
82	113	TER-111-3G
110	123	TER-111-4G
160	210	TER-111-6G




Size(mm)	L	Code
Slip Coupler Double Socket		
82	134	TER-111-S-3G
110	144	TER-111-S-4G
160	210	TER-111-S-6G



Size(mm)	Deg°	Code
Swept Bend Double Socket		
82	92 ^{1/2}	TER-101-3-92G
110	92 ^{1/2}	TER-101-4-92G
160	92 ^{1/2}	TER-101-6-92G
82	135	TER-101-3-135G
110	135	TER-101-4-135G
160	135	TER-101-6-135G



Size(mm)	Deg°	Code
Spigot Socket Bend - Long Tails		
82	92 ^{1/2}	TER-107-3-92G
110	92 ^{1/2}	TER-107-4-92G



Size(mm)	Deg°	Code
Spigot Socket Bend		
110	135	TER-107-4-135G
160	135	TER-107-6-135G



Size(mm)	Deg°	Code
Single Equal Branch Triple Socket		
82	92 ^{1/2}	TER-104-3-92G
110	92 ^{1/2}	TER-104-4-92G
160	92 ^{1/2}	TER-104-6-92G

PVC SOIL SYSTEMS

100 SOLVENT WELD



TERRAIN



Size(mm)	L	Code
Single Equal Branch		
82	135	TER-104-3-135G
110	135	TER-104-4-135G
160	135	TER-104-6-135G



Size(mm)	Deg°	Code
Single Unequal Branch Triple Socket		
160/110	92 ^{1/2}	TER-104-64-92G



Size(mm)	Deg°	Code
Single Unequal Branch Triple Socket		
160/110	135	TER-104-64-135G



Size(mm)	Deg°	Code
Double Branch		
110	92 ^{1/2}	TER-106-4-92G



Size(mm)	Deg°	Code
Double Branch		
110	135	TER-106-4-135G
160	135	TER-106-6-135G



Size(mm)	Deg°	Code
Double Unequal Branch		
160/110	92 ^{1/2}	TER-106-64-92G



Size(mm)	L	Code
Access Pipe Double Socket		
110	216	TER-138-4G
160	396	TER-138-6G




Size(mm)	Deg°	Code
Access Bend Double Socket		
110	92 ^{1/2}	TER-103-4-92G




Size(mm)	Deg°	Code
Single Access Branch Triple Socket		
110	92 ^{1/2}	TER-105-4-92G






Size(mm)	L	Code
Access Door		
82	114	TER-135-3G
110	152	TER-135-4G
160	152	TER-135-6G



Size(mm)	Code
Access Cap	
82	TER-136-3G
110	TER-136-4G
160	TER-136-6G



Size(mm)	Code
Two Part Waste Boss Solvent Socket	
82/40	TER-112-3-15G
110/40	TER-112-4-15G
110/50	TER-112-4-2G
160/50	TER-112-6-2G



Size(mm)	Code
Single Bossed Pipe Connector Double Socket	
110/32	TER-120-4-125G
110/40	TER-120-4-15G
110/50	TER-123-4G




Size(mm)	Code
Double Bossed Pipe Connector Double Socket	
82/50	TER-120-3-2G




Size(mm)	Code
Triple Bossed Pipe Connector Double Socket	
100/40	TER-121-4-15G



Size(mm)	Code
Four Way Boss Pipe Double Solvent Socket	
110/50	TER-120-4-2G



Size(mm)	Code
Socket Reducer	
82/50	TER-124-3-2G
110/50	TER-124-4-2G
110/82	TER-124-4-3G
160/110	TER-124-6-4G



Size(mm)	Seal(mm)	Code
Trapped Floor Gully		
110/82/40	50	TER-281-43G
160/110/40	50	TER-281-64G
110/82/40	75	TER-279-43G
110/82/50	75	TER-279-432G

LARGE DIAMETER PVC SOIL SYSTEMS

100/100P PUSH FIT



TERRAIN



Size(mm)	L	Code
Soil Pipe - Plain Ended		
200	4m	TER-100-8-40G
250	4m	TER-100-10-40G



Size(mm)	Code
Straight Coupler Double Socket	
200	TER-110P-8G
250	TER-110P-10G



Size(mm)	Code
Slip Coupler Double Socket	
200	TER-111SP-8G



Size(mm)	Deg°	Code
Spigot Socket Bend		
200	135	TER-107P-8-135G
200	92 ^{1/2}	TER-107P-8-92G
250	135	TER-107P-10-135G
250	92 ^{1/2}	TER-107P-10-92G



Size(mm)	Deg°	Code
Equal Branch		
200	135	TER-104P-8-135G
200	87 ^{1/2}	TER-104P-8-92G
250	135	TER-104-10-135G
250	87 ^{1/2}	TER-104-10-92G



Size(mm)	Deg°	Code
Single Unequal Branch Triple Socket		
200/110	135	TER-104P-84-135G
200/160	135	TER-104-86-135G
250/160	135	TER-104-106-135G
250/160	87 ^{1/2}	TER-104-106-92G



Size(mm)	Deg°	Code
Double Branch		
200/200	135	TER-106P-8-135G
200/200	87 ^{1/2}	TER-106P-8-92G
250/250	135	TER-106-10-135G
250/250	87 ^{1/2}	TER-106-10-92G
250/160	135	TER-106P-106-135G
250/160	87 ^{1/2}	TER-106P-106-92G



Size(mm)	Code
Access Pipe and Cover	
200	TER-139-8G
250	TER-139-10G



Size(mm)	Code
Reducer	
200/110	TER-124-8-4G
200/160	TER-124-8-6G
250/200	TER-124-10-8G
200/110	TER-123P-8-4G
200/160	TER-123P-8-6G





Size(mm)	Code
One Piece Pipe Bracket	
82	TER-143-3G
110	TER-143-4G



Size(mm)	Code
Vent Cowl	
82	TER-150-3G
110	TER-150-4G
160	TER-150-6G




Size(mm)	Code
Flat Roof Outlet (Large)	
82	TER-2170-3G
110	TER-2170-4G



Size(mm)	Code
Domed Roof Outlet (Large)	
82	TER-2171-3G
110	TER-2171-4G



Size(mm)	Code
Domed Roof Outlet (Small)	
50	TER-2181-2G
82	TER-2181-3G



Size(mm)	Code
Balcony Drain	
82	TBC
110	TBC



MU-PVC WASTE SYSTEMS

200 SOLVENT WELD



TERRAIN



Size(mm)	L	Code
Waste Pipe Plain Ended		
32	4m	TER-200-125-40G
40	4m	TER-200-15-40G
50	4m	TER-200-2-40G



Size(mm)	Code
Straight Coupler Double Socket	
32	TER-210-125G
40	TER-210-15G
50	TER-210-2G



Size(mm)	Deg°	Code
Swept Bend Double Socket		
32	91 ¹ / ₄	TER-201-125-91G
40	91 ¹ / ₄	TER-201-15-91G
50	91 ¹ / ₄	TER-201-2-91G



Size(mm)	Deg°	Code
Swept Bend Double Socket		
32	135	TER-201-125-135G
40	135	TER-201-15-135G
50	135	TER-201-2-135G



Size(mm)	Deg°	Code
Spigot Socket Bend		
32	92 ¹ / ₂	TER-207-125-92G
40	92 ¹ / ₂	TER-207-15-92G
50	92 ¹ / ₂	TER-207-2-92G
32	135	TER-207-125-135G
40	135	TER-207-15-135G
50	135	TER-207-2-135G



Size(mm)	Deg°	Code
Knuckle Bend Double Socket		
32	91 ¹ / ₂	TER-202-125-91G
40	91 ¹ / ₂	TER-202-15-91G



Size(mm)	Deg°	Code
Swept Cross All Socket		
40	91 ¹ / ₂	TER-206-15-91G
50	91 ¹ / ₂	TER-206-2-91G
50	135	TER-206-2-135G



Size(mm)	Deg°	Code
Swept Tee All Socket		
32	92 ¹ / ₂	TER-204-125-91G
40	92 ¹ / ₂	TER-204-15-91G
50	92 ¹ / ₂	TER-204-2-91G
32	135	TER-204-125-135G
40	135	TER-204-15-135G
50	135	TER-204-2-135G



Size(mm)	Code
Socket Reducer	
40/32	TER-224-15-125G
50/32	TER-224-2-125G
50/40	TER-224-2-15G





Size(mm)	L	Code
Access Plug		
32	47	TER-237-125G
40	54	TER-237-15G
50	56	TER-237-2G



Size(mm)	Code
Vent Cowl	
50	TER-250-2G



Size(mm)	L	Code
200 Waste to Male Iron		
32/32	51	TER-212-125G
40/40	54	TER-212-15G
50/50	57	TER-212-2G



Size(mm)	L	Code
200 Waste to Female Iron		
32/32	48	TER-213-125G
40/40	51	TER-213-15G
50/50	54	TER-213-2G

Manufacturing Standards

BS 4514:2001 PVC Soil and Ventilation Pipes, Fittings and Accessories

BS EN 1329:2000 Plastic Piping Systems for Soil and Waste Discharge

BS EN 1566:2000 Plastic Piping Systems for Soil and Waste Discharge (Chlorinated)

PVC SYSTEMS ACCESSORIES



Size(ml)	Code
Cleaning Fluid	
250	TER-9101-250



Size(ml)	Code
Lubricant	
250	TER-9136-250
500	TER-9136-500



Size(ml)	Code
Liquid Weld	
250	TER-9100-250
500	TER-9100-500

PVC UNDERGROUND SYSTEMS

PIPES AND FITTINGS



TERRAIN



Size(mm)	L	Code
Solid Wall Pipe Plain Ended		
82	5.8m	TER-3DP58
110	5.8m	TER-4DP58
160	5.8m	TER-6DP58
200*	5.8m	TER-8DP585
250*	5.8m	TER-10DP585
315*	5.8m	TER-12DP585



Size(mm)	Code
Foamcore Pipe Plain Ended	
110	TER-4EUP58
160	TER-6EUP58



Size(mm)	Code
Coupler Double Socket	
82	TER-3D20D
110	TER-4D20D
160	TER-6D20D
200	TER-UG801
250	TER-UG1001
315	TER-UG1201

* Single Socket Pipe



Size(mm)	Code
Level Invert Taper	
110/82	TER-43DT
160/110	TER-64DT
200/160	TER-UG821
250/200	TER-UG1021
315/250	TER-UG1221



Size(mm)	Deg°	Code
Short Radius Bend Double Socket		
82	87 ^{1/2}	TER-3D23D
82	45	TER-3D25D
110	87 ^{1/2}	TER-4D23D
110	45	TER-4D25D
110	30	TER-4D27D
110	15	TER-4D29D
160	87 ^{1/2}	TER-6D23D
160	45	TER-6D25D



Size(mm)	Deg°	Code
Short Radius Bend Single Socket		
110	87 ^{1/2}	TER-4D23
110	45	TER-4D25
110	30	TER-4D27
110	15	TER-4D29
160	87 ^{1/2}	TER-6D23
160	45	TER-6D25
160	30	TER-6D27
160	15	TER-6D29
200	87 ^{1/2}	TER-UG812
200	45	TER-UG804
250	87 ^{1/2}	TER-UG1012
250	45	TER-UG1004
315	87 ^{1/2}	TER-UG1212
315	45	TER-UG1204





Size(mm)	Deg°	Code
Single Equal Junction		
110	87 ^{1/2}	TER-4D30D
160	87 ^{1/2}	TER-6D30D
82	45	TER-3D33D
110	45	TER-4D33D
160	45	TER-6D33D
200	45	TER-UG805



Size(mm)	Deg°	Code
Single Unequal Junction		
160/110	45	TER-64D33D
160/110	87 ^{1/2}	TER-3D25D
200/110	45	TER-UG835
200/160	45	TER-UG831



Size(mm)	Deg°	Code
Single Equal Junction Spigot Outlet		
110	87 ^{1/2}	TER-4D30
110	45	TER-4D33
160	45	TER-6D33
200	45	TER-UG806
250	45	TER-UG1006
315	45	TER-UG1206



Size(mm)	Deg°	Code
Unequal Junction		
160/110	45	TER-4D23
200/110	45	TER-UG836
200/160	45	TER-UG837
250/110	45	TER-UG1036
250/160	45	TER-UG1016
250/200	45	TER-UG1017
315/110	45	TER-UG1236
315/160	45	TER-UG1216
315/200	45	TER-UG1217
315/250	45	TER-UG1218



Size(mm)	Code
Access Cap	
82	TER-3D63
110	TER-4D63
160	TER-6D63



Size(mm)	Code
Access Cap	
82	TER-3D64
110	TER-4D63
160	TER-6D64



Size(mm)	Code
P Trap	
110	TER-4DG91



Size(mm)	Code
Square Hopper Head	
110	TER-4DG92



Size(mm)	Code
Bottle Gully with Square Cover	
110	TER-4DG89

FLEXIBLE COUPLERS PIPES AND FITTINGS



TERRAIN



Size(mm)	Deg°	Code
Flexicon Drain Couplings		
50-65	95	TER-XDR65
80-95	110	TER-XDR95
100-115	110	TER-XDR115
110-125	120	TER-XDR125
120-135	120	TER-XDR135
135-150	120	TER-XDR150
150-165	120	TER-XDR165
150-175	120	TER-XDR175
160-180	120	TER-XDR180
175-200	150	TER-XDR200
200-215	150	TER-XDR215
200-225	150	TER-XDR225
225-250	150	TER-XDR250
250-275	150	TER-XDR275


Manufacturing Standards

BS 5255:1989 Specification for Thermoplastics Waste Pipe and Fittings

BS EN 1329:2000 Plastic Piping Systems for Soil and Waste Discharge

BS EN 1566:2000 Plastic Piping Systems for Soil and Waste Discharge (Chlorinated)








STAINLESS STEEL FLOOR DRAINS


GRADE 316

AQUA
drain

 <p>* Anti-Slip version available on request</p>	Hinged Square Tops - Threaded (for use with Cast Iron Bodies)	
	Article No.	Size
	AQH-T100S-SS	100 mm x 100 mm x 2" BSP
	AQH-T150S-SS	150 mm x 150 mm x 4" BSP
	AQH-T200S-SS	200 mm x 200 mm x 4" BSP
	AQH-T200S-6-SS	200 mm x 200 mm x 6" BSP
	AQH-T300S-SS	300 mm x 300 mm x 4" BSP
AQH-T300S-6-SS	300 mm x 300 mm x 6" BSP	


	Push Fit (Directly to Drain Pipe)	
	Article No.	Size
	AQH-S100S/50-SS	100 mm x 100 mm x 50 mm
	AQH-S150S/100-SS	150 mm x 150 mm x 100 mm
	AQH-S200S/100-SS	200 mm x 200 mm x 100 mm
AQH-S200S/150-SS	200 mm x 200 mm x 150 mm	


	Circular Tops - Threaded (for use with C.I Bodies)	
	Article No.	Size
	AQH-T100C-SS	Dia. 100 mm x 2" BSP
	AQH-T150C-SS	Dia. 150 mm x 4" BSP
	AQH-T200C-SS	Dia. 200 mm x 4" BSP
	AQH-T200C-6-SS	Dia. 200 mm x 6" BSP
	AQH-T300C-SS	Dia. 300 mm x 4" BSP
AQH-T300C-6-SS	Dia. 300 mm x 6" BSP	

	Push Fit (Directly to Drain Pipe)	
	Article No.	Size
	AQH-S100C/50-SS	Dia. 100 mm x 50 mm
	AQH-S150C/100-SS	Dia. 150 mm x 100 mm
	AQH-S200C/100-SS	Dia. 200 mm x 100 mm
AQH-S200C/150-SS	Dia. 200 mm x 150 mm	


	Accessories - Removable Strainer Basket	
	Article No.	Size
	AQH-SS100-SS	100 mm
AQH-SS150-SS	150 mm	





	Flat Roof Drain with Clamp Ring & Puddle Flange	
	Article No.	Size
	AQH-R2100F-CI	100 mm Outlet
	AQH-R2150F-CI	150 mm Outlet

	Domed Roof Drain with Clamp Ring & Puddle Flange	
	Article No.	Size
	AQH-2100D-CI	100 mm Outlet
	AQH-2150D-CI	150 mm Outlet

CAST IRON BODIES

	Vertical Short Body with Clamp Ring	
	Article No.	Size
	AQH-F1050-CI	2" BSP Clamp Ring x 50 mm Outlet
	AQH-F3100-CI	4" BSP Clamp Ring x 100 mm Outlet
AQH-F3150-CI	4" BSP Clamp Ring x 150 mm Outlet	

	Vertical Deep Body with Clamp Ring	
	Article No.	Size
	AQH-F4100-CI	4" BSP Clamp Ring x 100 mm Outlet
	AQH-F4150-CI	6" BSP Clamp Ring x 150 mm Outlet

	90° Body with Clamp Ring	
	Article No.	Size
	AQH-F19050-CI	2" BSP Clamp Ring x 50 mm Outlet

* Plastic Economy Bodies Available on Request.

FLOOR DRAINS & CHANNELS



Premium Shower Channel
Vertical Central Outlet Dia. 50 x 100 mm Long
Capacity - 35 l/m

AQD-623-700-990	700 x 70 mm	Brushed Stainless Steel
AQD-623-800-990	800 x 70 mm	Brushed Stainless Steel
AQD-623-900-990	900 x 70 mm	Brushed Stainless Steel




Shower Channel with Trap
Horizontal Outlet Dia. 50 mm
Capacity - 35 l/m

AQD-700H-BS	700 x 100 mm	Brushed Stainless Steel
AQD-700H-CP	700 x 100 mm	Chrome
AQD-800H-BS	800 x 100 mm	Brushed Stainless Steel
AQD-800H-CP	800 x 100 mm	Chrome
AQD-900H-BS	900 x 100 mm	Brushed Stainless Steel
AQD-900H-CP	900 x 100 mm	Chrome



L-Shaped Corner Channel
Outlet Dia. 50 mm
Capacity - 35 l/m

AQD-L-1000H-BS	1000 x 1000 mm	Brushed Stainless Steel
AQD-L-1000H-CP	1000 x 1000 mm	Chrome



Stainless Steel Tile Drain
Universal Outlet Dia. 50 mm
Capacity - 35 l/m

AQD-TG-096-BS	96 x 96 mm	Brushed Stainless Steel
AQD-TG-146-BS	146 x 146 mm	Brushed Stainless Steel
AQD-TG-196-BS	196 x 196 mm	Brushed Stainless Steel
AQD-TG-296-BS	296 x 296 mm	Brushed Stainless Steel





AQD-414-BS
 Floor Drain with Trap
 Bottom Outlet Dia. 50 mm
 Capacity - 18 l/m
 150 x 150 mm
 Brushed Stainless Steel



AQD-414-ROUND-BS
 Floor Drain with Trap
 Bottom Outlet Dia. 50 mm
 Capacity - 18 l/m
 Dia. 150 mm
 Brushed Stainless Steel



AQD-412-BS
 Shower Drain
 Bottom Outlet Dia. 40 mm
 Capacity - 18 l/m
 100 x 100 mm
 Brushed Stainless Steel



AQD-419-BS
 Floor Drain with Trap
 Horizontal Outlet Dia. 50 mm
 Capacity - 35 l/m
 150 x 150 mm
 Brushed Stainless Steel



AQD-419-LOW-BS
 Floor Drain with Trap
 Horizontal Outlet Dia. 40 mm
 Capacity - 35 l/m
 150 x 150 mm
 Low Height
 Brushed Stainless Steel



AQD-413-LOW-BS
 Shower Drain with Trap
 Horizontal Outlet Dia. 40 mm
 Capacity - 35 l/m
 105 x 105 mm
 Low Height
 Brushed Stainless Steel

AQD-419-LOW-CP
 As Above
 Chrome

AQD-413-LOW-CP
 As Above
 Chrome

SHOWER & FLOOR DRAINS

AQUA
drain



AQD-DL0053-8X8-CP
Floor/Shower Drain (2pc Set)
Outlet Dia. 50 mm
80 x 80 mm
Chrome



AQD-55005-CP
Shower Drain
Outlet Dia. 50 mm
110 x 110 mm
Chrome



AQD-55018-CP
Floor/Shower Drain
Outlet Dia. 40 mm
100 x 100 mm
Chrome



AQD-206A-SS
Anti Odour Floor/Shower Drain
Outlet Dia. 50 mm
100 x 100 mm
Stainless Steel



AQD-55007-CP
Shower Drain
Outlet Dia. 50 mm
Dia. 110 mm
Chrome



AQD-55015-CP
Floor/Shower Drain
Outlet Dia. 40 mm
185 x 100 mm
Chrome





AQD-D61004-15X15-CP
Floor/Shower Drain (2pc Set)
Outlet Dia. 100 mm
150 x 150 mm
Chrome



AQD-55003-CP
Floor Drain with Cover (3pc Set)
Outlet Dia. 40 mm
95 x 95 mm
Chrome



AQD-115P-SS
Floor Drain
with Pop-up Cover
Outlet Dia. 100 mm
150 x 150 mm
Stainless Steel



AQD-615P-SS
Floor Drain with Cover (3pc Set)
Outlet Dia. 100 mm
150 x 150 mm
Stainless Steel



AQD-620P-SS
Floor Drain with Cover (3pc Set)
Outlet Dia. 100 mm
200 x 200 mm
Stainless Steel



AQD-DL0048-15X15-CP
AQD-DL0048-20X20-CP
Floor Drain with Cover (3pc Set)
Outlet Dia. 100 mm
150 x 150 mm
200 x 200 mm
Chrome



AQD-DL0079-15X15-CP
Clean Out Floor Drain
with Lock Down
Outlet Dia. 100 mm
150 x 150 mm
Chrome



AQR-612-ABS-BS
ABS Drain
with Brushed Stainless Steel Grating
Vertical Outlet Dia. 40 mm
Capacity - 35 l/m
105 x 105 mm



AQR-613-ABS-BS
ABS Drain
with Brushed Stainless Steel Grating
Horizontal Outlet Dia. 40 mm
Capacity - 35 l/m
105 x 105 mm



AQR-614-ABS-BS
ABS Drain
with Brushed Stainless Steel Grating
Vertical Outlet Dia. 50 mm
Capacity - 35 l/m
105 x 105 mm



AQR-615-ABS-BS
ABS Drain
with Brushed Stainless Steel Grating
Horizontal Outlet Dia. 50 mm
Capacity - 35 l/m
105 x 105 mm





AQD-730
Steel Test Plug - Zinc Plated
Available in Sizes from 2" - 6"



AQD-735
Steel Test Plug with Roller Bearing
Available in Sizes from 8" - 16"



AQD-738
Steel Long Reach Test Plug Polythene
Available in Sizes from 1/2" - 2"



AQD-739
Steel Test Plug with Multi-Lock
Available in 20" and 24"



AQD-300
High Pressure Test Plug
Available in Sizes from 1" - 4"



AQD-830
Testing Bag PVC
Available in 4" and 6"



AQD-11012
3 ft x 3/4" - PP Drain Rod Lockfast

AQD-11311
3 ft x 3/4" - PP Drain Rod Uni-
versal



AQD-47011
Drain Clear Set Universal
Consisting of 10 Rods & 3 Tools

AQD-47012
Drain Clear Set Lockfast
Consisting of 10 Rods & 3
Tools

COPPER WATER & GAS SUPPLY

KME GROUP

The KME Group is one of the world's largest producers of copper and copper alloy products with production facilities throughout Europe. The Group leads the field in offering high quality and innovative products to a variety of industries. It is a major supplier of copper tubes and rolled copper products to the building industry



BS EN 1057
MADE IN ENGLAND

SANCO® AND WICU® - INSTALL SUCCESS

Over the past thirty years, KME's brands of copper tube have established a market-leading position as the tube of choice for plumbing and heating applications. SANCO® and WICU® from KME are Europe's leading brands of copper plumbing tube and are to be found in buildings throughout Europe.

SANCO®

SANCO® is the general purpose uncoated tube designed for use in above-ground services. First introduced in 1981, it has gone on to become the most widely installed copper tube in Europe. Every year around 375,000 km of SANCO® copper tube comes off the production line.

WICU®

WICU® is copper tube coated in a seamless plastic cover with air channels along the internal surface. Europe's No 1 plastic covered copper tube, WICU® is the ideal solution where the external surface of the copper tube needs to be protected against an aggressive environment. WICU® tube can also help reduce condensation on exposed pipework. As the tube is pre-coated in the factory, this minimises installation time on site.

THE IDEAL CHOICE

Both SANCO® and WICU® tube are easy to manipulate and relatively lightweight, yet they are able to withstand high internal pressure. All this makes them the ideal choice for a wide range of applications, including most hot and cold water, central heating and gas services installations.

QUALITY AS STANDARD

SANCO and WICU from KME are the fruit of years of experience in the production of high quality, dependable copper tubes. KME's aim is always to supply products which will give long-term customer satisfaction, and this can only be achieved through guaranteed confidence in the manufacturing process and quality of finished products:

- KME's quality management systems fulfil the highest standards, including EN ISO 9000.
- All copper tube is manufactured from phosphorus de-oxidised copper Cu-DHP
- All SANCO copper tubes in KME's BS range are BSi Kitemark approved to the requirements of BS EN 1057.
- All WICU plastic covered copper tubes in KME's BS range comprise BSi Kitemark approved copper tubes to BS EN 1057 covered with white plastic to meet the requirements of BS EN 13349.



Sizes Available: 15 - 219 mm

Quality Standard - BS EN 1057

*Also available ASTM B-88 : 1/2" - 6"
(see page 49)

Sizes Available: 15 - 54 mm

Quality Standard - BS EN 1057



SANCO® - Straight Length Tubes

BS EN 1057 - 15-54mm R250 (half-hard), 66.7-108 R290 (hard)*

ARTICLE CODES	Size OD x Wall	Standard Available Lengths	Nominal Tube Weight	Maximum Working Pressure up to 65°C	Bore Capacity	Tubes per inner bundle	Tubes per master bundle	
	(mm)	5.8m	(Kg/m)	(bar)#	(l/m)		2/3/6m	5.8m
KME-SAN-15MMX5.8	15 x 0.7	■	0.280	58	0.145	10	310	300
KME-SAN-22MMX5.8	22 x 0.9	■	0.531	51	0.321	10	220	150
KME-SAN-28MMX5.8	28 x 0.9	■	0.682	40	0.539	10	170	100
KME-SAN-35MMX5.8	35 x 1.2	■	1.134	42	0.835	5	75	50
KME-SAN-42MMX5.8	42 x 1.2	■	1.369	35	1.232	5	65	50
KME-SAN-54MMX5.8	54 x 1.2	■	1.772	27	2.091	3	30	30
KME-SAN-66.7MMX5.8	66.7 x 1.2	■	2.198	26	3.248	1	20	20
KME-SAN-76MMX5.8	76.1 x 1.5	■	3.129	29	4.197	1	15	15
KME-SAN-108MMX5.8	108 x 1.5	■	4.467	20	8.660	1	10	10

* Note : 35, 42 and 54mm in 5.8m lengths are supplied in the hard condition with maximum working pressure values of 51, 42 and 33 bar respectively

WICU® - Plastic Covered Tubes

BS EN 13349 / BS EN 1057 - 15-28mm R250 (half-hard), 35-54mm R290 (hard)

ARTICLE CODES	Size OD x Wall	Plastic Covering Thickness	Standard Available Lengths & Colour	Nominal Tube Weight	Nominal Covering Weight	Maximum Working Pressure up to 65°C	Bore Capacity	Tubes per inner/master bundle
	(mm)	(mm)	5.8m	(Kg/m)	(Kg/m)	(bar)#	(l/m)	
KME-SAN-15MMX5.8	15 x 0.7	2.0	■	0.280	0.114	58	0.145	10/100
KME-SAN-22MMX5.8	22 x 0.9	2.0	■	0.531	0.160	51	0.321	10/100
KME-SAN-28MMX5.8	28 x 0.9	2.5	■	0.682	0.253	40	0.539	5/50
KME-SAN-35MMX5.8	35 x 1.2	2.5	■	1.134	0.309	51	0.835	5/50
KME-SAN-42MMX5.8	42 x 1.2	3.0	■	1.369	0.444	42	1.232	5/50
KME-SAN-54MMX5.8	54 x 1.2	3.0	■	1.772	0.560	33	2.091	5/30

All pressures quoted in the above tables are based on tube in the supplied hardness.

Design, Installation and Use

All products should be designed, installed and used in accordance with the appropriate specifications or codes of practise.



YFE-N1

Straight Coupling
Available in Sizes from 15 - 108 mm



YFE-N2

Straight Female Coupling
Available in Sizes from
15 mm x 1/2" - 54 mm x 2"



YFE-N3

Straight Male Coupling
Available in Sizes from
15 mm x 1/2" - 108 mm x 4"



YFE-N1R

Reducing Coupling
Available in Sizes from
22 x 15 - 54 x 42 mm



YFE-N69

Straight Male Union
Available in Sizes from
15 mm x 1/2" - 54 mm x 2"



YFE-N11

Union Coupling
Available in Sizes from 15 - 54 mm



YFE-N6

Reducer
Available in Sizes from
28 x 15 - 108 x 76 mm



YFE-N12

90° Elbow
Available in Sizes from 15 - 67 mm



YFE-N12R

Reducing Elbow
Available in 22 x 15 mm

YFE-NS6

Reducer
Available in 22 x 15 mm

COPPER END FEED FITTINGS

TO BS EN 1254

Endex



Pegler Yorkshire



YFE-N14

Female Elbow
Available in Sizes -
15 mm x 1/2" and 22 mm x 3/4"



YFE-N15

Back Plate Elbow
Available in Sizes -
15 mm x 1/2" and 22 mm x 3/4"



YFE-N18

Slow Bend
Available in Sizes - 76
mm and 108 mm



YFE-N21

45° Elbow
Available in Sizes from 15 - 108 mm



YFE-N24

Equal Tee
Available in Sizes from 15 - 108 mm



YFE-N25

Reduced Tee
Available in Sizes from
22 x 22 x 15 - 108 x 108 x 76 mm



YFE-N26

Tee Reduced End
Available in Sizes - 28 x 15 x 28,
28 x 22 x 28 and 35 x 28 x 35 mm



YFE-N27

Tee Reduced End Branch
Available in Sizes - 22 x 15 x 15,
28 x 15 x 15 and 28 x 22 x 22 mm



YFE-N61

Stop End
Available in Sizes from 15 - 108 mm



YFE-130-500GRAM

Yorkshire Flux 130
500 Gram Tub



YFE-131-500GRAM

Traditional Yorkshire Flux 131
500 Gram



ASTM END FEED FITTINGS



EPC-100
Coupling with Stop
Available in Sizes from 1/4" - 6"




EPC-100-RS
Reducer Coupling
Available in Sizes from
1/4" x 1/8" - 6" x 5"



EPC-102
Union
Available in Sizes from 1/4" - 2"



EPC-103
Female Adapter
Available in Sizes from 1/8" - 2 1/2"



EPC-104
Male Adapter
Available in Sizes from 1/8" - 4"



EPC-106
45deg Elbow
Available in Sizes from 1/8" - 3"



EPC-107
90deg Elbow
Available in Sizes from 3/4" - 6"



EPC-111
Tee
Available in Sizes from 1/8" - 6"



EPC-117
Tube Cap
Available in Sizes from 1/8" - 4"

STANDARD FEATURES

- Cu-DHP grade copper
- Manufactured to ASTM B 88
- ANSI/NSF Standard 61 Listed

STRAIGHT LENGTHS										
ASTM B88 - TYPE L										
ARTICLE CODES	Nominal Size (Bore x Wall)		Available Lengths		Nominal Tube Weight (lbs/ft)	Maximum Working Pressure up to 150F (psi)#	Bore Capacity per linear foot		Tubes per Inner Bundle	Tubes per Master Bundle
	(inches)		10'	20'			(Cu ft)	(Gal)		
KME-SAN-ASTM-L-0.5X20	1/2	x 0.040	■	■	0.285	1242 (613)	0.00162	0.0121	25	500
KME-SAN-ASTM-L-0.75X20	3/4	x 0.045	■	■	0.455	1002 (495)	0.00336	0.0251	10	250
KME-SAN-ASTM-L-1X20	1	x 0.050	■	■	0.655	850 (420)	0.00573	0.0429	10	200
KME-SAN-ASTM-L-1.25X20	1.1/4	x 0.055	■	■	0.884	755 (373)	0.00875	0.0655	5	120
KME-SAN-ASTM-L-1.5X20	1.1/2	x 0.060	■	■	1.14	702 (347)	0.0124	0.0925	5	105
KME-SAN-ASTM-L-2X20	2	x 0.070	■	■	1.75	625 (309)	0.0215	0.161	5	72
KME-SAN-ASTM-L-2.5X20	2.1/2	x 0.080		■	2.48	577 (285)	0.0331	0.248	3	40
KME-SAN-ASTM-L-3X20	3	x 0.090		■	3.33	545 (270)	0.0473	0.354	1	32
KME-SAN-ASTM-L-4X20	4	x 0.110		■	5.38	504 (249)	0.0764	0.571	1	18
KME-SAN-ASTM-L-5X20	5	x 0.125		■	7.61	462 (229)	0.130	0.971	1	15
KME-SAN-ASTM-L-6X20	6	x 0.140		■	10.2	431 (213)	0.186	1.39	1	12

The first figure is for tubes in the drawn (as supplied) condition. The figure in brackets is for annealed tube. When brazing or welding is used to join tube, the corresponding annealed rating must be used.

STRAIGHT LENGTHS										
ASTM B88 - TYPE M										
ARTICLE CODES	Nominal Size (Bore x Wall)		Available Lengths		Nominal Tube Weight (lbs/ft)	Maximum Working Pressure up to 150F (psi)#	Bore Capacity per linear foot		Tubes per Inner Bundle	Tubes per Master Bundle
	(inches)		10'	20'			(Cu ft)	(Gal)		
KME-SAN-ASTM-M-0.5X20	1/2	x 0.028	■	■	0.204	850 (420)	0.00179	0.0132	25	500
KME-SAN-ASTM-M-0.75X20	3/4	x 0.032	■	■	0.328	701 (346)	0.00359	0.0269	10	250
KME-SAN-ASTM-M-1X20	1	x 0.035	■	■	0.465	580 (286)	0.00607	0.0454	10	200
KME-SAN-ASTM-M-1.25X20	1.1/4	x 0.042	■	■	0.682	582 (287)	0.00910	0.0681	5	120
KME-SAN-ASTM-M-1.5X20	1.1/2	x 0.049	■	■	0.94	569 (282)	0.0127	0.0951	5	105
KME-SAN-ASTM-M-2X20	2	x 0.058	■	■	1.46	514 (254)	0.0220	0.165	5	72
KME-SAN-ASTM-M-2.5X20	2.1/2	x 0.065		■	2.03	471 (233)	0.0340	0.254	3	40
KME-SAN-ASTM-M-3X20	3	x 0.072		■	2.68	435 (215)	0.0485	0.363	1	32
KME-SAN-ASTM-M-4X20	4	x 0.095		■	4.66	431 (213)	0.0847	0.634	1	18

The first figure is for tubes in the drawn (as supplied) condition. The figure in brackets is for annealed tube. When brazing or welding is used to join tube, the corresponding annealed rating must be used.

PPR PIPES & FITTINGS



PPR PIPES & FITTINGS



NUP-1
SDR6 Pipe
Available in Sizes from -
16 - 125 mm



NUP-1B
FG Fibre Composite Pipe
Available in Sizes from -
20 - 125 mm



NUP-90F
Elbow Female Thread
Available in Sizes from -
16 mm x 1/2" - 32 mm x 1"



NUP-90M
Elbow Male Thread
Available in Sizes from -
16 mm x 1/2" - 32 mm x 1"



NUP-90GTF
Wall Plate Elbow Female Thread
Available in 20 and 25 mm



NUP-120
45 Degree Elbow
Available in Sizes from -
16 - 125 mm



NUP-90
90 Degree Elbow
Available in Sizes from -
16 - 125 mm



NUP-92
90 Elbow MF
Available in Sizes from -
16 - 125 mm



NUP-270
Socket
Available in Sizes from -
16 - 125 mm



NUP-241
MF Reducer
Available in Sizes from -
20 x 16 mm - 125 x 110 mm



NUP-130
Equal Tee
Available in Sizes from -
16 - 125 mm



NUP-130R
Reducer Tee
Available in Sizes from -
20 x 16 x 20 mm - 125 x 110 x 125 mm



NUP-130F
Tee Female Thread
Available in Sizes from -
16 mm x 1/2" - 32 mm x 1"



NUP-130M
Tee Male Thread
Available in Sizes from -
16 mm x 1/2" - 32 mm x 1"



NUP-270RF
Socket Female Thread
Available in Sizes from -
16 mm x 1/2" - 125 mm x 4"



NUP-270RM
Socket Male Thread
Available in Sizes from -
16 mm x 1/2" - 125 mm x 4"



NUP-330
Union Plastic Metal Male Thread
Available in Sizes from -
20 mm - 40 mm



NUP-400
Threaded Adaptor
Available in Sizes from -
20 mm x 3/4" - 63 mm x 2 1/2"



NUP-301
Cap
Available in Sizes from -
16 mm - 125 mm



NUP-85
Crossover
Available in 20, 25 and 32 mm



NUP-520
Welding Nipple
Available in Sizes from -
32 mm - 125 mm



NUP-521
Aluminium Backing Flange
Available in Sizes from -
32 mm - 125 mm



NUP-510
Assembled Stop Valve
Available in Sizes from -
20 mm - 25 mm



NUP-500/B
Ball Valve
Available in Sizes from -
20 mm - 125 mm



NUP-705
Welder with Case
Available in Sizes from -
20 mm, 25 mm & 32 mm



NUP-750
Pipe Cutter
Available in Sizes from -
16 - 40 mm

VALVES




PEX-603-BS
Compression Gate Valve
Available in Sizes from 15 - 28 mm

PEX-603-DZR
DZR Compression Gate Valve
Available in Sizes from 35 - 54 mm



PEX-605-BS
Gate Valve
Available in Sizes from 1/2" - 6"

PEX-605-DZR
DZR Gate Valve
Available in Sizes from 1/2" - 4"
(early 2012)



PEX-600
Ball Valve
Available in Sizes from 1/2" - 4"



PEX-609
Compression Lever Arm Ball Valve
Available in Sizes from 15 - 28 mm



PEX-600G
Gas Ball Valve
Available in Sizes from 1/2" - 4"



PEX-601
Mini Ball Valve
Available in Sizes from 1/2" and 3/4"



PEX-602
Mini Compression Ball Valve
Available in 15 mm



PEX-601MF
M x F Mini Ball Valve
Available in 1/2"



PEX-806
MOH Float Valve
Available in Sizes from 1/2" - 2"



PEX-816
Plastic Float to suit PEX 806
Available in Sizes from 4.1/2" - 10"

BRASS VALVES



PEX-130-S
Brass Compression Stop Cock
Available in 15 and 22 mm



PEX-140-S
Brass FxF Stop Cock
Available in 1/2"



PEX-149
Brass Export Pattern Stop Cock
Available in 1/2" and 3/4"



PEX-710-BR
Brass Round Bibtap Export Pattern
Available in 1/2" and 3/4"



PEX-708
Lever Arm Bibtap - Chrome Plated
Available in 1/2" and 3/4"



PEX-360
Pex Y Strainer - Brass
Available in Sizes from 1/2" - 2"



PEX-301A
Universal Spring Check Valve
Available in Sizes from 1/2" - 2"



PEX-302
Compression Spring Check Valves
Available in Sizes from 15 - 28 mm



PEX ENGLAND

28 1/2 Rotg.
NW

BRASS VALVES/ PRESSURE GAUGE




PEX-413-GAUGE-CP
Pressure Gauge for PEX-413



PEX-760
Concealed Valve
Available in 1/2" and 3/4"




PEX-413-BRASS
Pressure Reducing Valve
Available in Sizes from 1/2" - 4"




BRD-D6-626
Dual Plate Wafer Check Valves
Available in Sizes from -
DN40 - DN600




BRD-06-M6
Wafer Check Valve
Available in Sizes from -
DN32 - DN700



BRD-S6-100
Swing Check Valve
Available in Sizes from -
DN40 - DN800



BRD-11-000
Flanged Y Strainer
Available in Sizes from -
DN25 - DN400



BRD-F8
Rubber Expansion Joint
Available in Sizes from -
DN32 - DN600
(Flanged - Threaded from 3/4" - 3")



BRD-F9-1
Double Flanged Butterfly Valve
Available in Sizes from -
DN150 - DN600



BRD-J9-WAFER
Wafer Butterfly Valve
Available in Sizes from -
DN40 - DN600
(Handwheels & Motorized Versions
Available)




BRD-L9-LUG
Lug Butterfly Valve
Available in Sizes from -
DN25 - DN600
(Handwheels & Motorized Versions
Available)




BRD-20-900
Soft Seated Gate Valve Flat Body
PN10/16
Available in Sizes from -
DN40 - DN1200

PLUMBING ACCESSORIES


AQF-181TF-1/2X1/2-40	181TF 1/2 x 1/2 F 1/2 X F 1/2-SS WC Connection Available in 40, 60 and 80 cm 12 Bar Pressure with Captive Seal
AQF-181TF-1/2X1/2-60	
AQF-181TF-1/2X1/2-80	




AQF-181TF-1/2X3/8-30	181TF 1/2 x 3/8 F 1/2 X F 3/8-SS WC Connection Available in 30, 40 and 60 cm 12 Bar Pressure with Captive Seal
AQF-181TF-1/2X3/8-40	
AQF-181TF-1/2X3/8-60	



AQF-192F-1/2X1/2-30	192F 1/2 x 1/2 F 1/2 x F 1/2-SS WC Connection Available in 30, 40 and 60 cm 12 Bar Pressure
AQF-192F-1/2X1/2-40	
AQF-192F-1/2X1/2-60	



AQF-DN13-1/2X3/4-80	DN13 1/2 x 3/4 F 1/2 x F 3/4-SS WC Connection Available in 80 and 120 cm 12 Bar Pressure
AQF-DN13-1/2X3/4-120	





AQF-DN13-3/4X3/4-30	DN13 3/4 x 3/4 F 3/4 x F 3/4-SS WC Connection Available in 30, 80, 120 and 150 cm 12 Bar Pressure
AQF-DN13-3/4X3/4-80	
AQF-DN13-3/4X3/4-120	
AQF-DN13-3/4X3/4-150	



AQF-DN13-M3/4XF3/4	DN13 M3/4 x F3/4 M 3/4 x F 3/4-SS WC Connection Available in 150 cm 12 Bar Pressure
--------------------	----------------------------------------------------------------------------------------------



AQF-SHA-IX304-A-SS
Stainless Steel Bidet Spray
IX 304



5 year guarantee



CHROME ANGLE VALVES




PEX-221-CP

Contemporary Quarter Turn Angle Valve with 10 mm Compression Nut Includes Integrated Filter 1/2" x 3/8"



PEX-230-CP

Contemporary Quarter Turn Angle Valve, Includes Integrated Filter 1/2" x 1/2"



PEX-232-CP

Square Quarter Turn Angle Valve 1/2" x 1/2"



PEX-225-CP

Mini Angle Valve 1/2" x 1/2"



PEX-228-CP

Mini Angle Valve with 10 mm Compression Nut 1/2" x 3/8"



PEX-226-CP

Luxury Angle Valve with 10 mm Compression Nut 1/2" x 3/8"



PEX-229F-CP

Angle Valve with Tricorn Handle with Flange 1/2" x 1/2" (with blue and red indices)



PEX-233-CP

Quarter Turn Angle Valve 1/2" x 1/2" (with blue and red indices)



PEX-234-CP

Quarter Turn Angle Valve with 10 mm Compression Nut 1/2" x 3/8" (with blue and red indices)



PEX-224-CP

Copper Tube Connector F1/2" x F1/2" - Chrome Plated Available in Sizes from 300, 400, 500, 600, 800 mm



PEX-227-CP

Copper Tube F1/2" x 10 mm Chrome Plated Available in Sizes from 300, 400, 500, 600, 800, 1000 mm



PEX-788-5MM-SS

Flange 1/2" Centre 5 mm Depth Stainless Steel



PEX-EXT

Extension for Angle Valves 1/2" Available in size 10mm, 15mm, 20mm, 30mm, 40mm, 50mm



PEX-485-CP
Bidet Pipe 11/4" x 250 mm



PEX-309-CP
Free Flow Always Open Waste for Basin without Overflow Hole 11/4" 76 mm Length



PEX-389-NS-CP
Push Type Basin Waste without Hole for Overflow 11/4" - Un-Slotted 76 mm Length



PEX-389S-CP
Push Type Basin Waste with Hole for Overflow 11/4" - Slotted 76 mm Length



PEX-389L-NS-CP
Push Type Basin Waste without Hole for Overflow 11/4" - Un-Slotted 80 mm Length



PEX-389L-S-CP
Push Type Basin Waste with Hole for Overflow 11/4" - Slotted 80 mm Length




PEX-392-NS-CP
Captive Basin Waste without Hole for Overflow 11/4" - Un-Slotted 60 mm Length



PEX-451-CP
ABS Chrome Shower Tray Waste 11/2" 48 mm Length



PEX-451-TK-CP
Chrome Plated Brass Grated Waste with Top Kleen Access 11/2" 63 mm Length



PEX-461-1-1/4-SQ-CP
Luxury Square Bottle Trap Chrome 11/4" x 11/4" with 250 mm Pipe



PEX-461-1-1/4-CP
Luxury Contemporary Bottle Trap Chrome 11/4" x 11/4" with 400 mm Pipe



PEX-462-1-1/4-CP
Shallow Brass Bottle Trap 11/4" x 11/4" with 250 mm Pipe



PEX-460-1-1/4-200-CP Bottle Trap 11/4" x 11/4" with 200 mm Pipe
PEX-460-1-1/4-400-CP Bottle Trap 11/4" x 11/4" with 400 mm Pipe
PEX-460-1-1/2-CP Bottle Trap 11/2" x 11/2" with 400 mm Pipe



PEX-480-CP
Bottle Trap 11/4" x 11/4" with 400 mm Pipe

PLASTIC WASTES & TRAPS



SNT-35-040-00-S002
Bath Waste and Overflow
fitting 1 1/2"



SNT-30-105-00-S003
1 1/2" Waste and Plug



SNT-30-301-00-S007CP
Basket Stainer Waste
3 1/2"



SNT-34-045-00-0000CP
Type 823/90 Shower Tray
Waste
with Trap 90 mm



SNT-35-047-00-S002CP
Flexible Bath Pop-Up Waste
1 1/2"

SNT-35-047-00-S003CP
Flexible Bath Pop-Up Waste
1 1/2" Extended to 900 mm



SNT-33-441-00-S001
PVC Double Sink Bottle Trap 1 1/2"
with Plug, Chain and Wastes



SNT-31-001-00-S007WH
PVC Basin Trap 1 1/4" x 320 mm
with Plug, Chain and Waste

SNT-31-002-00-S009
PVC Basin Trap 1 1/2" x 400 mm
with Plug, Chain and Waste

COLLARS



SNT-02-282-00-0000
Rubber Collar for Urinals
Nw 25/32



SNT-02-284-00-0000
30/50 mm Rubber
Collar Connector

SNT-02-285-00-0000
40/50 mm Rubber
Collar Connector

SNT-02-286-00-0000
32/40 mm Rubber
Collar Connector





OPP-ZB31000DB
P Trap 38 mm Seal - 32 mm
OPP-ZB31002DB
P Trap 76 mm Seal - 32 mm
OPP-ZB31004DB
P Trap 38 mm Seal - 40 mm




OPP-ZB31007DB
S Trap 76 mm
Seal - 40 mm




OPP-ZB36009DB
Shallow Bath Trap P
with Eye - 40 mm



OPP-ZB36380DBSP
Shower Trap with
Removable Chrome
Grid. 85 mm Chrome
Flange




OPP-ZB35067DB
P Double Inlet 76 mm
Seal - 40 mm




OPP-ZB35068DB
P Trap Tee 76 mm
Seal - 40 mm



OPP-ZB32000DB
Pedestal Trap 76 mm
Seal - 32 mm




WC CONNECTORS



OPP-ZB38204DB

Rigid Straight Pan Connector, To Suit 4" / 100 mm Pipe, Max Diameter 140 mm x 180 mm



OPP-ZB38206DB

Rigid 104 Degree Pan Connector, To Suit 4" / 100 mm Pipe



OPP-ZB38202DB

Rigid 90 Degree Pan Connector, To Suit 4" / 100 mm Pipe



OPP-ZD38203DB

Offset Straight Pan Connector 12 mm Offset, To Suit 4" / 100 mm Pipe



OPP-ZB38301DB

100/ 110 mm Flexible Pan Connector, Adjustable between 300-600 mm



MUL-MK0100

100mm Offset WC Connector with Pipe Size 97 mm - 108 mm



MUL-MKC2

MULTICLIK Flexible Ends for Excellent Joint Quality, with Integral Soil Sealing Fins Extends from 225 mm to 550 mm



MUL-MKS1

STRAIGHT Used when the Soil Pipe and WC Pan Spigot are Aligned 108 - 114 mm (O.D) and soil pipe 99 - 105 mm (I.D)



MUL-MKS2

STRAIGHT Used when the Soil Pipe and WC Pan Spigot are Aligned 97 - 108 mm (O.D) and soil pipe 99 - 105 mm (I.D)



MUL-MK02

OFFSET Used when the Soil Pipe and WC Pan Spigot are misaligned 18 mm Offset with Pipe Size 99 mm - 105 mm (I.D)



MUL-MK04

OFFSET Used when the Soil Pipe and WC Pan Spigot are misaligned 40 mm Offset with Pipe Size 99 mm - 105 mm (I.D)



MUL-MKB2190

90 Degree Bend WC Connector-Short with Pipe Size 99 mm - 105 mm (I.D)



MUL-MKB3190

BEND 90 DEGREE Used where the difference between the WC Pan Spigot and Soil Pipe is 90 Degrees In either direction with Pipe Size 99 mm - 105 mm (I.D)



MUL-MKBAR90

ADJUSTABLE REACH BEND Used to convert a Horizontal Outlet WC Pan into the Existing Pipework of a Floor Outlet WC Pan with Pipe Size 99 mm - 105 mm (I.D)

CONCEALED CISTERNS & MECHANISMS



GEB-111-300-00-5

UP320 Duofix Concealed Cistern
for Wall Hung WC
For Installation in Dry Wall
Construction
Installation Height Approx. 1120 mm
Thickness 120 mm



GEB-110-772-00-1

UP320 Kombifix Concealed Cistern
for Wall Hung WC
For Installation in Block Wall
Construction
Installation Height Approx. 1100 mm
Thickness 120 mm



GEB-109-771-00-1

UP700 Concealed Cistern for Back
to Wall WC
Thickness 80 mm

GEB-111-815-00-1

Wall Fastening Set
(Dry Wall Only)



GEB-109-201-00-1

UP200 Concealed Cistern
Top or Front Operated
Thickness 150 mm



GEB-111-524-00-1

Duofix Element for Bidet
for Installation in Dry Wall or
Pre-Wall Construction, Covered with
Panel (Gypsum or Wood), for a Floor
Construction of 0-200 mm
Installation Height
Approx. 820 mm

GEB-111-815-00-1

Wall Fastening Set
(Dry Wall Only)



GEB-115-770-21-1
Samba
Flush Plate (Dual Flush)
for UP320/UP700
Bright Chrome Finish



GEB-115-777-21-1
Bolero
Flush Plate (Dual Flush)
for UP320/UP700
Bright Chrome Finish



GEB-115-788-SD-1
Sigma 50
Flush Plate (Dual Flush)
for UP320/UP700
Smoked Glass Finish



GEB-115-760-46-1
Tango
Flush Plate (Single Flush)
for UP320/UP700
Matt Chrome Finish



GEB-115-260-46-1
Kappa 50
Flush Plate (Dual Flush)
for UP200
Matt Chrome Finish



GEB-115-240-KH-1
Kappa 21
Flush Plate (Dual Flush)
for UP200
Bright Chrome/Matt Chrome/Bright
Chrome Finish



GEB-115-228-21-1
Kappa 20
Flush Plate (Dual Flush)
for UP200
Chrome Finish



GEB-115-942-KA-1
Pneumatic Flush Plate (Dual Flush)
for UP200
Matt Chrome Finish

INFRA-RED FLUSH PLATE



GEB-115-890-00-1
Geberit Infra Red Controlled Flush
Plate for WC
(with manual override)
Battery or Mains Operated
Suitable for UP320 only
Matt Chrome Finish

GEB-115-861-00-1
Electric Supply Unit for
115-890-001



SNT-95-701-00-S000
Concealed Cistern for Wall Hung WC



SNT-95-700-00-S004
Concealed Cistern for Back to Wall WC



SNT-92-905-01-S001
Exposed High and Low Level Cistern

SEAT COVERS - UNIVERSAL



SNT-56-025-01-WH
Type 1001 Seat and Cover
Stainless Steel Hinges
(weight: 1.6 kg)



SNT-56-027-01-WH
Type 1002 Seat and Cover
Stainless Steel Hinges (weight: 1.6 kg)



SNT-56-004-01-0000
Type 701 Seat and Cover
Plastic Hinges
(weight: 1.4 kg)




SNT-56-744-01-0000
Type 2100 Soft Closing
Seat and Cover
Stainless Steel Hinges
(weight: 2.1 kg)

FLUSH PLATES



SNT-16-707-81-CP
Flush Plate (Dual Flush) S707
Chrome Finish




SNT-16-706-81-CP
Flush Plate (Dual Flush) S706
Chrome Finish



SNT-16-719-58-0000
Flush Plate (Dual Flush) SG706 (Glass)
Mint Finish

SNT-16-720-C9-0000
White Finish



SNT-16-726-01-0000
Flush Plate (Dual Flush) SK706
White Finish

SNT-16-726-81-0000
Chrome Finish

SNT-16-726-82-0000
Black Finish



SNT-16-703-00-0000
Flush Plate (Dual Flush) S703
Stainless Steel Finish

SNT-16-703-28-MCP
Matt Chrome Finish



SNT-16-701-81-CP
Flush Plate (Dual Flush) S701
(For SNT-95-701-00-S000
and SNT-95-700-00-S004)
Chrome Finish

INFRA-RED FLUSH PLATE



SNT-16-705-00-000
Infrared Controlled Flush Plate 705
Mains Supply
Stainless Steel Finish

SNT-03-158-00-000
Compact Power Supply 230V Ac / 6V DC
for Single Power Supply of Sanit Electrical
WC- Flush Control Systems of Concealed
Cisterns With Big And Small Access Opening
and Sanit Infra Red Controlled Mixers for
Wash Basin



CONCEALED CISTERNS



AQE-K301-A5-ESG1

Concealed Cistern
for Wall Hung WC Front Operation
Frame 1140 mm Height
Thickness 80 mm
For Installation in Dry Wall



AQE-K101-A5-ESG1

Concealed Cistern
for Wall Hung WC Front Operation
Frame 1140 mm Height
Thickness 120 mm
For Installation in Dry Wall



AQE-K301-B5-ESG1

Universal Concealed Cistern
for Wall Hung WC Front Operation
Thickness 120 mm
For Installation in Block Wall



AQE-K301-D5-ESG1

Universal Concealed Cistern
for Back to Wall WC Front Operation
Thickness 80 mm



AQE-K601-ESG1

Universal Bidet Support
Frame 1140 mm Height



AQE-K5031-K-ESG2

Flush Plate (Dual Flush)
Matt Chrome Finish

AQE-K5031-K-ESG3

Flush Plate (Dual Flush)
Chrome Finish



AQE-K5130-K-ESG2

Flush Plate (Dual Flush)
Chrome Finish with Matt Chrome
Trim

AQE-K5130-K-ESG4

Flush Plate (Dual Flush)
Matt Chrome Finish with Chrome
Trim




AQE-K5080-K-ESG1

Flush Plate (Dual Flush)
Stainless Steel Finish

AQE-K5080-K-ESG2

Flush Plate (Dual Flush)
Polished Stainless Steel Finish





AQE-T0001-SI

Side Inlet Mechanism


Dual Flush - 3 - 6 litres

Adjustable float - variation 100 mm

Pressure ranges 0.3 - 10 bar

Connections: 3/8" in brass

Universal installation for most European WC cisterns



AQE-T0001-BI

Bottom Inlet Mechanism

Dual Flush - 3 - 6 litres

Adjustable float - variation 100 mm

Pressure ranges 0.3 - 10 bar

Connections: 1/2" in plastic

With or without refill function available



SANITARYWARE



BDS-REM-115211-A-WH

Wash Basin
1 Tap Hole
with Overflow
595 x 480 x 827 mm

BDS-REM-101211-A-WH

Full Pedestal



BDS-REM-115211-A-WH

Wash Basin
1 Tap Hole
with Overflow
590 x 490 x 525 mm

BDS-REM-102211-A-WH

Semi Pedestal



BDS-REM-115511-A-WH

Inset Wash Basin
535 x 425 x 190 mm



BDS-REM-105611-A-WH

Undercounter Wash Basin
570 x 410 x 210 mm



BDS-REM-106111-A-WH

Undercounter Wash Basin
Dia. 405 x 175 mm



BDS-REM-403011-A-WH

Close Coupled WC
355 x 640 x 390 mm

BDS-REM-303011-A-WH

Cistern with Push Stop Mechanism



BDS-REM-203011-A-WH

Back to Wall Bidet
1 Tap Hole
375 x 550 x 390 mm



BDS-REM-302011-A-WH

Wall Mounted WC
355 x 550 x 320 mm



BDS-REM-202011-A-WH

Wall Mounted Bidet
1 Tap Hole
360 x 550 x 320 mm



BDS-REM-301524-A-WH

Seat and Cover



SHR-REU0001-WH

Concealed Trap Urinal
370 x 300 x 655 mm

DVA-URT002

Back Inlet Urinal Spreader

PEX-451-TK-CP

Chrome Plated Brass
Grated Waste with Top Klean
Access 1 1/2"

SNT-31-220-00-0000

PVC Urinal Bottle Trap
1 1/2" x 400 mm

CPS-WH1P-CARTRIDGE

Waterless Urinal Unit



WASH BASIN COLLECTION

BAGNO
design



BDS-MON-105411-A-WH

Monaco
Countertop Wash Basin
without Overflow
600 x 420 x 110 mm



BDS-RIG-104411-A-WH

Riga
Countertop Wash Basin
without Overflow
430 x 430 x 160 mm



BDS-MAD-101411-A-WH

Madrid
Countertop Wash Basin
without Overflow
Dia. 415 x 140 mm



BDS-MIN-105411-A-WH

Minsk
Oval Countertop Wash Basin
with Overflow
485 x 340 x 190 mm



BDS-ATH-101411-A-WH

Athens
Round Countertop Wash Basin
without Overflow
Dia. 490 x 140 mm



BDS-SAN-104411-A-WH

San Moritz
Countertop Wash Basin
without Overflow
590x 405 x 165 mm



BDS-PRA-111411-A-WH

Prague
Round Countertop Wash Basin
1 Tap Hole
with Overflow
Dia. 490 x 140 mm



BDS-PAR-111411-A-WH

Paris
Countertop Wash Basin
1 Tap Hole
with Overflow
Dia. 460 x 170 mm



BDS-MAL-102711-A-WH

Malmo Inset
Countertop Wash Basin
without Overflow
570 x 405 x 95 mm



BDS-MAL-114411-A-WH

Malmo Top
Countertop Square Wash Basin
1 Tap Hole
with Overflow
520 x 445 x 160 mm



BDS-MAL-114711-A-WH

Malmo Semi
Semi-Recessed Square Wash Basin
1 Tap Hole
with Overflow
400 x 455 x 145 mm



BDS-CUB-102611-A-WH

Cube Rectangle
Undercounter Wash Basin
with Overflow
550 x 355 x 190 mm



BDS-CUB-104611-A-WH

Cube Square
Undercounter Wash Basin
with Overflow
410 x 410 x 195 mm



BDS-MAL-102611-A-WH

Malmo Under
Undercounter Wash Basin
No Tap Hole
with Overflow
525 x 355 x 160 mm



BDS-VIE-105611-A-WH

Vienna
Undercounter Wash Basin
No Tap Hole
with Overflow
570 x 420 x 200 mm



SHR-UC155X0-WH

Oval
Undercounter Wash Basin
No Tap Hole
with Overflow
560 x 405 x 210 mm



SHR-RE14051-WH

Round
Undercounter Wash Basin
No Tap Hole
with Overflow
Dia. 405 x 175 mm



BFK-UCNT-KIT - Undercounter Basin Fixing Kit

MIXERS



ZKW-HA6130-CP
Wash Basin Mixer
without Pop-up Waste
with 1/2" Flexible Tubes



ZKW-FL6090-HAR-CP
Wall Mounted
Wash Basin Mixer
without Pop-up Waste
Spout Length 145 mm



ZKW-HA6131-CP
Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Tubes



ZKW-HA6142-CP
Freestanding Bath Tub Mixer
with Hand Shower



ZKW-HA6132-CP
Exposed Bath Shower Mixer
without Shower Kit



ZKW-HA6133-CP
Exposed Shower Mixer
without Shower Kit



ZKW-HA6135-CP
Malmo Shower Mixer
with Fixed Head and Shower Kit



ZKW-HA6136-CP
Concealed Bath Shower Mixer
with Integral Diverter



ZKW-HA6139-CP
Concealed Bath Shower Mixer



ZKW-HA6134-CP
Single Lever Kitchen Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes

BERLIN



BDM-BER-111515-A-CP

Single Lever Mono Wash Basin Mixer
without Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-BER-211512-A-CP

Single Lever Mono Bidet Mixer
without Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-BER-422216-A-CP

Exposed Bath Shower Mixer
without Shower Kit
Chrome



BDM-BER-512215-A-CP

Exposed Shower Mixer
without Shower Kit
Chrome

PALMA



BDM-PAL-111513-A-CP

Single Lever Mono Wash Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-PAL-211509-A-CP

Single Lever Mono Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-PAL-422217-A-CP

Exposed Bath Shower Mixer
without Shower Kit
Chrome



BDM-PAL-522214-A-CP

Exposed Shower Mixer
without Shower Kit



BDM-YOR-111512-A-CP

Wash Basin Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-YOR-211512-A-CP

Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Tubes
Chrome



BDM-YOR-422219-A-CP

Exposed Bath Shower Mixer
without Shower Kit
Chrome



BDM-YOR-522209-A-CP

Exposed Shower Mixer
without Shower Kit
Chrome



BDM-YOR-522199-A-CP

Exposed Bath Shower Mixer
with Round Shower Head
with Hand Shower
Chrome



EBI-CHE-100-CP
Mono Basin Mixer
with 1 1/4" Pop-Up Waste
with 1/2" Flexible Pipes
Chrome



EBI-CHE-110-CP
Mono Bidet Mixer
with 1 1/4" Pop-Up Waste
with 1/2" Flexible Pipes
Chrome



EBI-CHE-123-CP
Wall Mounted Exposed Bath Shower
Mixer without Shower Kit
Chrome



EBI-CHE-145-CP
Wall Mounted Concealed
Shower Mixer
Chrome



EBI-CHE-147-CP
Wall Mounted Concealed Shower
Mixer with Diverter
Chrome



EBI-EB-140-CP
Spout
Length 175 mm
Chrome



EBI-CHE-150-CP
Sink Mixer
with Cast Swivel Spout
with 1/2" Flexible Tubes
Chrome



EBI-CHE-152-CP
Sink Mixer
with Pull-out Shower
with 1/2" Flexible Tubes
Chrome



EBI-MAT-EB-100-CP
Single Lever Basin Mixer
with Pop-up Waste
with 1/2" Flexible Pipes
Chrome



EBI-MAT-EB-110-CP
Single Lever Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Pipes
Chrome



EBI-MAT-EB-123-CP
Wall Mounted Exposed Bath Shower
Mixer without Shower Kit
Chrome



EBI-MAT-EB-145-CP
Concealed Shower Mixer
Chrome



EBI-MAT-EB-147-CP
Concealed Shower Mixer with
Diverter
Chrome



EBI-MAT-EB-150-CP
Kitchen Sink Mixer
with 1/2" Flexible Tubes
Chrome





EBI-WAR-200-CP
Wash Basin Mixer
with Pop-up Waste
with 1/2" Flexible Pipes
Chrome



EBI-WAR-210-CP
Bidet Mixer
with Pop-up Waste
with 1/2" Flexible Pipes
Chrome



EBI-WAR-200H-CP
High Neck Basin Mixer
with Pop-up Waste
with 1/2" Flexible Pipes
Chrome



EBI-WAR-220+KIT-CP
Wall Mounted Exposed
Bath Shower Mixer
with Shower Kit
Chrome



EBI-WAR-223-CP
Wall Mounted Exposed
Bath Shower Mixer without
Shower Kit
Chrome



EBI-WAR-221-CP
Wall Mounted Exposed
Bath Shower Mixer
without Rigid Riser
Chrome



EBI-WAR-207-CP
Bridge Mixer
Chrome



EBI-WAR-251-CP
Deck Mounted Sink Mixer
with Tubular Spout
Chrome



EBI-WAR-253-CP
2 Hole Deck Mounted Sink
Mixer
Chrome



EBI-WAR-254F-CP
Wall Mounted Exposed
Sink Mixer
Chrome



EBI-WAR-254G-CP
Wall Mounted Exposed
Sink Mixer
Chrome



EBI-WAR-206-CP
Basin Pillar Taps 1/2"
(Pair)
Chrome



EBI-WAR-262-10-CP
Wall Mounted Bibtap 100 mm
Chrome



EBI-WAR-243-1/2-CP
Concealed Stop Valve 1/2"
Chrome



EBI-XAV-RIGID-CP
Rigid Riser with Shower
Head
Chrome

EBI-WAR-262-15-CP
Wall Mounted Bibtap 150 mm
Chrome

EBI-WAR-243-3/4-CP
Concealed Stop Valve 3/4"
Chrome



EBI-IR-100-PRO-CP

Project
Deck Mounted Mono Wash Basin Mixer
Mains or Battery Operated
Single 1/2" Connection
with Control Box
Chrome
Recommend EBI-PRO-5001 for Mixed
Water



EBI-IR-100-LIF-CP

Life
Deck Mounted Mono Wash Basin Mixer
Mains or Battery Operated
Single 1/2" Connection
with Control Box
Chrome
Recommend EBI-PRO-5001 for Mixed
Water



EBI-IR-109-NOT-CP

Notion
Wall Mounted Wash Basin Mixer
With Square Back Plate
Mains or Battery Operated
with Concealed Control Box
Chrome



EBI-IR-100-ZOO-CP

Zoo
Deck Mounted Mono Wash Basin Mixer
Mains or Battery Operated
Single 1/2" Connection
with Control Box
Chrome
Recommend EBI-PRO-5001 for Mixed
Water



EBI-IR-100-TE-CP

Te'
Deck Mounted Mono Wash Basin Mixer
Mains or Battery Operated
Single 1/2" Connection
with Control Box
Chrome
Recommend EBI-PRO-5001 for Mixed
Water



EBI-IR-109-ZOO-CP

Zoo
Wall Mounted Wash Basin Mixer
with Round Back Plate
Mains or Battery Operated
with Concealed Control Box
Chrome



EBI-IR-100-ZOOT-CP

Zoo
Deck Mounted Mono Wash Basin Mixer
with Adjustable Temperature Control
Mains or Battery Operated
with 1/2" Connection
Chrome



EBI-PRO-5001-W-NP

Protherm In-line Thermostatic Valve
with Ceramic Cartridge
1/2" + 3/4" x 50mm Compression
Couplings
Recommended for use with all Infra-Red
Mixers

PUSH TAPS

AQUA
eco



AQE-ECO-711112-A-CP
Eco-Push
Self-Closing Tap
Chrome



AQE-ECO-711113-A-CP
Eco-Push
Self-Closing Tap
Chrome



AQE-ECO-711110-A-CP
Eco-Push
Self-Closing Tap
Chrome



AQE-ECO-712109-A-CP
Eco-Push
Wall Mounted Self-Closing Tap
Chrome



AQE-ECO-512100-A-CP
Eco-Push
Concealed Shower Mixer
Chrome



EBI-PRO-5000-0/NP
Protherm In-Line Mixing Valve
supplied with 15 mm and 22 mm
fittings



Nowadays a number of technologies enable us to reduce water consumption considerably. These are inexpensive devices which can even halve the consumption of running water. We are just talking about aerators and connection fittings with flow-limiting devices.

IT IS WORTHWHILE INSTALLING WATER-SAVING SYSTEMS.

Large-scale research, e.g. the “Bagnacavallo Project” undertaken by the Italian environmental association Legambiente, **has shown that a 40-50% cut in the consumption of water from taps and showerheads, made possible by the installation of flow-limiting devices (*), can decrease the total water usage per household by as much as 20%** (washing machines, dishwashers, most kitchen activities, cleaning, and so on, account for more than half of it). **This means that the savings in your utility bills will pay for the cost of these devices within a few months.**

By installing these water-saving systems you can make a real contribution to energy conservation and avoid the waste of valuable resources. The less water you employ, the less water has to be pumped to your homes, thus saving energy. And when it comes to hot water, you also save the energy required to heat it.

These savings alone would justify installing them in your homes.

- You can **REDUCE WATER USE** by up to **50%***.

- You can **SAVE ENERGY.**

- You can **CUT water and energy COSTS.**



INSTALLING THEM IS CHILD'S PLAY.

They can be installed with the greatest ease. Simply screw the low-flow aerator onto the end of your tap. If your showerhead or tap do not allow the use of such aerators, screw the connection fitting with flow restrictor onto the flexible hose or the showerhead.



AQE-290-5

Aerator M24x1 with Flow-Limiting device at 5 l/min



AQE-291-5

Aerator M22x1 with Flow-Limiting device at 5 l/min



AQE-292-5

AQE-292-12

Connection MF1/2 with Flow-Limiting device at 5/12 l/min

ACCESSORIES



ASI-10-0165-SS
Profile
Compact Dryer



ASI-10-0133-SS
Fully Recessed Automatic Hand Dryer
Quick Drying - Under 30 Seconds
with Durable 14 Gauge Stainless Steel Cover
Satin Stainless Steel



ASI-10-0185
Roval™
Steel Cover With Porcelain Enamel Finish
Quick Drying - Under 25 Seconds
No Touch - Energy Efficient Operation
Universal Voltage - Automatically Adjusts to
Voltages of 100 to 240 VAC - 50/60 Hz.
Modern Design and Durable

Available in
White, Bright Stainless Steel
& Satin Stainless Steel

ASI-10-0197-2-93-SS

Turbo-Dri™
High Speed Hand Dryer
Quick drying — Less than 12 seconds
Operates Automatically using Infrared Sensor,
Auto-Resetting Thermostat, 60-Second
Automatic Shut off, Cover Fabricated of
Heavy-Duty, One-Piece-Formed Stainless
Steel



WASHROOM ACCESSORIES



ASI-10-0332-SS
All Purpose Soap Dispenser
Counter Mounted
1.0L
Spout Length 102 mm



ASI-10-5001-SS
Liquid Soap Dispenser
Surface Mounted
110 x 280 x 100 mm



ASI-10-5002-SS
Liquid Soap Dispenser Recessed
145 x 345 x 110 mm



ASI-10-0210-SS
Paper Towel Dispenser
Surface Mounted
280 x 370 x 102 mm



ASI-10-20210-SS
Paper Towel Dispenser
Surface Mounted
281 x 345 x 124 mm



ASI-10-6462-9-SS
Paper Towel Dispenser and Waste Bin
Combination
Surface Mounted
440 x 1370 x 150 mm



ASI-10-64623-SS
Paper Towel Dispenser and Waste Bin
Combination
Recessed
360 x 710 x 100 mm



ASI-10-20452-SS
Paper Towel Dispenser
Recessed
324 x 711 x 99 mm



ASI-10-20469-SS
Paper Towel Dispenser and Removable
Waste Bin Combination
Recessed
440 x 1430 x 126 mm



WASHROOM ACCESSORIES



ASI-10-0457-SS
Paper Towel Dispenser
Recessed
290 x 400 x 110 mm



ASI-10-0462-AD-SS
Tissue Dispenser with Waste Bin
Recessed
325 x 670 x 110 mm



ASI-10-04697-SS
Tissue Dispenser with Waste Bin
Recessed
400 x 1390 x 185 mm



ASI-10-0477-SM-SS
Toilet Seat Cover Dispenser
Surface Mounted
400 x 285 x 65 mm



ASI-10-0828-SS
Waste Bin 7 Gallons
Surface Mounted
355 x 430 x 165 mm



ASI-10-20826-SS
Waste Bin
Surface Mounted
384 x 584 x 216 mm



ASI-10-20852-SS
Waste Bin with Lid
Surface Mounted
185 x 253 x 89 mm



ASI-10-20470-SS
Sanitary Napkin Disposal
Recessed
324 x 280 x 35 mm



ASI-10-0030-SS
Dual Roll Toilet Roll Holder
Surface Mounted
150 x 300 x 165 mm

WASHROOM ACCESSORIES



ASI-10-0347-SS
Vertical Soap Dispenser 1.2 L
Surface Mounted
100 x 205 x 135 mm



ASI-10-1204-36-SS
Shower Curtain Rod
36" Length
915 mm



ASI-10-7305-BS
Toilet Roll Holder
200 x 50 x 100 mm

ASI-10-1204-60-SS
Shower Curtain Rod
60" Length
1525 mm



ASI-10-7320-BS
Soap Dish
110 x 50 x 100 mm



ASI-10-7340-BS
Robe Hook



ASI-10-7355-24-BS
Towel Bar
24" Length
Surface Mounted
610 mm



ASI-10-7402-D-BS
Toilet Roll Holder
Recessed
160 x 160 mm



ASI-10-0719-SS
Door Stop
Dia. 55 x 50 mm



ASI-10-8203

Folding Shower Seat
With Wall Support
445 x 460 x 408 mm
Stainless Steel



ASI-10-3413

Swing-up Grab Bar
Length 762 mm
Stainless Steel



ASI-10-3701-12

Straight Support Bar
32 mm O.D.
Horizontal or Vertical Installation
Length 300 mm
Stainless Steel

ASI-10-3701-24

As Above
Length 600 mm

ASI-10-3701-36

As Above
Length 900 mm



ASI-10-3702-48

Straight Bar
32mm O.D.
With 3 Support Point
Horizontal or Vertical Installation
Length 1200 mm
Stainless Steel



ASI-10-3704-R

90° Angled Bar
32mm O.D. with Right Handle
813 x 406 mm
Stainless Steel

ASI-10-3704-L

As Above
with Left Handle

WASHROOM ACCESSORIES

BAGNO
design



SIM-40-MICA-CP

Inox Flow Automatic Hand Dryer, Casing: AiSi 304 1.5 mm Steel Plate, Operation: Electronic Sensor, Weight: 4.4 kgs, Anti-Vandalism Structure
280 x 280 x 210 mm - Polished Chrome



SIM-40-MAFC-CP

Airforce Automatic Hand Dryer with Steri Touch Technology, Casing: Injected Aluminium, Operation: Electronic Sensor, Weight: 3.2 kgs, Anti-Vandalism Structure
272 x 226 x 165 mm - Polished Chrome



SIM-40-MBBA-WH

Sensor Hand Dryers, Casing: 1.2 mm Steel Plate, Operation: Electronic Sensor, Weight: 3.2 kgs, 327 x 250 x 152 mm - White Epoxy Steel



SIM-40-MBCA-CP

Sensor Hand Dryers, Casing: 1.2 mm Aisi 304 Steel, Operation: Electronic Sensor, Weight: 3.2 kgs, 327 x 250 x 152 mm - Polished Chrome



SIM-40-MBSA-SS

Sensor Hand Dryers, Casing: 1.2 mm Aisi 304 Steel, Operation: Electronic Sensor, Weight: 3.2 kgs, 327 x 250 x 152 mm - Satin Stainless Steel



SIM-40-MHCA-CP

Sensor Hand Dryers
1.5mm Aisi 304 Stainless Steel
Electronic Sensor, 274 x 219 x 140 mm - Polished Chrome Finish

SIM-40-MHSA-SS

Stainless Steel

PAPER TOWEL DISPENSERS



SIM-40-T400C-SS

Paper Towel Dispenser, Material: AiSi 304 Stainless Steel, Paper Level Viewer, Security Closure, 371 x 281 x 127 mm - Polished Stainless Steel



SIM-40-T401C-SS

Paper Towel Dispenser, Material: Steel and Stainless Steel, Paper Level Viewer, Security Closure, 260 x 120 x 320 x mm - Polished Stainless Steel



BWR-TDO-PRO-SF-GREY

Tornado - Jet Hand Dryer
650 x 292 x 250 mm

Dries hands in only 12 to 16 seconds.

REALLY SAVES ENERGY WITH ONLY 850 WATT TOTAL CONSUMPTION by innovative inverter technology

- It starts automatically when hands are placed in the drying area.
- High speed universal brushless motor.
- Suitable for medium and high traffic facilities.
- Automatic disconnection system after 18 seconds of continuous use.

TECHNICAL DATA :

Functioning - Intelligent sensor
Supply Voltage - 220V- 240 V
Frequency - 50-60 Hz
Material - ABS
Absorption motor - 850 Watt
Overall absorption - 850 Watt
Air speed - 300Km/h
Noise level - Lower than 70 dB
Electrical protection level - CLASS I - IP22
Dimensions - H x W x D - 650 x 292 x 250
Weight - 15 kg
Quality marks/cerifications CE
Warranty - 5 years on components

DOC M PACK



ALT-DMB600-WH

DOC M 6 Lite Low Level Disabled Set
Includes: Low Level HO Pan, 6 Litre Cistern and Spatula Cistern Lever, Disabled Toilet Seat (Ring Only), Wash Hand Basin, 1 1/4" Chrome Basin Waste, SF Basin Brackets (x2), Inta Sequential Spray Mixer, Inta 600 mm Grab Rails (x5), Inta Drop Down Rail with Toilet Roll Holder, Inta Back Rest Rail and Cushion (x1) and 1 1/4" Bottle Trap



DGM-266158DF-CP
Tumbler and Holder
74 x 100 x 115 mm



DGM-266159DF-CP
Soap Dish and Holder
118 x 122 x 77 mm



DGM-266151-CP
Toilet Roll Holder with Cover
142 x 62 x 131 mm



DGM-266151M-CP
Toilet Roll Holder without Cover
142 x 62 x 81 mm



DGM-266160-CP
Towel Ring
208 x 62 x 131 mm



DGM-266124-CP
Towel Rail
620 x 62 x 45 mm



DGM-266198FN-CP
Glass Shelf
[Tempered Glass-Frosted]
530 x 130 x 18 mm



DGM-266154-4N-CP
Robe Hook Set - 4 Pcs
210 x 31 x 40 mm



DGM-266153-CP
Double Hook
60 x 25 x 40 mm



DGM-266194FN-CP
Toilet Brush and Holder
96 x 128 x 350 mm





DGM-265758DF-CP
Tumbler and Holder
74 x 112 x 104 mm



DGM-265759DF-CP
Soap Dish and Holder
118 x 134 x 66 mm



DGM-265751-CP
Toilet Roll Holder with Cover
142 x 53 x 151 mm



DGM-265751M-CP
Toilet Roll Holder without Cover
142 x 53 x 100 mm



DGM-265760-CP
Towel Ring
230 x 53 x 162 mm



DGM-265724-CP
Towel Rail
653 x 68 x 53 mm



DGM-265798F-CP
Glass Shelf
[Tempered Glass-Frosted]
530 x 142 x 53 mm



DGM-265744-2-CP
Bath Towel Shelf
603 x 242 x 112 mm



DGM-265753-CP
Double Hook
81x 53 x 53 mm



DGM-265754-CP
Robe Hook
53 x 56 x 53 mm



DGM-265794F-CP
Toilet Brush and Holder
95 x 140 x 350 mm



DGM-265658CFN-CP
Tumbler and Holder
88 x 116 x 115 mm



DGM-265659CFN-CP
Soap Dish and Holder
118 x 131 x 58 mm



DGM-265651N-CP
Toilet Roll Holder with Cover
160 x 45 x 152 mm



DGM-265651MN-CP
Toilet Roll Holder without Cover
160 x 45 x 100 mm



DGM-265660N-CP
Towel Ring
210 x 180 x 34 mm



DGM-265624N-CP
Towel Rail
654 x 68 x 54 mm



DGM-265698FN-CP
Glass Shelf
[Tempered Glass-Frosted]
530 x 144 x 54 mm



DGM-265653N-CP
Double Hook
63 x 37 x 54 mm





DGM-21205900072-SS
Soap Dish and Holder
118 x 65 x 129 mm



DGM-21205100072-SS
Toilet Roll Holder with Cover
135 x 144 x 69 mm



DGM-21205110072-SS
Toilet Roll Holder without Cover
135 x 106 x 54 mm



DGM-21209700072-SS
Spare Roll Holder
50 x 162 x 69 mm



DGM-21202400072-SS
Towel Rail
650 x 50 x 62 mm



DGM-21205300072-SS
Double Hook
81 x 50 x 57 mm



DGM-21205400072-SS
Robe Hook
50 x 50 x 40 mm



DGM-21206000072-SS
Towel Ring
180 x 200 x 55 mm



DGM-WAG-AC-217-SS
Door Stop with Hook
Dia. 45 x 76 mm



DGM-WAG-AC-227-SS
Floor Door Stop
Dia. 40 x 40 mm



DGM-21209400072-SS
Toilet Brush and Holder
350 x 96 x 118 mm



AQF-SHA-IX304-A-SS
Stainless Steel Bidet Spray

INOX 304

STAINLESS STEEL BIDET SPRAY

Shattaf kit consists of:

- Shattaf Shower in Stainless Steel
- Flexible Stainless Steel Hose 100 cm
- Wall Bracket



MADE IN UK



DGM-WM100-3X-CP
Bagno Mirror Double Arm Illuminated
Magnifying x 3, 25W, 110 or 220V,
Dia. 250mm, Mains or Plug Socket



DGM-WM009-3X-CP
Bagno Mirror
Double Arm Magnifying x 3
Dia. 203 mm



DGM-260889-CP
Liquid Dispenser
0.23l
75 x 114 x 190 mm



YSN-5825-SS
Soap Dispenser 500 ml
145 x 90 mm



NBL-268-70168-CP
Counter Recessed Soap
Dispenser 0.5l
120 x 70 x 380 mm



BIS-BF802-CP
Automatic Soap Dispenser,
Battery Box Included

YSN-5827-SS
Soap Dispenser 1000 ml
205 x 120 mm



NBL-268-71369-CP
Wall Mounted Soap
Dispenser 0.15l
50 x 100 x 160 mm



DGM-H121015S-CP
Corner Soap Basket Small
150 x 114 x 30 mm



DGM-H121015M-CP
Corner Soap Basket Medium
220 x 147 x 60 mm



DGM-H121015L-CP
Corner Soap Basket Large
260 x 164 x 80 mm



DGM-H120002-CP
Rectangular Soap and Sponge
Basket Large
270 x 194 x 100 mm



DGM-H200220-CP
Double Bath Towel Shelf
510 x 250 x 200 mm




DGM-H191224-CP
Towel Rack
654 x 247 x 213 mm



DGM-260114-CP
Robe Hook
25 x 48 x 25 mm



DGM-261121N-CP
Retractable Clothes Line
Max. Length 2750 mm
Dia. 90 mm



DGM-261122N-CP
Retractable Clothes Line
Max. Length 2750 mm
95 x 55 x 95 mm



DGM-H250012-CP
Grab Bar
300 x 125 x 25 mm



DGM-H250082N-CP
Angled Grab Bar
with Soap Basket
435 x 125 x 214 mm



DGM-261676SSN-SS
Concealed (in Wall)
Toilet Paper Holder
158 x 86 x 158 mm



DGM-261676SSN-2H-SS
Concealed (in Wall)
Twin Toilet Roll Holder
300 x 162 x 72 mm



PAC-KBDC-ABS-CP
Tissue Box Cover
255 x 140 x 65 mm



MON-52S2-LB
Mirror Heater Pad
(Heated Area 500 x 500)
120 V - 200 W/m²
515 x 525 mm



DGM-261068Z-5N-CP
Pedal Bin
5 Litre Capacity
260 x 270 x 330 mm




DGM-2670301NA-CP
Freestanding Toilet
Brush Set
101 x 101 x 386 mm

MON-97S2-LB
Mirror Heater Pad
(Heated Area 500 x 960)
120 V - 200 W/m²
Hair Dryers
525 x 970 mm



BDR-BRU-325070-A-CL

Bruges
Bevelled Edge Wall Mounted Mirror
with Full Framed LED Border
500 x 720 mm



BDR-LUC-221050-A-CL

Lucca
Landscape Bevelled Edge Mirror
with LED Illumination
1000 x 530 mm



BDR-MAL-324590-A-CL

Malmo
Slimline Bevelled Edge Wall
Mounted Mirror
with Parallel Top and Bottom LEDs
450 x 900 mm



BDR-MAL-435555-A-CL

Malmo
Mirror with Integrated Lighting
550 x 550 mm



BDR-PAL-334060-A-CL

Palma
Wall Mounted Mirror
with Rounded Corners and Frosted
Top Edge Lighting
400 x 600 mm



BDR-YOR-136060-A-CL

York
Circular Mirror with Integrated Lighting
Dia. 600 mm



EBI-ELE-187-SQ

Square
Wall Mirror with
Frosted Edges
600 x 600 mm



EBI-ELE-187-RO

Round
Wall Mirror with
Frosted Edges
Dia. 600 mm

SHOWERING ACCESSORIES



BOS-C03075-CP
Patty Ablution Set, Chrome Handset with 1250 mm DI Hose and Bracket



BOS-C04045-CP
Nikita Ablution Set, Chrome Handset with 1250 mm DI Hose and Bracket



BOS-C98003-CP
Paloma Ablution Set, Chrome Handset with 1250 mm Cromolux Hose



BOS-C69002-CP
Nikita Ablution Set
Consisting of : B00650 Brass Nikita Shut-off Handspray - C69000 safety stop valve 1/2" M with Shower Holder A05045 Double Interlock Brass Hose 1250 mm

The safety stop valve C69005 is designed to prevent the hose from bursting should the water tap remain open. The safety valve only works when the handspray is placed in its bracket



FIXED HEADS & HANDSHOWERS



BOS-H26352-CP

Cylindrico/1 (Fixed Head Kit)
Consisting of:
Shower Arm, Cylindrico Single
Function Shower Head



BOS-H42320-MCP

Ovo-Fresh (Fixed Head Kit)
Consisting of:
Shower Arm, Ovo-Fresh 3 Function
Shower Head



BOS-H41020-MCP

Fresh (Fixed Head Kit)
Consisting of:
Shower Arm, Fresh 3 Function
Shower Head



BOS-B00075-MCP

Vitality
5 Function Hand Shower Easy
Clean Spray Pattern



BOS-B00141-CP

Miki 1
Single Function Handshower



BOS-B00166-CP

Dinamica
Single Function Hand Shower Easy
Clean Spray Pattern

THERMOSTATIC SHOWER VALVE



BOS-B00162-CP

Cylindrica 5
5 Function Hand Shower



EBI-DGS-149-1/2-CP

Exposed Thermostatic
Shower Valve 1/2" x 1/2"



BOS-C95002-CP
Shower Kit with Fixed Bracket
Cylindrica 1 Function Hand Shower
and Cromolux Hose 1500 mm



BOS-C54001-CP
Zen Shower Kit with Supply Elbow with
Shower Hook and Double Interlock
Brass Hose 1500 mm



BOS-D54034-CP
Mixa 3
Slide Rail Kit without Soap Dish
With Double Interlock Brass Hose
1500 mm



BOS-D54035-CP
Cylindrica 3
Slide Rail Kit without Soap Dish
With Double Interlock Brass Hose 1500



BOS-D60000-CP
Asta Slide Rail, Dia. 25 x 700 mm



BOS-D54000-CP
Slide Rail
Dia. 20 x 700 mm



BOS-C04000-CP
Fixed Wall Bracket



BOS-54000-CP
Wall Outlet
with Integral Holder



BOS-V00267-CP
Brass Water Supply Elbow
with Flange 1/2"M x 1/2"M
Gas



BOS-V00275-CP
Vacuum Breaker



BOS-A00045-125-CP	Double Interlock Brass Hose Available in Sizes 1250, 1500, 1750 mm
BOS-A00045-150-CP	
BOS-A00045-175-CP	

10 Year Guarantee



ZKW-HR26+HR30-CP

Kudos Q
Fixed Shower Head
Dia. 203 mm
with Arm
320 mm Long
Chrome



ZKW-HRP44+HRP11-CP

M2
Shower Head
195 x 195 mm
with Arm
438 mm Long
Chrome



ZKW-HR25-CP

Hotel
Shower Head
Dia. 150 mm
with Arm
320 mm Long
Chrome



DGM-100091401-CP

Kudos Cube
Shower Head
245 x 145 mm
with Arm
380 mm Long
Chrome



RAN-ROB1203-CP

Arran
Rectangular Shower Head
305 x 200 mm
Chrome



RAN-ROB1601-CP

Skye
Square Shower Head
400 x 400 mm
Chrome



RAN-ROS1001-CP

Emperor
Fan Shower Head
284 x 100 mm
Chrome



RAN-ROA1202-CP

Iona
Round Shower Head
Dia. 300 mm
Chrome



RAN-G0052-CP

Cube
Ceiling Shower Arm
300 mm
Chrome



RAN-G0046-CP

Cube
Ceiling Shower Arm
200 mm
Chrome



RAN-G0003-CP

Round
Ceiling Shower Arm
150 mm
Chrome



RAN-G0056-CP

Cube
Wall Shower Arm
400 mm
Chrome



RAN-G0060-CP

Round
Wall Shower Arm
440 mm
Chrome



RAN-G0001-1-CP

Round
Wall Shower Arm
400 mm
Chrome

ENCLOSURES & DOORS

BAGNO
design



SWM-EF410-CP

Twin Door Quad Enclosure with Sliding Doors
1000 x 1000 mm

BDJ-F100Q100-WH

Stone Resin/Acrylic Capped Quad Shower Tray
1000 x 1000 x 40 mm



SWM-GS209-CP

Square Shower Enclosure with Pivot Door
900 x 900 mm

SWM-GS208-CP

Square Shower Enclosure with Pivot Door
800 x 800 mm

BDJ-A90100-WH

Stone Resin/ Acrylic Capped Shower Tray
900 x 900 x 40 mm

BDJ-A80100-WH

Stone Resin/ Acrylic Capped Shower Tray
800 x 800 x 40 mm

BATH SCREENS



SWM-KP1-90-CP

Frameless Pivot Door 900 mm

SWM-KP1-80-CP

Frameless Pivot Door 800 mm



SWM-PROBS-80-CP

Q Single Panel Bath Screen
800 x 1400 mm



SWM-PROBSSQ-80-CP

Cube Single Panel Bath Screen
800 x 1400 mm



SWM-PROBSEXB-100-CP

Q Extended Bath Screen
1000 x 1400 mm



SWM-PROBSEXSQ-100-CP

Cube Extended Bath Screen
1000 x 1400 mm

Stone Resin/Acrylic Capped Shower Tray
90mm Waste Outlet

Recommended Waste
SNT-34-045-00-0000CP



BDJ-F80100-WH	800 x 800 x 40 mm
BDJ-OBF90100-WH	900 x 900 x 40 mm
BDJ-F100100-WH	1000 x 1000 x 40 mm
BDJ-F1280100-WH	1200 x 800 x 40 mm
BDJ-F1290100-WH	1200 x 900 x 40 mm
BDJ-F1580100-WH	1500 x 800 x 40 mm
BDJ-F1780100-WH	1700 x 800 x 40 mm




BDJ-NL1690100-WH
Solid Surface Shower Tray
with Waste
1600 x 900 x 40 mm



BDJ-F100Q100-WH
Stone Resin/Acrylic Capped Shower Tray
90mm Waste Outlet
1000 x 1000 x 40 mm

Recommended Waste
SNT-34-045-00-0000CP



BDJ-A80100-WH
Stone Resin/Acrylic Capped Shower Tray
50 mm Waste
800 x 800 x 130 mm

BDJ-A90100-WH
Stone Resin/Acrylic Capped Shower Tray
50 mm Waste
900 x 900 x 130 mm

Recommended Waste PEX-451-CP or
OPP-ZB36380DBSP
(with trap)



BDJ-F1290RQ100-WH
Stone Resin/Acrylic Capped Shower Tray
Quad - Right Hand
90mm Waste Outlet
1200 x 900 mm


Recommended Waste
SNT-34-045-00-0000CP



BDJ-F1290LQ100-WH
Stone Resin/Acrylic Capped Shower Tray
Quad - Left Hand
90mm Waste Outlet
1200 x 900 mm

Recommended Waste
SNT-34-045-00-0000CP

BATHING



RVA-BT315-X-WH

Opal Duo
Acrylic Bath Tub
1800 x 800 x 460 mm

RVA-BT315-X-SYS6A-WH

with Whirlpool System 6A

RVA-BT315-X-SYS6B-WH

with Whirlpool System 6B

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)



RVA-BT306-E-WH

Opal Duo Oval
Acrylic Bath Tub
1750 x 800 x 420 mm

RVA-BT306-E-SYS6A-WH

with Whirlpool System 6A

RVA-BT306-E-SYS6B-WH

with Whirlpool System 6B

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)



RVA-BT309-E-WH

Euro Duo
Acrylic Bath Tub
1700 x 750 x 460 mm

RVA-BT308-E-WH

1800 x 800 x 480 mm

RVA-BT308-E-SYS6A-WH

with Whirlpool System 6A

RVA-BT308-E-SYS6B-WH

with Whirlpool System 6B

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)



BDP-SORBM04-WH

Euro Mono
Plain Bath Tub
1700 x 750 x 430 mm

BDP-SORBM06-WH

1800 x 800 x 430 mm

BDP-SORBM06-SYS6A-WH

with Whirlpool System 6A

BDP-SORBM06-SYS6B-WH

with Whirlpool System 6B

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)

ACRYLIC INSET BATH TUBS

BAGNO
design



RVA-BT302-E-WH

Carlo Duo
Acrylic Bath Tub
1700 x 750 x 400 mm

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)



RVA-BT106-E-WH

Carol
Acrylic Bath Tub
1700 x 750 x 440 mm

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)




RVA-BT104-E-WH


Solo
Acrylic Bath Tub
1700 x 700 x 400 mm

Recommended Waste
SNT-35-047-00-S002 (Bath Pop-up
Waste)


WHIRLPOOL SYSTEMS




System 6A - Standard Whirlpool
6 Whirlpool Jets, Self-Clean, Pneumatic Control Switch




System 6B - Deluxe Whirlpool
6 Whirlpool Jets, Self-Clean, Pneumatic Control Switch, 2 Back & 2 Feet Jets, Underwater Lighting



System 6BSF - Super Deluxe Whirlpool
6 Super Flat Whirlpool Jets, Self-Clean, Electronic Control Switch, 2 Back & 2 Feet Jets, Underwater Lighting



System 6E - Deluxe SPA
6 Whirlpool Jets, Self-Clean, Pneumatic Control Switch, 2 Back & 2 Feet Jets, Underwater Lighting, 12 Air Jet Spa on Bath Tub Base



System 6ESF - Super Deluxe SPA
6 Super Flat Whirlpool Jets, Self-Clean, Electronic Control Switch, 2 Back & 2 Feet Jets, Underwater Lighting, 12 Air Jet Spa on Bath Tub Base

Note: All Whirlpool and SPA systems have dry run protection \ All whirlpool systems are supplied with leg sets

STAINLESS STEEL SINKS & SINK MIXERS



SPECIAL LAY-ON



REG-LAYON-180X60

Lay On Sink 1800 x 600 mm
including big bowl 800 x 420 mm

Heavy wood frame underneath all over

- 15 + 25 radius in bowl
- with or without stripes on drainer
- 22 cm deep
- optional taphole behind bowl
- design overflow
- any length deliverable



REG-LAYON-80X60

Lay-On Sink 800 x 600 mm



REG-LAYON-100X60

Lay-On Sink 1000 x 600 mm



REG-LAYON-120X60

Lay-On Sink 1200 x 600 mm

UNDERMOUNT SINKS



REG-OHIO-U-40X18-KG
Ohio Sink
180 x 400 x 145 mm



REG-OHIO-U-40X40-OKG
Ohio Sink
400 x 400 x 180 mm



REG-OHIO-U-50X40-OKG
Ohio Sink
500 x 400 x 200 mm



REG-OHIO-U-80X42-OKG
Ohio Sink
800 x 420 mm



REG-HALIFAX
Halifax Sink for Both Under and Over
Counter Installations
800 x 420 x 200 mm



REG-CHI-OKG
Chicago Inset Stainless Steel Sink
600 x 500 x 220 mm



REG-R18-390-OKG
R18 390 LUX Sink okg
Dia. 440 x 160 mm





REG-DIP-ECO-10

Diplomat 10 Stainless Steel Sink
860 x 500 x 160 mm



REG-DIP-ECO-1.5-KG-OKG

Diplomat 1.5 Stainless Steel Sink
950 x 500 x 160 m



REG-DIP-ECO-30-KG-OKG

Diplomat 30 Stainless Steel Sink
1160 x 500 x 160 mm



REG-BETA-10-BAP-OKG

Beta 10 Stainless Steel Sink
780 x 430 x 145 mm



REG-BETA-20-KGOKG

Beta 20 Stainless Steel Sink
780 x 430 x 145 mm



REG-BETA-30-KGOKG

Beta 30 Stainless Steel Sink
1150 x 430 x 145 mm



REG-CAR-OSP-P1S

Caribbean LUX osp Sink
Dia. 390 x 155 mm



REG-ATL-OSP-P1S

Atlantis LUX osp Sink
Dia. 460 x 170 mm

SINK MIXERS

BAGNO
design



BUG-IN-9299-CP
M2
Single Lever Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes
Chrome



BUG-KO-2279-CP
M-line
Single Lever Sink Mixer
with Pull-Out Small Shower
with 1/2" Flexible Tubes
Chrome



BUG-ST-9399-CP
Cube
Single Lever Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes
Chrome



BUG-KO-2282-CP
M-line
Single Lever Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes
Chrome



BUG-KO-2295-CP
M-line
Single Lever Sink Mixer
with Pull-Out Shower
with 1/2" Flexible Tubes
Chrome & Nickel Finish Only



BUG-KO-2382-CP
M-line
Single Hole Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes
Chrome & Nickel Finish Only

* Above Mixers are available in Nickel, Nickel Alpine, Nickel Lava & Nickel Pera finishes



ZKW-HA6134-CP
Malmo
Single Lever Sink Mixer
with Swivel Spout
with 1/2" Flexible Tubes
Chrome



BUG-KO-2285-CP
Kobuk
Single Lever Sink Mixer
Lateral Lever on Right
Spring Spout
with 1/2" Flexible Tubes
Chrome



BUG-TO-1899N-CP
Toby
Single Lever Sink Mixer
with Lateral Lever on Right
with 1/2" Flexible Tubes
Chrome



ZKW-FL6049-CP
Kudos Q
Single Lever Kitchen Sink
Mixer with Swivel Spout
with 1/2" Flexible Tubes
Chrome



Chrome



Nickel



Nickel Alpine



Nickel Lava



Nickel Pera



EBI-CUC-1061-VIBE
Cucina Vibe
Sink Mixer
with 1/2" Flexible Tubes
Chrome



EBI-CUC-1004-CP
Cucina Kori
Sink Mixer
with 1/2" Flexible Tubes
Chrome



EBI-CUC-1060-CP
Cucina Sky
Sink Mixer
with 1/2" Flexible Tubes
Chrome



EBI-ORI-150S-CP
Origins
Sink Mixer
with 1/2" Flexible Tubes
Chrome

EBI-ORI-150S-SN
Satin Nickel



EBI-CHE-150-CP
Chelsea
Sink Mixer
with Cast Swivel Spout
with 1/2" Flexible Tubes
Chrome



EBI-CHE-152-CP
Chelsea
Sink Mixer
with Cast Swivel Spout
with 1/2" Flexible Tubes
Chrome



EBI-MAT-EB-150-CP
Matrix
Sink Mixer
with 1/2" Flexible Tubes
Chrome



AUTHORIZED DISTRIBUTOR