

Step-Saver Stairlift Residential Access

The Best Technology in Stairlifts

If handling stairs in your home is difficult or unsafe, let Savaria save you the trouble and pain of struggling up and down. With its smooth rack and pinion drive and battery power, "Step-Saver" can effortlessly take you up and down a straight stairway, even during a power outage. Its neutral color and modern appearance can coordinate with practically any décor, and its slim rail and carriage save room on the steps to allow others access past the lift.

I will carry you safely.











of 18" (457 mm) • 22"1/2 (572 mm) seat height at bottom landing • Adjustable seat height

"My walking limitations had made it difficult to get up and down the stairs in my home. Step-Saver™ has truly lived up to its name and made my life safer and more comfortable, not to mention that the installation took about one hour." Judith T. Jones

Step-Saver™ Stairlift

Standard Equipment

- Support posts anchored to stair threads (not mounted to wall)
- Rigid aluminum extruded rail
- Adjustable width between armrests from 18" to 21" wide (457 to 533 mm)

 • Battery-powered 24-volt system
- Pair of 12-volt, maintenance-free batteries
- Electronic controller with soft start and soft stop Fused control circuit
- Wireless infrared call/send controls at both landings
- Continuous pressure buttons
- Aluminum rail only 6" (152 mm) from wall*
 4" (102 mm) rail overhang at top landing with seat height

- Unit is completely reversible on site for quick installation
- Lateral adjustment on footrest for uneven threads
- Foldable footrest, seat and padded armrests
- Seat that swivels and locks in 45° and 90° positions in both directions
- Seat belt and seat swivel switch
- ABS plastic carriage covers
- Obstacle sensors under footrest and on carriage
- Quick installation (approximately one hour)
- Automatic battery charging stations located at both ends of rail
- Optional support post extensions for short projection over top landing


(1) With rail already cut to length

Elevation View

Specifications

Applications	Indoor, straight run stairway
Maximum travel	32 ft (9,754 mm)
Speed	20 fpm (0.1 m/s) approx.
Angle of incline	25° to 50°
Rated load	300 lb (136 kg)
Drive system	Rack and pinion
Motor	1/2 hp, 24 VDC. Charges on standard
	household power 120 VAC, 60 Hz outlet
	or 240VAC, 50 Hz at top or bottom landing
Standard color	Beige carriage and upholstery, grey or beige rail finish

Plan View



Anti-skid surface Bi-directional obstruction sensor

in case of obstruction







