

**PROTECTIVE COATINGS**

**GENERAL TECHNICAL DATA SHEET**

**CONVERSION TABLES**

TABLE	TO CONVERT	FROM	TO	MULTIPLY BY
1	AREA	sq. metre (m <sup>2</sup> )	sq. ft.	10.764
		sq. ft.	sq. metre (m <sup>2</sup> )	0.0929
2	VOLUME	litre	Imp. gallon	0.220
		Imp. gallon	litre	4.550
		litre	u. s. gallon	0.264
		u. s. gallon	litre	3.785
		litre	cu. ft.	0.0353
		cu. ft.	litre	28.320
3	AREA / VOLUME	m <sup>2</sup> / litre	sq. ft. / u.s. gallon	40.760
		Sq. ft. / u.s. gallon	m <sup>2</sup> / litre	0.0245
		m <sup>2</sup> / litre	sq. ft. / Imp. gallon	48.930
		sq. ft. / Imp. gallon	m <sup>2</sup> / litre	0.0204
4	DISTANCE	feet	metre	0.3048
		metre	feet	3.2808
		yards	metre	0.9144
		metre	yards	1.0936
		centimetre (cm)	inches	0.3937
		inches	centimetre	2.540
5	WEIGHT	lbs	kg.	0.4536
		kg.	lbs.	2.2046
6	DENSITY	kg. / litre	lbs./ u.s. gallon	8.344
		lbs. / u.s. gallon	kg. / litre	0.1199
7	PRESSURE	p.s.i.	atm.	0.068
		p.s.i.	bar	0.069
		atm.	bar	1.013
		atm.	p.s.i.	14.70
		bar	atm.	0.987
		bar	p.s.i.	14.50
8	FILM THICKNESS	micron	mil. (Thou)	0.04
		mil. (Thou)	micron	25
TABLE	TO CONVERT	FROM	TO	CALCULATE
9	TEMPERATURE	Centigrade °C	Fahrenheit °F	(9/5X°C) + 32
		Fahrenheit °F	Centigrade °C	5/9 X (°F - 32)