

# GARDEN EXPORT CATALOGUE 2011



FISKARS®

# NEW PRODUCTS

## NEW INNOVATIONS

NEXT GENERATION AXES  
**X25 122480**



PRUNERS  
**SingleStep™ Bypass 111260**



NURSERY TOOLS  
**Transplanter 137210**




ERGOPLUS  
**Garden Fork 133401**



REEL MOWER  
**Momentum™ 113880**



QUIKFIT RANGE  
**Leaf Rake - 135013**  
**Graphite Shaft - 136001**





# FISKARS®

## A QUALITY STORY FROM 1649



**In 1649** Peter Thorwöste was granted permission to manufacture cast iron and forged products in a small Finnish village called Fiskars. His company soon became famous for high quality steel and steel products.



**In 1967** Fiskars launched its iconic orange-handled scissors, pioneering a revolutionary manufacturing process, ergonomic handles and innovative blades that offered precision, comfort and durability far superior to its peers. Nowadays a must-have in households worldwide, the orange scissors are symbolic to Fiskars commitment to exclusive quality and innovative design.



**Today** one of the Western world's oldest companies, Fiskars has grown into a multinational Corporation, present in more than 40 countries on four continents. The company's roots and soul can still be found in Fiskars village, where, some 10 kilometers away, garden tools are manufactured according to its strict historic quality standards.



Fiskars ergonomic, lightweight, yet powerful garden tools are designed to reduce strain and fatigue, and to ensure its green fingered users the ultimate gardening experience in today's hectic lifestyle: less effort required means more time to enjoy!

This has resulted in a steady increase in market shares and positioned Fiskars as a top-selling brand with a global presence; number one in hand operated garden tools in North America, Australia and much of Europe.

# INDEX



p.6



p.29



p.31


## CUTTING TOOLS

• Pruners	P.6
• Scissors	P.11
• Loppers	P.16
• Universal Cutters	P.20
• Grass Shears	P.23
• Hedge Shears	P.25
• Weed Pullers	P.27
• Reel Mower	P.30

## GARDENING AND STICK TOOLS

• QuikFit <sup>(TM)</sup>	P.31
• Nursery Tools	P.42
• Rakes	P.45
• ErgoPlus <sup>(TM)</sup>	P.48
• Telescopic	P.50
• Garden Light	P.52
• Ergonomic	P.55
• Classic	P.59
• Kids	P.61
• Colours	P.64





p.48



p.68



p.83

## WOOD PREPARATION

- |                         |      |
|-------------------------|------|
| • Axes & Forestry tools | P.68 |
| • Saws & Knives         | P.74 |

## CONSTRUCTION TOOLS

- |                            |      |
|----------------------------|------|
| • Sledge Hammers           | P.79 |
| • Saws                     | P.80 |
| • ErgoComfort Construction | P.80 |
| • Other Tools              | P.81 |

## SNOW TOOLS

- |                          |      |
|--------------------------|------|
| • Snow Sledges           | P.84 |
| • Snow Pushers & Shovels | P.85 |
| • Snow Light Tools       | P.86 |
| • Car and Camping Spades | P.87 |

# PRUNERS

INNOVATION  
ERGONOMICS  
DESIGN

The PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps

Softouch  
handle for  
better grip

PTFE coated upper blade













# PRUNERS










Fiskars Pruners are ergonomically designed for comfort and ease of use, and recognized as best in category by many gardeners and industry experts for value and performance. Their ergonomic handles are made of extra durable fiberglass reinforced polyamide and the stainless steel blades are secured by an easily accessible locking mechanism when the pruner is not in use.





The range includes practical Fingerloop multitask pruners with a safer grip, slim PowerLever™ pruners designed especially for women, PowerLever™ Two Hand Pruners with three grip positions for different use/output: precision grip for precise cutting, reach grip for reaching inner branches of a bush or tree crowns and power grip with two hands for power cutting. Unique PowerGear™ pruners with a gear mechanism PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps. The tool autonomously selects the gradual option, to reduce the force needed per stroke. The revolutionary new mechanism makes the workload easier on young and senior gardeners alike, eliminating strain and pain to increase the overall pleasure of gardening. SingleStep™ Pruners are the newest addition to the Fiskars high quality pruner's family.





## PowerStep™ PRUNER

Product Name: <b>P83</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerStep™ Anvil Pruner</b>	<b>111670</b>	140 g	180 mm	24 mm	4	  6 411501 116703
<div>   </div> <div> <ul style="list-style-type: none"> <li>&lt; The PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps, the tool autonomously selects the gradual option according to the thickness of the branch to be cut</li> <li>&lt; PTFE coated upper blade</li> <li>&lt; Locking mechanism</li> <li>&lt; Suitable for both left and right handed</li> </ul> <div>       </div> </div>						





## PowerGear™ PRUNERS

Product Name: <b>P94</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerGear™ Hand Pruner</b>	<b>111540</b>	272 g	207 mm	26 mm	4	  6 411501 965417
<div>  </div> <div> <ul style="list-style-type: none"> <li>&lt; Rotating handle movement allows use of all fingers simultaneously</li> <li>&lt; Unique gear mechanism provides maximum cutting power</li> <li>&lt; Adjustable handle width</li> <li>&lt; PTFE-coated special CrMoV steel upper blade</li> <li>&lt; Locking mechanism</li> <li>&lt; Replaceable blade</li> </ul> <div>       </div> </div>						

Product Name: <b>P92</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerGear™ Bypass Pruner S-M</b>	<b>111520</b>	192 g	200 mm	20 mm	4	  6 411501 965202
	<ul style="list-style-type: none"> <li>&lt; Rotating handle movement allows use of all fingers simultaneously</li> <li>&lt; Unique gear mechanism provides maximum cutting power</li> <li>&lt; PTFE-coated special CrMoV steel upper blade</li> <li>&lt; Locking mechanism</li> <li>&lt; Replaceable blade, no tools needed</li> </ul> 					





Product Name: <b>P91</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerGear™ Anvil Pruner S-M</b>	<b>111510</b>	192 g	192 mm	20 mm	4	  6 411501 965103
	<ul style="list-style-type: none"> <li>&lt; Rotating handle movement allows use of all fingers simultaneously</li> <li>&lt; Unique gear mechanism provides maximum cutting power</li> <li>&lt; PTFE-coated special CrMoV steel upper blade</li> <li>&lt; Locking mechanism</li> <li>&lt; Replaceable blade, no tools needed</li> <li>&lt; Lower blade made of fibreglass reinforced polyamide</li> </ul> 					

## GARDEN PRO PRUNER









Product Name: <b>P90</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Garden Pro Pruner</b>	<b>111960</b>	265 g	230 mm	26 mm	4	  8 008220 029629
	<ul style="list-style-type: none"> <li>&lt; Bypass blades allow cutting very close to the stem</li> <li>&lt; Exclusive ergonomic handle</li> <li>&lt; Cushioned cutting action</li> <li>&lt; Extra hardening of upper blade</li> <li>&lt; Upper blade replaceable</li> <li>&lt; Wire cutter</li> <li>&lt; Adjustable tightening with nut locking ring</li> <li>&lt; PTFE coated upper steel blade to reduces friction for better cutting</li> </ul> 					







## PowerLever™ PRUNER








Product Name: P54	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerLever™ Bypass Pruner	111340	132 g	173 mm	20 mm	4	  6 411501 963406
 <ul style="list-style-type: none"> <li>&lt; For cutting fresh green wood and branches in the garden</li> <li>&lt; Bypass blades enable cutting close to the stem</li> </ul> 						

## FINGERLOOP PRUNERS

Product Name: P44	Article N°	Weight	Length	ø	Retail Box	EAN Code
Fingerloop Bypass Pruner	111440	154 g	201 mm	20 mm	4	  6 411501 964403
 <ul style="list-style-type: none"> <li>&lt; Bypass cutting action enables cutting very close to the branch base</li> <li>&lt; For cutting fresh wood</li> </ul> 						
Product Name: SP45	Article N°	Weight	Length		Retail Box	EAN Code
Fingerloop Universal Snip	111450	168 g	218 mm		4	  6 411501 964502
 <ul style="list-style-type: none"> <li>&lt; Strong blades for cutting thin steel plate, plastic, tube, rope and hose etc.</li> <li>&lt; Not recommended for cutting branches</li> </ul> 						

## SingleStep™ PRUNERS

Product Name: P25	Article N°	Weight	Length	ø	Retail Box	EAN Code
SingleStep™ Anvil	111250	196 g	200 mm	22 mm	4	 6 411501 112507
  <ul style="list-style-type: none"> <li>&lt; Suitable for cutting dry and hard wood</li> <li>&lt; Sturdy handles with a comfortable grip</li> <li>&lt; Upper blade PTFE coated for less friction</li> <li>&lt; Ambidextrous</li> <li>&lt; Hole for wrist strap</li> </ul> 						

Product Name: <b>P26</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>SingleStep™ Bypass</b>	<b>111260</b>	200 g	208 mm	22 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Suitable for cutting fresh wood</li> <li>&lt; Sturdy handles with a comfortable grip</li> <li>&lt; Upper blade PTFE coated for less friction</li> <li>&lt; Ambidextrous</li> <li>&lt; Hole for wrist strap</li> </ul>					
						
Product Name: <b>SP27</b>	Article N°	Weight	Length		Retail Box	EAN Code
<b>SingleStep™ Snip</b>	<b>111270</b>	196 g	206 mm		4	
	<ul style="list-style-type: none"> <li>&lt; For cutting a variety of materials in the garden; thin metal sheets, plastic, tube, hose etc.</li> <li>&lt; Thin metal blades</li> <li>&lt; Sturdy handles with a comfortable grip</li> <li>&lt; Ambidextrous</li> <li>&lt; Hole for wrist strap</li> <li>&lt; Not recommended for cutting branches</li> </ul>					
						

## SPARE PARTS FOR PRUNERS

	<b>111137</b> Spring for pruners 111130, 111140 and 111150			<b>111526</b> Blade and pivot screw for pruner 111520	
	<b>111447</b> Spring for pruners 111430, 111440, 111450, 111510 and 111520			<b>111546</b> Blade, pivot screw and adjustable screw for pruner 111540	
	<b>111545</b> Spring for pruner 111540			<b>111338</b> Blade, spring and 3 rivets for pruner 111330	
	<b>111966</b> Spring for old pruner 111960			<b>111348</b> Blade, spring and 3 rivets for pruner 111340	
	<b>111516</b> Blade and pivot screw for pruner 111510			<b>111967</b> Blade for old pruner 111960	
	<b>111965</b> Blade, bolt, sheet, nut, screw and spring for pruner 111960				

# SCISSORS

EXCELLENT CUTTING  
& TRIMMING

Ergonomic handles

























Serrated blades  
for better control  
when cutting











# SCISSORS




In addition to using scissors in the kitchen, they can also be utilised in the garden. Scissors provide excellent assistance for all kinds of cutting and trimming in the garden. Small, precise cutting jobs can be done with garden scissors.

## HERBS AND FLORAL SCISSORS




Product Name: <b>S94</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Garden Scissors, 24 cm</b>	<b>111050</b>	142 g	248 mm	5	 
	< For cutting flowers and plants     				
Product Name: <b>S90</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Garden Scissors, 21 cm</b>	<b>111040</b>	83 g	212 mm	5	 
	< For cutting flowers and plants     				
Product Name: <b>S92</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Garden Scissors, 18 cm</b>	<b>111030</b>	73 g	185 mm	5	 
	< For cutting flowers and plants < Serrated blades for better control     				

















Product Name: <b>S90L</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Left Handed Classic Scissors, 21 cm</b>	<b>111051</b>	83 g	210 mm	5	
	< For cutting flowers and plants				
	    				 6 411501 110510

Product Name: <b>S92L</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Left Handed Classic Scissors, 18 cm</b>	<b>111075</b>	75 g	180 mm	5	
	< For cutting flowers and plants				
	< Serrated blades for better control				 6 411501 110756









Product Name: <b>S60</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Garden Scissors</b>	<b>111020</b>	85 g	215 mm	5	
	< Soft, non-slip handle for safe grip				
	< Strong, sharp blades with serrated lower blade for better control				 6 411501 110206

Product Name: <b>S28</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Floral Scissors</b>	<b>111010</b>	64 g	192 mm	5	
	< For cutting flowers and sprouts				
	< Serrated blades for better control				 6 411501 932006











Product Name: <b>S23</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Herb Scissors</b>	<b>111000</b>	30 g	152 mm	5	
	< For cutting herbs and flowers				
	   				 6 411501 931542










Product Name: <b>S10</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Cut and Hold Snip</b>	<b>111160</b>	58 g	143 mm	5	
	<ul style="list-style-type: none"> <li>&lt; For cutting flowers, herbs and small sprigs</li> <li>&lt; Cut-and-hold action especially suitable for cutting nettles and plants with thorns</li> </ul>				
	   				









## HERBS AND HOUSE PLANTS SCISSORS

Product Name: <b>S40</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Precision Scissors, 11 cm</b>	<b>111001</b>	18 g	110 mm	5	
	<ul style="list-style-type: none"> <li>&lt; For cutting flowers and plants</li> </ul>				
	    				

## BONSAI SCISSORS

Product Name: <b>S36</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Bonsai Scissors</b>	<b>111080</b>	70 g	180 mm	5	
	<ul style="list-style-type: none"> <li>&lt; For cutting of small plants for example bonsai plants and herbs, garden flowers and house plants</li> </ul>				
	      				

Product Name: <b>S34</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Bonsai Shear</b>	<b>111070</b>	50 g	153 mm	5	
	<ul style="list-style-type: none"> <li>&lt; For precision cutting of small plants, especially herb and bonsai plants</li> <li>&lt; Softouch™ handles providing comfort of use</li> </ul>				
	     				

Product Name: <b>S30</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Bonsai Leaf Trimmer</b>	<b>111060</b>	25 g	125 mm	5	
	< Sharp tips for precision cutting of herb and bonsai plants				  6 4 1 1 5 0 1 1 1 0 6 0 2
	    				




To the Japanese, Bonsai is an art and creative expression, a state of active meditation that links man and nature together. Following the oriental life philosophy, creating and taking care of the tree liberates the mind and body of the Bonsai artist, drawing him closer to harmony with nature. Fiskars Bonsai assortment includes two specialized Bonsai scissors/shears for cutting branches and one dedicated leaf trimmer. Where the innovative blades guarantee the ultimate precision so crucial to Bonsai addicts, the ergonomic handles ensure comfortable use.

## UNIVERSAL SNIP

Product Name: <b>SP15</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Snip</b>	<b>111150</b>	143 g	200 mm	10	
	< For cutting a variety of materials in the garden; thin metal sheets, plastic, tube, hose etc.				 6 4 1 1 5 0 3 9 6 1 5 0 9
	< Not recommended for cutting branches				

# LOPPERS

## UNIQUE POWER MECHANISMS














# LOPPERS

Fiskars loppers are suitable for any kind of cutting in the garden, with cutting capacity up to  $\varnothing$  50 mm. The unique PowerGear™ mechanism increases cutting power and distributes it evenly throughout the cutting action. The PowerStep™ technology allows gardeners to cut branches in one or multiple steps. It makes the workload easier on young and senior gardeners alike, eliminating strain and pain to increase the overall pleasure of gardening. Fiskars loppers are made of fibreglass reinforced polyamide, which makes them lightweight and strong. The cutting blades are PTFE-coated for less friction. The loppers are available in three different models: anvil and bypass with hook or scissor head. Fiskars anvil loppers are designed for cutting dry and hard wood. Fiskars bypass lopper with hook head is suitable for heavy cutting of fresh wood. Fiskars bypass loppers with scissor head are designed for precision cutting, allowing cutting with the tips of the blades.

## PowerStep™ LOPPER





Product Name: <b>L85</b>	Article N°	Weight	Length	$\varnothing$	Retail Box	EAN Code
<b>PowerStep™ Anvil Lopper</b>	<b>112850</b>	690 g	570 mm	40 mm	4	  6 411501 128508
 	<ul style="list-style-type: none"> <li>&lt; Anvil cutting action for dry and hard wood</li> <li>&lt; The PowerStep™ technology allows gardeners to cut branches in one or multiple steps</li> </ul> 					
	1					
	1-2					
	1-2-3					

## PowerGear™ II LOPPERS

Product Name : <b>L31</b>	Article N°	Weight	Length	$\varnothing$	Retail Box	EAN Code
<b>PowerGear™ Anvil Lopper (S)</b>	<b>112170</b>	375 g	387 mm	35 mm	4	  6 411503 961707
	<ul style="list-style-type: none"> <li>&lt; Unique gear action increases cutting power 2,3 : 1</li> <li>&lt; Extremely lightweight</li> </ul> 					

# PowerGear™ II LOPPERS

Product Name : L70	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Hook Head (S)	112190	490 g	460 mm	38 mm	4	
<ul style="list-style-type: none"> <li>&lt; Hook Head for heavy cutting of fresh wood</li> <li>&lt; Bypass cutting action to reach branch base</li> </ul>						
Product Name : L72	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Scissor Head (S)	112200	500 g	460 mm	28 mm	4	
<ul style="list-style-type: none"> <li>&lt; Scissor Head for precision cutting</li> <li>&lt; Bypass cutting action to reach branch base</li> </ul>						
Product Name : L73	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Anvil Lopper (M)	112280	550 g	545 mm	38 mm	4	
<ul style="list-style-type: none"> <li>&lt; Anvil cutting action for dry and hard wood</li> </ul>						
Product Name : L74	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Hook Head (M)	112290	550 g	545 mm	38 mm	4	
<ul style="list-style-type: none"> <li>&lt; Hook Head for heavy cutting of fresh wood</li> <li>&lt; Bypass cutting action to reach branch base</li> </ul>						
Product Name : L77	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Anvil Lopper (L)	112580	1046 g	686 mm	50 mm	4	
<ul style="list-style-type: none"> <li>&lt; Anvil cutting action for dry and hard wood</li> <li>&lt; Lightweight enables long cutting hours with less muscle strain</li> <li>&lt; Softouch™ handle for better grip</li> </ul>						

Product Name : <b>L78</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerGear™ II Bypass Lopper, Hook Head (L)</b>	<b>112590</b>	1060 g	692 mm	50 mm	4	 
 <ul style="list-style-type: none"> <li>&lt; Hook Head for heavy cutting of fresh wood</li> <li>&lt; Bypass cutting action to reach branch base</li> <li>&lt; Lightweight enables long cutting hours with less muscle strain</li> <li>&lt; Softouch™ handle for better grip</li> </ul> 						

## SPARE PARTS FOR LOPPERS



**112277**

Blade for loppers  
112190, 112290,  
112250 and  
112270



**112487**

Blade, anvil and  
screw for  
loppers 112380,  
112480



**112307**

Blade for lop-  
pers 112200 and  
112300



**112587**

Blade and anvil for  
lopper 112580



**112477**

Blade for loppers  
112590, 112370  
and 112470



**112488**

Handle for hedge  
shears, weedpuller  
(only 139910) and  
loppers (except  
112580 and  
112590)



**112287**

Blade and anvil for  
loppers 112180  
and 112280



The non-circular PowerGear™ mechanism helps optimize force distribution, in order to boost the cutting power a little more when it is needed the most, such as:

1. At the beginning of the cut, when the user's arms are the furthest apart (making it physically harder to push the handles together).
  2. At the middle of the cut, when having to break through the core of the branch (which is normally a bit tougher to cut through than the rest).
- At these two points, the 'gear-teeth' are just rolling over the 'gear-hills', which gives your own cutting power an extra boost.
  - In between these two points, the cut is much easier to perform so less help is needed from the gear system (this is when the 'gear-teeth' pass through the 'gear-valleys', which creates no extra boost of the user's own cutting power).

# UNIVERSAL CUTTERS

MULTI-USE TOOL

Ergonomically designed  
SoftGrip™ pull handle

Cutting head can  
be rotated by up  
to 230° to obtain  
exact desired  
position

Vertical cutting  
reach of up to 3,5  
meters for high  
hedges and bushes:  
prevent having to  
use a ladder or  
to bend in non-  
ergonomic positions



























# UNIVERSAL CUTTERS








Fiskars Universal Garden Cutter is a multi-use tool with excellent accessibility to tree crowns and dense bushes. Trim overhead without a ladder or at ground level without bending or kneeling. Activate the great cutting power with a mere slide of the orange handle or when used at maximum height, pull the orange end knob. When you need to reach higher branches, try the telescopic version. The adjustable head and the light cutting mechanism ensures fast, easy and safe pruning.

## UNIVERSAL GARDEN CUTTERS - BYPASS

Product Name: <b>UP86</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Universal Telescopic Garden Cutter</b>	<b>115560</b>	1900 g	2416 mm	32 mm	2	 
 <ul style="list-style-type: none"> <li>&lt; Cutting reach vertically about 6,5 m</li> <li>&lt; Adjustable cutting angle up to 230°</li> <li>&lt; Safe locking mechanism</li> <li>&lt; Shaft adjustable 2400-4100 mm</li> </ul> 						
Product Name : <b>UP84</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Universal Garden Cutter, long</b>	<b>115390</b>	1200 g	2322 mm	32 mm	2	 
 <ul style="list-style-type: none"> <li>&lt; Cutting reach vertically about 4 m</li> <li>&lt; Adjustable cutting angle up to 230°</li> <li>&lt; Can be used together with extension pole 110460</li> </ul> 						
Product Name : <b>UP82</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Universal Garden Cutter</b>	<b>115360</b>	870 g	1580 mm	32 mm	4	 
 <ul style="list-style-type: none"> <li>&lt; Cutting reach vertically about 3,5 m</li> <li>&lt; Adjustable cutting angle up to 230°</li> <li>&lt; Can be used together with extension pole 110460</li> </ul> 						
Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Extension Pole</b>	<b>110460</b>	530 g	1453 mm		4	 
 <ul style="list-style-type: none"> <li>&lt; Easily adapted to 115360, 115390 and 115400</li> <li>&lt; Gives a cutting height up to 5 m when adapted</li> </ul> 						

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Branch Saw</b> 	<b>110950</b>	203 g	455 mm	100 mm	4	  6 411501 096951
	<ul style="list-style-type: none"> <li>&lt; Extra equipment for 115360, 115390, 115560, 110460, 115410 and 115400</li> <li>&lt; Adjustable sawing angle and efficient serration for sawing wood</li> <li>&lt; Sawing area 380 mm</li> </ul>					
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Fruit Picker</b> 	<b>110970</b>	219 g	290 mm	155 mm	4	  6 411501 969705
	<ul style="list-style-type: none"> <li>&lt; Extra equipment for 115360, 115390, 115560, 110460, 115410 and 115400</li> <li>&lt; Easily and quickly adapted without extra tools</li> <li>&lt; Bag of durable cotton fabric and frame of polyamide</li> </ul>					

## UNIVERSAL GARDEN HEDGE SHEAR

Product Name: <b>UP83</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Universal Garden Hedge Shear</b>    	<b>115400</b>	1020 g	1664 mm	4	  6 411501 154002
	<ul style="list-style-type: none"> <li>&lt; Cutting reach vertically about 3,5 m</li> <li>&lt; Long blades</li> <li>&lt; Adjustable cutting angle up to 230°</li> <li>&lt; Can be used together with Extension Pole 110460</li> </ul>				

## SPARE PARTS FOR UNIVERSAL CUTTERS



### 115364

Softouch™ handle and orange knob for universal cutters 115360 and 115400




### 115366

1 internal rope and roll cord for 115360 and 115400



### 115565

Handle and orange knob for universal cutter 115560



### 115568

2 internal ropes and roll cord for 115560



### 115367

Blade, spring and chain link connector for Universal cutters 115360, 115390 and 115560



# GRASS SHEARS

ERGONOMIC DESIGN

LIGHTWEIGHT




# GRASS SHEARS

Fiskars Grass Shears feature the ingenious Servo-System™, which prevents the blades from jamming to guarantee non-interrupted, efficient cutting. The ergonomic, lightweight design is comfortable and user-friendly, and the flexible cutting head, adjustable by up to 360°, allows to easily reach even the more awkward angles. The blades are of hardened stainless steel, the handles of fiberglass reinforced polyamide and the shears 113680 and 113690 are provided with a thumb-operated lock mechanism.

## GRASS SHEARS

Product Name: <b>GS46</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Servo-System™ Grass Shear, long</b>	<b>113690</b>	654 g	1120 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Cutting angle adjustable 360°</li> <li>&lt; Thumb-operated locking mechanism</li> <li>&lt; Ergonomic in use</li> </ul>				
Product Name: <b>GS42</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Servo-System™ Grass Shear</b>	<b>113680</b>	263 g	322 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Cutting angle adjustable 360°</li> <li>&lt; Thumb-operated locking mechanism</li> <li>&lt; Ergonomic in use</li> </ul>				
Product Name: <b>GS53</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>PowerLever™ Grass and Hedge Shear</b>	<b>113710</b>	1376 g	899 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Cuts up to 10 mm at the base of the blade</li> <li>&lt; Innovative and lightweight</li> <li>&lt; For cutting grass, hedges and small bushes</li> <li>&lt; The lever mechanism optimises the power output</li> <li>&lt; Cutting head is adjustable 270°</li> <li>&lt; Area of reach up to 2,5 m</li> <li>&lt; Blade length: 220 mm</li> <li>&lt; Handle length: 160 mm</li> </ul>				



Fiskars long handled Grass Shears allow the gardener to do the work from an upright position, to prevent unnecessary muscle strains and backaches.



# HEDGE SHEARS

LIGHTWEIGHT AND  
SLEEK DESIGN

Lightweight FiberComp™  
handles and gear mechanism

Stainless steel blades with  
PTFE-coating on upper  
blade for less friction













PowerGear™ features two gear  
mechanisms: one that distributes power  
and a second that stabilizes the structure



# HEDGE SHEARS

Fiskars Hedge Shears are suitable for different cutting needs in the garden; hedge trimming, trimming around bushes and edges etc. The unique gear mechanism and the lever system enable heavy cutting. The lightweight and the sleek design makes cutting easy and light. Handles of FiberComp™ reinforced polyamide and grips of FiberComp™ reinforced plastic (PP).

## HEDGE SHEARS

Product Name: <b>HS92</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>PowerGear™ Hedge Shear</b> 	<b>114770</b>	730 g	588 mm	4	  6 411501 967701
	<ul style="list-style-type: none"> <li>&lt; Stainless steel blades with PTFE-coating on upper blade for less friction</li> <li>&lt; The unique progressive gear system increases cutting power 3,5 : 1</li> <li>&lt; Cushion stoppers to protect hand muscles</li> <li>&lt; Handle length: 160 mm</li> </ul> 				
Product Name: <b>HS72</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>PowerGear™ Hedge Shear</b> 	<b>114790</b>	630 g	570 mm	4	  6 411501 147905
	<ul style="list-style-type: none"> <li>&lt; Stainless steel blades with PTFE-coating on upper blade for less friction</li> <li>&lt; The unique progressive gearing system increases cutting power 3,0 : 1</li> <li>&lt; Lightweight</li> </ul> 				
Product Name: <b>HS52</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>PowerLever™ Hedge Shear</b> 	<b>114750</b>	630 g	544 mm	4	  6 411501 967503
	<ul style="list-style-type: none"> <li>&lt; The unique lever system increases cutting power 2,5 : 1</li> <li>&lt; Lightweight</li> </ul> 				



ADVICE: When you buy a hedge shears, a simpler and quicker way to evaluate the best tool is the "Pencil test". Match the efficiency of different hedge shears using the blade tips for cutting a pencil and the result will be that not so many shears pass the test. Fiskars hedge shears extend their cutting performance to the blade tips, reducing energy and reducing effort when working in your garden.

# WEED PULLERS

WITH EJECTION SYSTEM FOR A  
CLEAN AND EFFICIENT RESULT



Length can be adjusted









Deep-reaching stainless steel claws



# WEED PULLERS

The Fiskars Weed Puller is a great invention for removing weeds, such as dandelions, from the garden. The tool is easy and comfortable to use: no digging or bending down is required and no toxics are needed. The Weed Puller's deep-reaching stainless steel claws grab the weed's root from multiple directions to pull it out of the ground. The ejection system allows a clean and efficient result. The new Telescopic member of the range can be adjusted in length according to the user's height, so the same tool can be used by all grown-up members of the family – small and tall gardeners alike.

## WEED PULLERS

Product Name: <b>W82</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Weed Puller Telescopic</b>	<b>139920</b>	1700 g	990 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Deep-reaching stainless steel claws grab the root from multiple directions</li> <li>&lt; Leverage point from the ground level</li> <li>&lt; Ejection system helps to release weed after pulling</li> <li>&lt; Removes weeds without the use of toxic</li> <li>&lt; Comfortable working posture, no digging required</li> <li>&lt; Length can be adjusted up to 1190 mm</li> </ul>				
	  				
Product Name: <b>W52</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Weed Puller</b>	<b>139910</b>	917 g	998 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Deep-reaching stainless steel claws grab the root from multiple directions</li> <li>&lt; Leverage point from the ground level</li> <li>&lt; Ejection system helps to release weed after pulling</li> <li>&lt; Removes weeds without the use of toxic</li> <li>&lt; Comfortable working posture, no digging required</li> </ul>				
	  				

Multi action 139910



Weed pullers can easily be cleaned under running water.

# REEL MOWER

ADVANCED DESIGN

REVOLUTIONARY PERFORMANCE



The Momentum™  
Reel Mower is  
easy to push, has  
a great cutting  
power and perfect  
cut range








# Momentum<sup>TM</sup> REEL MOWER

Reel mowers are a smart choice. They are good for your lawn, good for your health, good for the environment, and good for your budget.

Fiskars new Momentum<sup>TM</sup>, the world's most advanced reel mower, provides solutions to the problems inherent in traditional reel mowers. The Fiskars Momentum<sup>TM</sup> mower combines patent pending technology with superior ergonomics to deliver a reel mower with best in class cutting performance for a superior mowing experience. Compared with traditional reel mowers, the Momentum<sup>TM</sup> mower is easier to push, has more cutting power, StaySharp<sup>TM</sup> blades, a greater cut range, closer side edging, superior ergonomics and is easier to adjust. In fact, the Momentum<sup>TM</sup> mower beats all other reel mowers in every one of these important areas.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Momentum <sup>TM</sup> Reel Mower	113880	23,5 kg	1220 mm	1	 
	<ul style="list-style-type: none"><li>&lt; Exclusive StaySharp<sup>TM</sup> cutting system cuts grass without the blades touching to help reduce push force by 30% in long grass and provide long lasting performance without annual sharpening</li><li>&lt; Patent pending InertiaDrive<sup>TM</sup> technology delivers twice the cutting power to blast through twigs, weeds and tough spots that would jam other reel mowers</li><li>&lt; Patent pending VersaCut<sup>TM</sup> design provides best in class cutting capabilities – with cut height settings from 2,5 cm - 10 cm and the closest side edging of any reel mower</li><li>&lt; Best in class convenience features include an ergonomic, height adjustable handle with a padded grip, a quick and easy one-touch cut height adjustment system, and a forward throw grass discharge chute for mess-free operation</li></ul>				

# QuikFit<sup>TM</sup>

## CONNECT WITH SIMPLICITY



Unique interchangeable head system



# QuikFit™




Renowned for innovative functionality, Fiskars is dedicated to produce garden tools that set new standards for the industry. Strong, lightweight, high performance tools make garden work more productive, which allows for more creativity and time to enjoy. Fiskars new QuikFit™ provides a full range of opportunities with one single shaft, as each head completes the perfect tool for every specialised task.









reddot design award  
winner 2010




**TIP: Fiskars QuikFit™ Locking system** - winner of the Red Dot Award: Product Design 2010. The **QuikFit™** mechanism ensures effortless change of heads for rakes, cultivators, hoes, weeders, saws etc. The heads attach to the shaft and the device is immediately ready for your use.



## HEADS - CULTIVATORS




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>3 Prong Cultivator</b>	<b>136511</b>	417 g	305 mm	125 mm	6	  5 905568 540423
	<ul style="list-style-type: none"><li>&lt; For cultivating, scarifying, aerating and breaking-up soil. Suitable for seedbed preparation and maintenance</li><li>&lt; Blade of hardened steel</li></ul>					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>3 Prong Hoe</b>	<b>136512</b>	507 g	305 mm	125 mm	6	  5 905568 540416
	<ul style="list-style-type: none"><li>&lt; Dual tool for cultivating, scarifying, aerating and breaking-up soil. Suitable for seedbed preparation and maintenance.</li><li>&lt; Blade of hardened steel</li></ul>					



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Push-Pull Weeder</b>	<b>139970</b>	358 g	250 mm	155 mm	6	  5 905568 540409
	<ul style="list-style-type: none"><li>&lt; For weeding; loosens the soil simply by pushing and pulling back and forth</li><li>&lt; Carbon steel head</li></ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Lawn Spiker</b>	<b>136524</b>	512 g	305 mm	205 mm	2	
	<ul style="list-style-type: none"> <li>&lt; Used for aerating smaller lawns where access is narrow, which allows nutrients to penetrate the lawn and helps seed, fertilizer, water, air and light to reach the grass roots</li> <li>&lt; Blade of hardened steel</li> </ul>					 



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Hoe</b>	<b>136503</b>	254 g	250 mm	185 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Efficient tool for removing weed between rows of plants, or breaking up the soil</li> <li>&lt; Blade of stainless steel</li> </ul>					 



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>3 Functions Hoe</b>	<b>136513</b>	241 g	315 mm	130 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For working around stem and narrow spaces</li> <li>&lt; Blade is sharpened on three sides allowing cultivation in different angles</li> <li>&lt; Blade of hardened steel</li> </ul>					 





Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Dutch Hoe (130 mm)</b>	<b>136502</b>	241 g	295 mm	125 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Sharply ground weeding blade for removing weed, breaking up soil, creating seed rows, or removing moss from the patio</li> <li>&lt; Hardened painted boron steel head</li> </ul>					 

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Grubber</b>	<b>136517</b>	320 g	280 mm	85 mm	6	
 	<ul style="list-style-type: none"> <li>&lt; For cultivating and aerating in garden and flower beds</li> <li>&lt; Carbon steel</li> </ul>					




## HEADS - RAKES





Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Soil Rake (14 prongs)</b>	<b>135511</b>	428 g	205 mm	360 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For raking, levelling, or smoothing seedbeds covering a wider area</li> <li>&lt; 14 spikes of hardened carbon steel</li> </ul>					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Soil Rake (16 prongs)</b>	<b>135512</b>	493 g	205 mm	400 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For raking, levelling, or smoothing seedbeds covering a wider area</li> <li>&lt; 16 spikes of hardened carbon steel</li> </ul>					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Leaf Rake (small)</b>	<b>135551</b>	170 g	310 mm	220 mm	6	
 	<ul style="list-style-type: none"> <li>&lt; Convenient small leaf rake for clearing around narrow beds and borders</li> <li>&lt; Tines work in the pulling direction providing more comfort and a reduced need of force</li> <li>&lt; 11 soft and flexible tines of high quality PBT plastic that withstand bending</li> </ul>					
						









Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Leaf Rake (20 prongs)</b>	<b>135201</b>	445 g	470 mm	430 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For removing loose moss and grass cuttings from the lawn</li> <li>&lt; 20 flexible steel springs</li> </ul>					 6 411501 352019

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Leaf Rake (large)</b>	<b>135013</b>	290 g	320 mm	520 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Wide tools for gathering fallen leaves and grass cuttings</li> <li>&lt; Tines work in the pulling direction providing more comfort and a reduced need of force</li> <li>&lt; 25 soft and flexible tines of high quality PBT plastic that withstand bending</li> </ul> 					 6 411501 350138

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Aerator Rake (single edge)</b>	<b>135513</b>	961 g	270 mm	365 mm	2	
	<ul style="list-style-type: none"> <li>&lt; For removing moss and thatch from lawn areas</li> <li>&lt; Hardened carbon steel</li> </ul>					 5 905568 540324




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Gather Rake</b>	<b>135514</b>	1017 g	175 mm	570 mm	2	
	<ul style="list-style-type: none"> <li>&lt; A wide tool for gathering leaves and cutting waste from lawn areas</li> <li>&lt; Hardened carbon steel</li> </ul>					 5 905568 540331




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Rose Rake</b>	<b>135501</b>	233 g	225 mm	245 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Unique head shape allows working between plants and stems without damaging plants. Ideal for narrow bed layouts.</li> <li>&lt; 10 teeth of hardened boron steel</li> </ul>					  5 905568 540355




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Universal Rake</b>	<b>135051</b>	260 g	152 mm	410 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For raking and cleaning long loose grass and for working the soil. For making planting beds, levelling the ground and sand, packing the soil for seeds. The essential tool for founding the lawn and finishing the surface before seeding.</li> <li>&lt; 12 FiberComp™ teeth with a special angle for ergonomic posture</li> </ul>					  6 411501 350510






## HEADS - EGDERS AND KNIFE HEADS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Patio Knife</b>	<b>136521</b>	136 g	250 mm	70 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Ideal tool for removing grass, moss and weed from between slabs, block paving, wall corners and stairs</li> <li>&lt; Blade of hardened boron steel</li> </ul>					  5 905568 540393







Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Dual Wheel Rotary Lawn Edger</b>	<b>136523</b>	488 g	350 mm	160 mm	2	
	<ul style="list-style-type: none"> <li>&lt; The sharp blades of the lawn edger cut off overhanging grass smoothly for clean edges</li> <li>&lt; Sharpened blade. Dual wheel helps to shape the surface or edges perfectly</li> </ul>					  6 411501 365231











Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Lawn Edge Trimmer</b>	<b>136526</b>	398 g	260 mm	195 mm	6	
	<ul style="list-style-type: none"> <li>&lt; For clearing the space between the lawn and hard surfaces by stepping on the blade, driving it deep into the lawn. For edging the borders</li> <li>&lt; Hardened boron steel head with flat top</li> </ul>					 5 905568 540454




## HEADS - BROOMS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Patio Broom</b>	<b>135531</b>	640 g	350 mm	470 mm	2	
	<ul style="list-style-type: none"> <li>&lt; For sweeping large areas on terrace and patios</li> <li>&lt; Wide scrubbing brush with robust bristles. Body material PP plastic</li> </ul>					 5 905568 540447




## HEADS - NURSERY TOOLS




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Weed Extractor</b>	<b>137522</b>	225 g	328 mm	35 mm	6	
 	<ul style="list-style-type: none"> <li>&lt; For removing weeds such as dandelions and burdocks. Practical in narrow bed layouts</li> <li>&lt; Boron steel</li> </ul>					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Standard Fork</b>	<b>137552</b>	215 g	273 mm	77 mm	6	
 	<ul style="list-style-type: none"> <li>&lt; For transplanting, cultivating and weeding</li> <li>&lt; Boron steel</li> </ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Wire Fork</b>	<b>137542</b>	260 g	295 mm	78 mm	6	 5 905568 375421
 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; For transplanting, cultivating and weeding</li> <li>&lt; Carbon steel</li> </ul>					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Trowel</b>	<b>137512</b>	260 g	318 mm	73 mm	6	 5 905568 375124
 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; For planting and transplanting</li> <li>&lt; Boron steel</li> </ul>					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Angled 3 Prong Cultivator</b>	<b>136515</b>	235 g	305 mm	90 mm	6	 5 905568 365156
 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; For root-protective loosening and aerating of plant beds to optimize nutrient distribution</li> <li>&lt; Carbon steel</li> </ul>					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>3 Prong Cultivator</b>	<b>136516</b>	240 g	273 mm	56 mm	6	 5 905568 365163
 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; For root-protective loosening and aerating of plant beds to optimize nutrient distribution</li> <li>&lt; Carbon steel</li> </ul>					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Double Patio Scraper</b>	<b>137562</b>	220 g	187 mm	53 mm	6	 5 905568 375629
 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; Versatile usage on patios and for removing grass, moss and weeds from between tiles and slabs</li> <li>&lt; Dual usage in cultivating plant beds</li> <li>&lt; Boron steel blades with carbon steel thong</li> </ul>					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Double Hoe</b>	<b>137572</b>	205 g	187 mm	53 mm	6	 5 905568 375728
 	<ul style="list-style-type: none"> <li>&lt; Versatile usage with dual functionality For breaking up soil and cultivating plant beds as well as weeding</li> <li>&lt; Boron steel blades with carbon steel thong</li> </ul>					

## HEADS - SAWS

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Curved Saw</b>	<b>136527</b>	330 g	550 mm		6	 5 905568 365279
 	<ul style="list-style-type: none"> <li>&lt; Branch hook and pull saw</li> <li>&lt; Designed for reach tasks, suitable for usage with the telescopic shaft 136032</li> <li>&lt; Hook-end blade brings steadiness and keeps saw from slipping while the lower cutting knife ensures a clean and precise cut from below</li> <li>&lt; FiberComp™ slider and adapter, hardened steel blade, steel cutting knife</li> </ul>					



Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Straight Saw</b>	<b>136528</b>	295 g	485 mm		6	 5 905568 365286
 	<ul style="list-style-type: none"> <li>&lt; For versatile sawing tasks in the garden</li> <li>&lt; Especially designed for usage with the 30 cm handle 136012</li> <li>&lt; FiberComp™ slider and adapter, hardened steel blade</li> </ul>					


## HEADS - SNOW TOOLS


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Pusher</b>	<b>143210</b>	470 g	320 mm	360 mm	2	 6 411501 432100
 	<ul style="list-style-type: none"> <li>&lt; Ideal for clearing snow from steps and patios</li> <li>&lt; Scoop of PP plastic with aluminium list</li> </ul>					





# SHAFTS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Telescopic Graphite Shaft	136032	1670 g	2300 mm	4	5 905568 360120
 	<ul style="list-style-type: none"> <li>&lt; Especially designed for high-off tasks in the garden with the reach of up to six metres</li> <li>&lt; A special automatic lock to ease the tools immediate use</li> <li>&lt; Dual locking system for maximum safety</li> <li>&lt; Lightweight aluminium</li> <li>&lt; Adjustable up to 4000 mm</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Terracotta Shaft	136002	475 g	1450 mm	6	5 905568 340478
	<ul style="list-style-type: none"> <li>&lt; Hardened aluminium shaft with soft-grip handle for optimal comfort</li> <li>&lt; The shaft is teardrop-shaped and has a special feature that automatically locks the slider for immediate use</li> <li>&lt; Painted shaft of hardened aluminium</li> <li>&lt; Hanging loop for easy storage</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Graphite Shaft	136001	475 g	1450 mm	6	5 905568 340461
	<ul style="list-style-type: none"> <li>&lt; Hardened aluminium shaft with soft-grip handle for optimal comfort</li> <li>&lt; The shaft is teardrop-shaped and has a special feature that automatically locks the slider for immediate use</li> <li>&lt; Painted shaft of hardened aluminium</li> <li>&lt; Hanging loop for easy storage</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Medium Graphite Shaft	136022	290 g	845 mm	6	5 905568 360229
 	<ul style="list-style-type: none"> <li>&lt; Drop profiled shape featuring a mid position sleeve and soft grip handle for optimal comfort</li> <li>&lt; A special feature of the shaft automatically locks the slider for immediate tool use</li> <li>&lt; Hanging loop for easy storage</li> <li>&lt; Graphite painted shaft of hardened aluminium</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Small Handle	136012	165 g	305 mm	6	 5 905568 360120
<div>   </div> <ul style="list-style-type: none"> <li>&lt; Practical handle with a sturdy and comfortable grip</li> <li>&lt; A special feature of the shaft automatically locks the slider for immediate tool use</li> <li>&lt; Especially designed for usage with the nursery tools</li> <li>&lt; Hanging loop for easy storage</li> <li>&lt; Aluminium drop shaped frame with FiberComp™ and a soft touch handle</li> </ul>					

## ADAPTOR

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Universal Adaptor	130000	71 g	171 mm	6	   6 411501 300003
<ul style="list-style-type: none"> <li>&lt; Universal adaptor for connecting a variety of interchangeable heads produced by optional manufacturers</li> <li>&lt; Lightweight FiberComp™</li> </ul>					

# NURSERY TOOLS

LIGHTWEIGHT

ERGONOMIC DESIGN

Rounded edges to avoid excessive damage to soil and roots

Lightweight ergonomic design





















Extra durable FiberComp™ material








# NURSERY TOOLS






The Premium Planters have a lightweight FiberComp™ frame combined with robust stainless steel on the blade and prongs. This provides excellent functionality that is given a final touch by the supremely comfortable SoftGrip™ handle. The FiberComp™ Nursery Tools are lightweight and practical featuring nice inlay graphics on the surface. They can tolerate temperatures ranging from -40° to +150° and are 100% recyclable.






## PREMIUM PLANTERS






Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Trowel</b>	<b>137200</b>	143 g	278 mm	4	 6 411501 372000
 	<ul style="list-style-type: none"> <li>&lt; For planting and transplanting even in hard ground</li> <li>&lt; Robust stainless steel blade</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Transplanter</b>	<b>137210</b>	109 g	280 mm	4	 6 411501 372109
 	<ul style="list-style-type: none"> <li>&lt; For planting and weeding even in hard ground</li> <li>&lt; Practical in narrow bed layouts and balconies</li> <li>&lt; Robust stainless steel blade</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Cultivator</b>	<b>137220</b>	154 g	256 mm	4	 6 411501 372208
 	<ul style="list-style-type: none"> <li>&lt; For aerating and loosening soil</li> <li>&lt; Practical for cleaning and smoothing small areas</li> <li>&lt; Robust stainless steel prongs endure heavy soil</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Weed Fork</b>	<b>137230</b>	124 g	242 mm	4	 6 411501 372307
 	<ul style="list-style-type: none"> <li>&lt; For root-protective planting and weeding</li> <li>&lt; Robust stainless steel prongs endure heavy soil</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				






# NURSERY TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Trowel</b>	<b>137000</b>	96 g	291 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Transplanter</b>	<b>137010</b>	82 g	291 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Cultivator</b>	<b>137020</b>	89 g	276 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Weed Fork</b>	<b>137030</b>	89 g	263 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Planter's Hoe</b>	<b>137040</b>	168 g	322 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 



# RAKES





LIGHTWEIGHT ALUMINIUM HANDLE  
WITH 5 DIFFERENT HEADS










# RAKES




With Fiskars ingenious rake system, a lightweight aluminum handle is attachable to 5 different heads, through a simple, secure locking mechanism. The innovative shape of the Large Leaf Rake's teeth has been meticulously studied to prevent branches and leafs from getting stuck. The exchangeable rake system is easy to transport and store and the durable heads are rust free and easy to clean.





## IN-LOCK RAKES





Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Universal Rake (with sliding wings)</b> 	<b>135050</b>	270 g	175 mm	410 mm	10	  6 411501 478214
<ul style="list-style-type: none"> <li>&lt; 12 teeth, equipped with a drag and sliding wings</li> <li>&lt; For raking long loose grass and for working with soil</li> <li>&lt; Wings easy to attach and remove</li> <li>&lt; Spare wings available</li> </ul> 						

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Large Leaf Rake</b> 	<b>135010</b>	230 g	228 mm	511 mm	15	  6 411501 477215
<ul style="list-style-type: none"> <li>&lt; Wide rake for working on larger grounds</li> <li>&lt; Improved geometry of teeth prevents branches and leaves from getting caught</li> </ul> 						

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Leaf Rake</b> 	<b>135020</b>	196 g	212 mm	415 mm	10	  6 411501 477116
<ul style="list-style-type: none"> <li>&lt; 25 long, elastic and dense teeth</li> <li>&lt; For efficient raking of lawns</li> </ul> 						

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Small Leaf Rake</b> 	<b>135030</b>	46 g	180 mm	117 mm	15	  6 411503 476614
<ul style="list-style-type: none"> <li>&lt; 7 long and elastic teeth</li> <li>&lt; For difficult places, between plants and under bushes</li> </ul> 						

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Universal Rake</b>	<b>135060</b>	250 g	175 mm	410 mm	10	  6 411501 350602
	<ul style="list-style-type: none"> <li>&lt; 12 teeth for raking long loose grass and for working soil</li> <li>&lt; The head shape is specifically designed to be maneuvered more easily, without the teeth getting caught in the (raked) surface</li> </ul> 					

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Handle</b>	<b>135000</b>	350 g	1600 mm		10	  6 411503 444415
	<ul style="list-style-type: none"> <li>&lt; Handle with hanging hole for convenient storage</li> <li>&lt; Handle fits to articles 135010, 135020, 135030, 135050 and 135060</li> </ul> 					

# ErgoPlus<sup>TM</sup>

## OUTSTANDING COMFORT






# ErgoPlus<sup>TM</sup>



Fiskars ErgoPlus<sup>TM</sup> range is designed using the principles of ergonomics to promote a supremely comfortable garden digging experience. Both elegantly comfortable and stylish, the new range showcases a terracotta finish combined with orange gel padded handles for maximum comfort, taking the range to the next level of ergonomics.

The ergonomic shaft is designed with an optimised lifting angle to minimise strain and is made from durable steel tubing to ensure maximum strength.



The durable blade is made of boron steel for extra strength and the head is welded to the handle for an extra strong and long lasting connection.

The added comfort is the gel padded handle which is shock absorbent and has the anthropometrically correct grip size and shape. This combined with the 17° handle angle, ensures a comfortable natural positioning for the hand.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Spade (Straight)</b>	<b>131401</b>	2000 g	1250 mm	4	
 <ul style="list-style-type: none"> <li>&lt; Straight cutting edge for slicing and cutting grass tufts and moving and mixing soil</li> <li>&lt; Lifting angle 26°</li> </ul>  					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Spade (Pointed)</b>	<b>131411</b>	1870 g	1250 mm	4	
 <ul style="list-style-type: none"> <li>&lt; Pointed cutting edge to open the soil, stir and turn the vegetable bed after harvest</li> <li>&lt; Lifting angle 26°</li> </ul>  					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Shovel</b>	<b>132401</b>	2200 g	1315 mm	2	
 <ul style="list-style-type: none"> <li>&lt; Large scoop for shovelling and moving soil, sand and other loose materials</li> <li>&lt; Lifting angle 40°</li> </ul> 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Fork</b>	<b>133401</b>	2160 g	1215 mm	4	
 <ul style="list-style-type: none"> <li>&lt; For breaking down soil after digging or for moving crops and plants and material that is too bulky for a spade (e.g a pile of leaves)</li> </ul> 					

# TELESCOPIC

## PERFECT WORKING POSTURE










# TELESCOPIC

With Fiskars Telescopic range the whole family can use the same tools. The length is easily adjustable and the tools suit users of different height. You will always have the right working posture for you. The spades and the fork are very lightweight, suitable also for persons with less strength. The spade blades and the fork head are made of durable boron steel. Good design and size of the grip will not obstruct your work. New smoked grey colour in the blade and the shaft.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Telescopic Garden Spade, pointed</b>	<b>131300</b>	1900 g	1050-1250 mm	4	  6 411503 252553
 <ul style="list-style-type: none"> <li>&lt; Sharpened for easy digging and cutting of roots</li> <li>&lt; Shaft angle 13°</li> </ul> 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Telescopic Garden Spade, straight</b>	<b>131310</b>	1950 g	1054-1253 mm	4	  6 411503 250559
 <ul style="list-style-type: none"> <li>&lt; Sharpened edge for easy digging and edging the lawn</li> <li>&lt; Shaft angle 13°</li> </ul> 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Telescopic Garden Fork</b>	<b>133320</b>	1800 g	1058-1256 mm	4	  6 411503 352550
 <ul style="list-style-type: none"> <li>&lt; 4 prongs</li> <li>&lt; Sharp and firm for easy working also with hard and stony soil</li> <li>&lt; Shaft angle 13°</li> </ul> 					




The adjustable length of the shaft can be perfectly matched to different user's height giving them the right working posture, so the same tool can be used by all green-fingered members of the family – small and tall gardeners alike.

# GARDEN LIGHT

ERGONOMIC HANDLES



LIGHTWEIGHT DESIGN






# GARDEN LIGHT




Fiskars Garden Light family includes tools, which reduce the back strain and make the garden work lighter. Garden Light tools have lightweight, plastic coated aluminium shafts and ergonomic handles or drop shaped soft grips for optimal grip. Blades, spikes or rake heads are made of durable materials: steel or special durable plastic. Paying strict attention to detail, Fiskars launches an improvement of the Garden Light range, adding a polyester tag to the handle for hanging. The new loop helps keeping good order in the garden shed or to hang the tools more easily in the shops.




## GARDEN LIGHT




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Round Spade</b>	<b>131500</b>	1260 g	1130 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight garden spade for universal garden work</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Blade of hardened boron steel</li> <li>&lt; Ergonomic handle with comfortable, soft plastic coating</li> </ul>				  7 317791 120606

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Pointed Spade</b>	<b>131510</b>	1190 g	1130 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight garden spade for digging and planting</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Blade of hardened boron steel</li> <li>&lt; Ergonomic handle with comfortable, soft plastic coating</li> </ul>				  7 317791 120613

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Shovel</b>	<b>132500</b>	1600 g	1230 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight garden spade for lighter gardening work</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Blade made of steel</li> <li>&lt; Ergonomic handle with comfortable, soft plastic coating</li> </ul>				  7 317791 118603


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Digging Fork</b>	<b>133500</b>	1380 g	1130 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight digging fork for cultivating the soil</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Prongs of boron steel</li> <li>&lt; Ergonomic handle with comfortable, soft plastic coating</li> </ul>				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Iron Rake</b>	<b>135510</b>	810 g	1530 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight rake for smoothing and moving of soil</li> <li>&lt; 14 spikes of hardened carbon steel</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Drop shaped soft grip handle for optimal grip</li> <li>&lt; Hanging loop for easy storage</li> </ul>				 

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Light Broom</b>	<b>135530</b>	1173 g	1670 mm 460 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Lightweight multipurpose broom ideal for cleaning large surfaces or places with difficult access</li> <li>&lt; Flexible head can be turned 360°</li> <li>&lt; Plastic coated shaft of hardened aluminium</li> <li>&lt; Drop shaped soft grip handle for optimal grip</li> <li>&lt; Hanging loop for easy storage</li> </ul>				 

# ERGONOMIC

## FOR A GOOD WORKING POSTURE







# ERGONOMIC





This ergonomically designed range of spades and forks guarantees a good working posture. The long handle and the optimal lifting angle minimises strain on back and shoulders and the bent grip gives the hand a natural working posture. Tubular steel shaft with plastic coating insulates from cold and gives a firm grip. The 17° handle angle allows a natural hand position. The head is welded to the handle for a durable connection. The spade blades have been sharpened for better penetration into the soil.

## ERGONOMIC RANGE

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Garden Spade, straight</b>	<b>131400</b>	2000 g	1250 mm	195 mm	4	
 	<ul style="list-style-type: none"> <li>&lt; Sharpened blade</li> <li>&lt; For planting and working with soil and for edging the lawn</li> <li>&lt; Lifting angle 26°</li> </ul>					 

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Garden Spade, pointed</b>	<b>131410</b>	1870 g	1250 mm	195 mm	4	
 	<ul style="list-style-type: none"> <li>&lt; Sharpened blade</li> <li>&lt; For digging in stony, clayey and hard soil</li> <li>&lt; Lifting angle 26°</li> </ul>					 



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Garden Fork</b>	<b>133400</b>	2160 g	1215 mm	205 mm	4	
 	<ul style="list-style-type: none"> <li>&lt; Firm prongs for loosening hard and stony soil</li> </ul>					 

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Compost Fork</b>	<b>133430</b>	1835 g	1250 mm	225 mm	4	
 	<ul style="list-style-type: none"> <li>&lt; Long prongs for poking the compost and for twigs, potato tops etc.</li> </ul>					 





Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Shovel</b>	<b>132400</b>	2200 g	1315 mm	220 mm	4	  5 905568 020031
 <div>IMPROVED</div> <ul style="list-style-type: none"> <li>&lt; Ergonomic handle with comfortable, soft and plastic coating</li> <li>&lt; For sand, gravel and other construction materials</li> <li>&lt; Lifting angle 40°</li> </ul>						


## ErgoComfort

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Spade pointed</b>	<b>131412</b>	1750 g	1170 mm	4	 5 905568 024169
 <div>NEW</div> <ul style="list-style-type: none"> <li>&lt; For digging and removing roots and grass clods</li> <li>&lt; Sharpened edge for easy cutting of roots</li> <li>&lt; Stepping surface for additional leverage</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Spade round</b>	<b>131402</b>	1900 g	1170 mm	4	 5 905568 024060
 <div>NEW</div> <ul style="list-style-type: none"> <li>&lt; For digging, planting and turning of ground</li> <li>&lt; Sharpened edge for easy lawn edging</li> <li>&lt; Stepping surface for additional leverage</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Shovel</b>	<b>132402</b>	2150 g	1270 mm	4	 5 905568 022103
 <div>NEW</div> <ul style="list-style-type: none"> <li>&lt; For shoveling of sand, soil and other garden materials</li> </ul>					




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Garden Digging Fork</b>	<b>133422</b>	2100 g	1220 mm	4	 6 411503 312554
 <div>NEW</div> <ul style="list-style-type: none"> <li>&lt; Firm prongs for loosening hard and stony soil</li> <li>&lt; Suitable for moving garden waste and clippings</li> </ul>					



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Compost Fork</b>	<b>133432</b>	1800 g	1270 mm	4	 6 411503 322508
 <ul style="list-style-type: none"> <li>&lt; Long prongs for poking the compost and for twigs, potato tops etc.</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Manure Fork</b>	<b>133442</b>	2000 g	1290 mm	4	 6 411503 302555
 <ul style="list-style-type: none"> <li>&lt; Firm prongs for manure work</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Large Hay Fork</b>	<b>133452</b>	1900 g	1290 mm	4	 6 411503 330220
 <ul style="list-style-type: none"> <li>&lt; Wide prongs for easy pitching of hay</li> </ul>					



## LANDSCAPING TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Pick 200</b>	<b>171010</b>	2950 g	900 mm	3	 6 411501 710109
 <ul style="list-style-type: none"> <li>&lt; One small peen side for digging</li> <li>&lt; One pick side for removing stones, tree stumps, etc.</li> <li>&lt; Diamond-shape tip and sharpened peen</li> <li>&lt; Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort</li> <li>&lt; Forged carbon steel, hardened and tempered</li> <li>&lt; Oval socket</li> </ul> 					

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Pick Matlock</b>	<b>171012</b>	4000 g	1492 mm	720 mm	6	 6 411501 710123
 <ul style="list-style-type: none"> <li>&lt; One extra-large peen side for digging, cutting roots, etc.</li> <li>&lt; One pick side for removing stones, tree stumps, etc.</li> <li>&lt; Diamond-shape tip and sharpened peen</li> <li>&lt; Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort</li> <li>&lt; Forged carbon steel, hardened and tempered</li> <li>&lt; Round socket</li> </ul>						

# CLASSIC


## BEAUTIFUL TRADITIONAL STYLE





# CLASSIC

Fiskars Classic is a range with beautiful, traditional style. Shafts are made of lacquered ash wood and heads of boron steel.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Classic Leaf Rake</b>	<b>135900</b>	900 g	1703 mm	6	 6 411503 475013
	< For removing leaves and grass				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Classic Universal Rake</b>	<b>135910</b>	1250 g	1536 mm	6	 6 411503 474016
	< For smoothing and moving of soil				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Classic Potato Hoe</b>	<b>136130</b>	1136 g	1230 mm	6	 5 905568 055194
	< For digging up potatoes				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Classic Edging Iron</b>	<b>136140</b>	1135 g	1042 mm	6	 5 905568 055200
	< For edging of borders in the garden				
					

# KIDS

## DURABLE AND SAFE TO USE

CE approved plastic head for ultimate safety



# KIDS

Kids range is durable and safe to use. Made for working with!




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Shovel	138000	290 g	820 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				 5 702261 700303

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Spade	138010	190 g	810 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				 5 702261 700310

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Rake	138020	220 g	710 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				 5 702261 700327

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Leaf Rake	138030	230 g	830 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				 5 702261 700334



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Children Broom</b>	<b>138040</b>	320 g	770 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Children Hoe</b>	<b>138090</b>	230 g	750 mm	5	
	<ul style="list-style-type: none"> <li>&lt; Head made of plastic for safety</li> <li>&lt; CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland)</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Kids Watering Can</b>	<b>136090</b>	165 g	210 mm	9	
	<ul style="list-style-type: none"> <li>&lt; 1 liter capacity</li> <li>&lt; Plastic</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Gloves for Children</b>	<b>136080</b>	30 g	190 mm	12	
	<ul style="list-style-type: none"> <li>&lt; 100% cotton</li> <li>&lt; Palm with PVC picots</li> </ul>				






# COLOURS






STRONG AND LIGHTWEIGHT  
COLOURFUL













# COLOURS





















Fiskars ergonomically designed nursery tools for planting, cultivating, weeding and seeding indoors as well as outdoors, are easy to clean and have rounded edges to avoid excessive damage to soil and roots. The fiberglass reinforced polyamide tools can lift up to 35 kg loads, tolerate temperatures ranging from -40° to +150°, and are 100% recyclable. Nice inlay graphics added to the surface of the planters.





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Trowel</b>	<b>137007</b>	96 g	291 mm	24	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 6 411501 370075





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Transplanter</b>	<b>137015</b>	82 g	291 mm	24	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 6 411501 370150





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Cultivator</b>	<b>137025</b>	89 g	276 mm	24	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 6 411501 370259





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Weed Fork</b>	<b>137035</b>	89 g	263 mm	24	
	<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul>  				 6 411501 370358

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Planter's Hoe</b> 	<b>137045</b>	168 g	322 mm		12	  6 411501 370457
<ul style="list-style-type: none"> <li>&lt; Durable, can lift up to 35 kg loads</li> <li>&lt; Can be sharpened</li> <li>&lt; Hanging hole for easy storage</li> </ul> 						
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Anvil Pruner</b> 	<b>111135</b>	120 g	187 mm	18 mm	24	  6 411501 111357
<ul style="list-style-type: none"> <li>&lt; Anvil of strong special plastic reduces shock in hand and fingers when cutting</li> <li>&lt; Suitable for cutting dry and hard wood</li> </ul> 						
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Bypass Pruner</b> 	<b>111145</b>	141 g	180 mm	18 mm	24	  6 411501 111456
<ul style="list-style-type: none"> <li>&lt; Bypass blades allow cutting very close to the stem</li> <li>&lt; Suitable for cutting fresh wood</li> </ul> 						
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerLever™ Bypass Pruner</b> 	<b>111345</b>	132 g	173 mm	20 mm	15	  6 411501 113450
<ul style="list-style-type: none"> <li>&lt; For cutting fresh green wood and branches in the garden</li> <li>&lt; Bypass blades enable cutting close to the stem</li> </ul> 						
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerLever™ Anvil Pruner</b> 	<b>111335</b>	128 g	173 mm	20 mm	15	  6 411501 113351
<ul style="list-style-type: none"> <li>&lt; For cutting dry and had branches</li> <li>&lt; Suitable also for long-term cutting</li> </ul> 						

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Floral Snip</b>	<b>111165</b>	58 g	143 mm	15	
 <ul style="list-style-type: none"> <li>&lt; For cutting flowers, herbs and small sprigs</li> <li>&lt; Cut-and-hold action especially suitable for cutting nettles and plants with thorns</li> </ul>   					

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>PowerGear™ Lopper</b>	<b>112177</b>	375 g	387 mm	35 mm	12	
 <ul style="list-style-type: none"> <li>&lt; Unique gear action increases cutting power 2,3 : 1</li> <li>&lt; Extremely lightweight</li> </ul>   						

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>PowerLever™ Hedge Shear</b>	<b>114757</b>	630 g	544 mm	9	
 <ul style="list-style-type: none"> <li>&lt; The unique lever system increases cutting power 2,5 : 1</li> <li>&lt; Lightweight</li> </ul>   					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Servo-System™ Grass Shear</b>	<b>113605</b>	263 g	322 mm	12	
 <ul style="list-style-type: none"> <li>&lt; Cutting angle adjustable 360°</li> <li>&lt; Thumb-operated locking mechanism</li> <li>&lt; Ergonomic in use</li> </ul>   					

# AXES & FORESTRY TOOLS

## NEXT GENERATION AXES

Secure connection between the head and handle ensures that the axe head will stay in place.

Ultra light FiberComp™ shaft to ensure durability

SoftGrip™ handle for a firm hold

Head and handle are perfectly balanced for maximum safety











# AXES







Fiskars next generation axes are built upon 20 years of experience, enhanced process and strict attention to details. We have enhanced the blade geometry and ensured the perfect balance between head and shaft for the most safe, efficient and comfortable use. All axes are easily identifiable by the product name now printed on the handle. The ultralight and durable Fibercomp™ handle minimizes fatigue and makes the axe virtually unbreakable. The optimized anti-shock surface structure offers a comfortable, firm grip with just the right feel. The hooked end of the handle prevents the axe from slipping: it allows the hand to slide down easily when it should, but ensures it stops at the end. The new blade geometry and rounder edges ensures easy removal from the log when splitting wood. While the cutting bevel angle for chopping axes has been kept at 30, the bevel angle for splitting is 35 on the cutting convex cutting angle. The convex shape strengthens the edge to make it less sensitive to fracture.







All axes come with a brand new sheath for easy handling and protection of the blade.







## UNIVERSAL CHOPPING AXES

FOR ALL WOODCRAFT, CARPENTRY, PRUNING, CUTTING AND LOGGING

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Camping Axe X5</b>	<b>121121</b>	480 g	228 mm	4	
   <ul style="list-style-type: none"> <li>&lt; For hikers and outdoor people</li> <li>&lt; A small, light axe that can be easily carried in your bag or on your belt</li> <li>&lt; Blade weight: 390 g</li> <li>&lt; With canvas sheath</li> </ul> 					
 6 411501 211217					







Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Chopping Axe X7</b>	<b>121420</b>	640 g	355 mm	4	
   <ul style="list-style-type: none"> <li>&lt; For universal cutting tasks</li> <li>&lt; For campers, hikers and outdoor people as well as being practical in the car, boat and holiday house</li> <li>&lt; Blade weight: 470 g</li> <li>&lt; With plastic sheath for easy carrying and storage</li> </ul> 					
 6 411501 214201					







Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Carpenter's Axe X10</b>	<b>121440</b>	980 g	440 mm	4	
  	<ul style="list-style-type: none"> <li>&lt; Specially designed for carpenters, construction workers, house owners</li> <li>&lt; Blade weight: 760 g</li> </ul> 				 6 411501 214409





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Chopping Axe X15</b>	<b>121460</b>	1520 g	599 mm	4	
  	<ul style="list-style-type: none"> <li>&lt; Specially designed for forestry work</li> <li>&lt; Wide and slim blade helps to cut live wood branches and tree limbs</li> <li>&lt; With plastic sheath for easy carrying and storage</li> <li>&lt; Blade weight: 1046 g</li> </ul> 				 6 411501 214607





## SPLITTING AXES

FOR SPLITTING LOGS INTO FIREWOOD. DIFFERENT SIZES CATER FOR ALL DIFFERENT SIZES OF LOGS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Splitting Axe X11</b>	<b>122440</b>	1075 g	443 mm	4	
  	<ul style="list-style-type: none"> <li>&lt; For splitting small logs and chopping fire wood</li> <li>&lt; Can be easily held in one hand</li> <li>&lt; Blade weight: 840 g</li> <li>&lt; With plastic sheath for easy carrying and storage</li> </ul> 				 6 411501 224408






Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Splitting Axe X17</b>	<b>122460</b>	1570 g	599 mm	4	
  	<ul style="list-style-type: none"> <li>&lt; For splitting medium sized logs</li> <li>&lt; Blade weight: 1086 g</li> <li>&lt; With plastic sheath for easy carrying and storage</li> </ul> 				 6 411501 224606

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Splitting Axe X25</b>	<b>122480</b>	2430 g	722 mm	2	
 reddot design award winner 2010 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; For splitting large sized logs</li> <li>&lt; Blade weight: 1830 g</li> <li>&lt; With plastic sheath for easy carrying and storage</li> </ul> 				 6 411501 224804

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Splitting Axe X27</b>	<b>122500</b>	2600 g	915 mm	2	
 reddot design award winner 2010 <b>NEW</b>	<ul style="list-style-type: none"> <li>&lt; Longer shaft for more power with heavy splitting duties</li> <li>&lt; Blade weight: 1830 g</li> <li>&lt; With plastic sheath for easy carrying and storage</li> </ul> 				 6 411501 225009





## WEDGES

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Splitting Wedge</b>	<b>120020</b>	2200 g	220 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Helicoidally shaped which makes the wood burst more easily; no need to use several wedges</li> <li>&lt; Rounded head to avoid material fragmentation</li> <li>&lt; Anti return slot</li> <li>&lt; Forged steel: C40, hardness: 36-42 HRC</li> </ul>				 6 411501 200204

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Helicoidal Splitting Wedge SAFE-T</b>	<b>120021</b>	2400 g	240 mm	4	
 reddot design award winner 2009	<ul style="list-style-type: none"> <li>&lt; Highly resistant polyamide striking surface + metal ring</li> <li>&lt; Reduces the risk of flying particles: no need to maintain the striking surface to remove burring</li> <li>&lt; Reduces the risk of RSI (Repetitive Strain Injury): dampens vibrations when struck</li> </ul>  				 6 411501 200211

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Spare Striking Surface	122151	300 g	650 mm	1	
	< Replaceable surface for Helicoidal Splitting Wedge SAFE-T 120021.				 






## SHARPENER FOR AXES





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Axe and Knife Sharpener	120000	63 g	160 mm	4	
	< Regular maintenance keeps your Fiskars axe and knife sharp and safe < Ceramic grinding stones sharpen all axe and knife blades at the correct angle < Safety guard protects hands and fingers while sharpening < Non-slip pads underneath give a stable base for sharpening < The tool opens easily for cleaning				 
					





### TIP: Fiskars Axe and Knife Sharpener


Axe sharpening is easily done with Fiskars patented, user-friendly sharpener for axes, brush hooks and knives. Place the sharpener on a flat surface, put the blade in the groove and move it back and forth a few times while pressing down gently. **N.B.** Regular use of the sharpener keeps the axes sharp and safe!




## FORESTRY TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Brush Hook X3	126003	450 g	505 mm	4	
 	< For trimming trees and thinning out thicker branches				 
					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Log Hook</b>	<b>126020</b>	420 g	235 mm	4	
	<ul style="list-style-type: none"> <li>&lt; For lifting and moving light timber</li> <li>&lt; Use of double hooks or together with log tongs recommended</li> <li>&lt; Hardened carbon steel with ground tip</li> <li>&lt; Handle of thermoplastic rubber guarantees good grip</li> </ul> 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Log Tongs</b>	<b>126030</b>	459 g	288 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Hardened boron steel with ground tip</li> <li>&lt; Handle of thermoplastic rubber guarantees good grip</li> <li>&lt; Lever mechanism with epoxy coating</li> <li>&lt; Widest grip range 195 mm</li> </ul> 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Carrying Sheath</b>	<b>126040</b>	127 g	308 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Made of plastic</li> <li>&lt; For Log Hook 126020 and Log Tong 126030</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Felling Lever with Turning Hook</b>	<b>126050</b>	1287 g	768 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Drop-forged, hardened boron steel</li> <li>&lt; Forged in one piece of steel for superior strength</li> <li>&lt; Two step leverage action</li> <li>&lt; Turning hook with ground tip</li> </ul>				

# SAWS & KNIVES

EXTRA SHARPNESS AND OPTIMAL  
SAWING EFFICIENCY


















# SAWS & KNIVES

Fiskars saws come in a variety of styles and sizes, and are primarily used to prune branches of over 5 cm in diameter. The blade of hardened steel ensures longer life and extra sharpness and the double pointed razor-sharp teeth cut on both push and pull strokes for optimal sawing efficiency.









## SAWS

Product Name: <b>SW84</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Fixed Blade Saw</b>	<b>123840</b>	410 g	490 mm	120 mm	4	 
	<ul style="list-style-type: none"> <li>&lt; Large cutting capacity up to 120 mm</li> <li>&lt; Highly efficient tooth profile enable fast and accurate sawing</li> <li>&lt; Soft grip, ergonomic curved angle for comfortable use</li> <li>&lt; Cuts on the pull stroke</li> <li>&lt; Blade: 330 mm</li> </ul> 					
Product Name : <b>SW65</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Big 10" Garden Saw with belt clip</b>	<b>123850</b>	201 g	556 mm	120 mm	4	 
	<ul style="list-style-type: none"> <li>&lt; Large cutting capacity up to 120 mm</li> <li>&lt; Blade 255 mm comparable to many fixed blade branch saws</li> <li>&lt; Cuts on the pull stroke</li> <li>&lt; Retractable blade</li> </ul> 					
Product Name : <b>SW63</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Garden and Camping Saw with belt clip</b>	<b>123830</b>	95 g	355 mm	70 mm	4	 
	<ul style="list-style-type: none"> <li>&lt; Very efficient toothing for sawing of fresh wood</li> <li>&lt; Blade: 160 mm</li> <li>&lt; Cuts on the pull stroke</li> <li>&lt; Retractable blade</li> </ul> 					



**TIP:** For safe transportation and easy access, retract the saw blade and clip it.

## BOW SAWS

Product Name: <b>SW30</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>21" Bow Saw</b>	<b>124800</b>	575 g	620 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Curved nose enables cutting in difficult positions</li> <li>&lt; Cuts on both push and pull stroke with unique « planetoothing »</li> <li>&lt; Plastic protector for safe transportation</li> </ul> 				  5 702264 141004
Product Name: <b>SW31</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>24" Bow Saw</b>	<b>124810</b>	635 g	695 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Excellent for sawing stems and thicker branches</li> <li>&lt; Cuts on both push and pull stroke with unique « planetoothing »</li> <li>&lt; Plastic protector for safe transportation</li> </ul> 				  5 702264 141011

## SPARE PARTS FOR BOW SAWS



**124807**

Spare blade for  
bow saw 124800



















**124817**

Spare blade for  
bow saw 124810



## KNIVES

Product Name: <b>K40</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Utility Knife</b>	<b>125860</b>	70 g	218 mm	4	
	<ul style="list-style-type: none"> <li>&lt; General purpose knife with plastic sheath</li> <li>&lt; Ergonomically designed plastic handle with finger protection</li> <li>&lt; Blade of stainless steel, 100 mm long</li> </ul> 				  6 411502 870628

Product Name: <b>K62</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Hooked Grafting Knife</b>	<b>125880</b>	50 g	170 mm	4	
	<ul style="list-style-type: none"> <li>&lt; For taking cuttings, picking flowers and vegetables and cutting laterals</li> <li>&lt; Blade of stainless steel</li> <li>&lt; Handle of recycled plastic attached with a brass rivet</li> </ul> 				  8 008 220 020 473
Product Name: <b>K61</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Grafting Pocket Knife</b>	<b>125890</b>	50 g	170 mm	4	
	<ul style="list-style-type: none"> <li>&lt; For cutting of small side shoots, pruning of weak growth and picking flowers and vegetables</li> <li>&lt; Blade of stainless steel</li> <li>&lt; Handle of recycled plastic attached with a brass rivet</li> </ul> 				  8 008 220 020 480
Product Name: <b>K60</b>	Article N°	Weight	Length	Retail Box	EAN Code
<b>Grafting Penknife</b>	<b>125900</b>	50 g	170 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Ideal for grafting and making of wooden canes for holding small plants and bushes</li> <li>&lt; Blade of stainless steel</li> <li>&lt; Handle of recycled plastic attached with a brass rivet</li> </ul> 				  8 008 220 020 497

# CONSTRUCTION TOOLS

## INNOVATIONS FOR SAFETY AND EFFICIENCY



Fibreglass core and elastomeric anti-slip and anti-vibration handle




Rounded edges on the striking surface



# CONSTRUCTION TOOLS

Fiskars ergonomic and powerful tools are designed to reduce strain and fatigue.









## SLEDGE HAMMERS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Sledge Hammer XXL	120028	6130 g	900 mm	2	 6 411501 200280
	<ul style="list-style-type: none"><li>&lt; Rounded edges on the striking surface: delays burring and lessens the risk of chipping</li><li>&lt; Rubber miss-hit guard: lessens jarring from miss-hits</li><li>&lt; Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort</li><li>&lt; Forged carbon steel, hardened and tempered</li></ul>				







Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Sledge Hammer XL	120030	5180 g	900 mm	2	 6 411501 200303
	<ul style="list-style-type: none"><li>&lt; Rounded edges on the striking surface: delays burring and lessens the risk of chipping</li><li>&lt; Rubber miss-hit guard: lessens jarring from miss-hits</li><li>&lt; Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort</li><li>&lt; Forged carbon steel, hardened and tempered</li></ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Sledge Hammer L	120040	3900 g	750 mm	4	 6 411501 200402
	<ul style="list-style-type: none"><li>&lt; Rounded edges on the striking surface: delays burring and lessens the risk of chipping</li><li>&lt; Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort</li><li>&lt; Forged carbon steel, hardened and tempered</li></ul>				

## SAWS




Product Name: <b>SW62</b>	Article N°	Weight	Length	ø	Retail Box	EAN Code
<b>Builder's Saw with belt clip</b>	<b>123820</b>	99 g	355 mm	70 mm	4	  6 411501 968203
	<ul style="list-style-type: none"> <li>&lt; Fine toothing for clean cutting of wood strips and boards</li> <li>&lt; Blade: 160 mm</li> <li>&lt; Cuts on the pull stroke</li> <li>&lt; Retractable blade</li> </ul> 					
Product Name: <b>K20</b>	Article N°	Weight	Length		Retail Box	EAN Code
<b>Mineral Wool Knife</b>	<b>125870</b>	54 g	420 mm		4	  6 411502 879027
	<ul style="list-style-type: none"> <li>&lt; Ergonomically designed handle with finger protection</li> <li>&lt; Blade of stainless steel</li> </ul> 					

## ErgoComfort CONSTRUCTION

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Digging Spade long</b>	<b>131911</b>	2200 g	1270 mm	4	 6 411503 201520
	<ul style="list-style-type: none"> <li>&lt; Sharpened edge for digging in stony, clayey ground and hard soil</li> <li>&lt; Equipped with a special plastic coated sleeve on the shaft for more comfort</li> <li>&lt; Stepping surface for additional leverage</li> </ul>				
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Digging Spade</b>	<b>131921</b>	2050 g	1130 mm	4	 6 411503 201551
	<ul style="list-style-type: none"> <li>&lt; Sharpened edge for digging in stony, clayey ground and hard soil</li> <li>&lt; Stepping surface for additional leverage</li> </ul>				
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>ErgoComfort Concrete Shovel</b>	<b>132911</b>	2300 g	1220 mm	4	 6 411503 221559
	<ul style="list-style-type: none"> <li>&lt; For working with sand, gravel, concrete and other construction material</li> </ul>				





## BRUSH / SCRAPER


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Garden Light Broom Scraper</b>	<b>135580</b>	1500 g	1600 mm	320 mm	4	 6 411501 355805
 <ul style="list-style-type: none"> <li>&lt; 2 tools in 1: Brush broom with scraper for any outdoor tasks</li> <li>&lt; 1,4 mm synthetic hair allows powerful sweeping</li> </ul> 						



## OTHER TOOLS



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Concrete Shovel</b>	<b>132900</b>	1900 g	1084 mm	4	 6 411503 221016
 <ul style="list-style-type: none"> <li>&lt; For sand or concrete</li> <li>&lt; Wooden handle</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Multi Purpose Scraper</b>	<b>136801</b>	1900 g	1600 mm	3	 6 411501 368010
 <ul style="list-style-type: none"> <li>&lt; For spreading, levelling and scraping bitumen, general materials, cement etc.</li> <li>&lt; Folded blade in extra-hard, tempered steel: maximum strength under bending and resistance to wear; lighter than most traditional models; reinforced socket</li> <li>&lt; Multi-purpose blade: doubles for work in road mending and tarmac laying</li> <li>&lt; Wooden shaft</li> </ul> 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Levelling Scraper</b>	<b>136800</b>	1930 g	1850 mm	3	 6 411501 368003
 <ul style="list-style-type: none"> <li>&lt; For pushing or dragging asphalt, also useful for spreading concrete</li> <li>&lt; Longer shaft for a more ergonomic working position (reduces back strain)</li> <li>&lt; Aluminium</li> <li>&lt; Wooden shaft</li> </ul>					


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Heavy Duty Scraper	136802	1500 g	1250 mm	5	 6 411501 368027
	<ul style="list-style-type: none"> <li>&lt; For scraping and cleaning from panels and formwork</li> <li>&lt; Inclined blade: 2 working angles</li> <li>&lt; Socket reinforced by 2 buttresses</li> <li>&lt; Rounded corners: does not scratch the surfaces</li> <li>&lt; Ultra-hardened steel blade</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Crow Bar	126070	1500 g	600 mm	4	 6 411503 701105
	<ul style="list-style-type: none"> <li>&lt; Designed for prying loose boards and drawing nails</li> <li>&lt; Nail-puller side: shape designed for optimum performance</li> <li>&lt; Crowbar side: lever arm features a progressive shape and reduces user fatigue</li> <li>&lt; Forged carbon steel, hardened and tempered</li> </ul>				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Iron Bar	126080	7000 g	1500 mm	4	 6 411503 720014
	<ul style="list-style-type: none"> <li>&lt; For levering, moving loads, dislodging stones, digging etc.</li> <li>&lt; Octagonal cross-section for better grip</li> <li>&lt; Sharpened diamond-shaped point for improved penetration</li> <li>&lt; Forged steel</li> </ul>				

# SNOW TOOLS




LIGHT AND EASY SNOW WORK






# SNOW TOOLS

Fiskars offers a wide range of snow tools such as spades, sledges, and shovels for all kinds of snow work, both for home and professional use. Fiskars Snow Light tools are made of lightweight materials in order to save your back and to make the work lighter. The Snow Light range features aluminium shafts with ergonomic plastic coating for comfortable snow work.

## SNOW SLEDGES




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Professional Snow Sledge</b>	<b>143040</b>	7000 g	1480 mm	830 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Steel tube reinforced scoop of polyethylene plastic</li> <li>&lt; Welded edge</li> <li>&lt; New surface structure</li> <li>&lt; Reflectors on the handles</li> </ul>					  6 411503 237956


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Foldable Snow Sledge</b>	<b>143050</b>	3950 g	1400 mm	749 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Due to long shaft, sledge is very easy and light to use</li> <li>&lt; Foldable shaft enables easy transportation and storage</li> <li>&lt; New edge, sharper profile and more durable material</li> <li>&lt; Reflectors on the handles</li> <li>&lt; Storage size 720 mm</li> </ul>					  6 411503 237857




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Sledge</b>	<b>143020</b>	4000 g	1492 mm	720 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Lightweight snow sleigh for easy snow work</li> <li>&lt; Injection moulded scoop</li> <li>&lt; New edge, sharper profile and more durable material</li> <li>&lt; Improved handle angle and additional bend for improved use and comfortability</li> <li>&lt; Longer and thicker handle</li> </ul>					  6 411503 237802




## SNOW PUSHERS AND SHOVELS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Pusher</b>	<b>143000</b>	1520 g	1520 mm	533 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Blade of special plastic with a reinforced edge</li> <li>&lt; Black aluminium shaft</li> </ul>					 6 411503 237758

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Pusher</b>	<b>143010</b>	1700 g	1759 mm	533 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Blade of cold-resistant plastic (PP) reinforced with an aluminium strip</li> <li>&lt; Especially suitable for a snow layer of approx. 5 cm</li> <li>&lt; Rolls the snow in front of the pusher</li> <li>&lt; The long shaft with ergonomically designed grip gives an ergonomic working posture</li> <li>&lt; Black aluminium shaft</li> </ul>					 6 411503 237604

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow and Grain Shovel</b>	<b>142000</b>	1400 g	1268 mm	310 mm	6	
	<ul style="list-style-type: none"> <li>&lt; Blade of high quality aluminium</li> <li>&lt; Shaft of birch wood</li> <li>&lt; Grip of polypropylene</li> </ul>					 6 411503 235280

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow and Grain Shovel</b>	<b>142010</b>	2000 g	1161 mm	331 mm	4	
	<ul style="list-style-type: none"> <li>&lt; Blade of hardened aluminium</li> <li>&lt; Birch wood shaft</li> <li>&lt; Grip of polypropylene</li> </ul>					 6 411503 235501

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Spade</b>	<b>141000</b>	1400 g	1310 mm	350 mm	6	  6 4 1 1 5 0 3 2 3 5 8 0 8
	<ul style="list-style-type: none"> <li>&lt; Ergonomically designed handle and blade of special plastic, with reinforced edge of aluminium</li> <li>&lt; Wet snow does not stick to the blade</li> <li>&lt; Redesigned sloop</li> <li>&lt; Composite shaft</li> </ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Ice Iron</b>	<b>140000</b>	1400 g	1475 mm	175 mm	6	 6 4 1 1 5 0 3 2 3 9 0 1 5
	<ul style="list-style-type: none"> <li>&lt; Painted blade of hardened boron steel</li> <li>&lt; Wooden shaft</li> <li>&lt; Excellent for scraping ice or stripping bark from trees</li> </ul>					

## SNOW LIGHT TOOLS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Light Professional Snow Pusher</b>	<b>143080</b>	1800 g	1480 mm	600 mm	2	 7 3 1 7 7 9 0 4 9 3 0 1 5
	<ul style="list-style-type: none"> <li>&lt; Aluminium shaft with ergonomic plastic coating</li> <li>&lt; Aluminium hardened blade</li> </ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Light Snow Pusher</b>	<b>143060</b>	1600 g	1622 mm	532 mm	3	 5 9 0 5 5 6 8 8 0 0 4 3 5
	<ul style="list-style-type: none"> <li>&lt; Aluminium shaft with ergonomic plastic coating</li> <li>&lt; Aluminium blade</li> </ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Light Snow Pusher</b>	<b>145020</b>	1730 g	1500 mm	545 mm	3	 7 3 1 7 7 9 2 3 5 9 0 2 9
	<ul style="list-style-type: none"> <li>&lt; Aluminium shaft with ergonomic plastic coating</li> <li>&lt; Plastic blade, reinforced with aluminium strip</li> </ul>					







Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Light Snow Spade</b>	<b>142070</b>	1050 g	1310 mm	350 mm	3	 7 317794 925000
	<ul style="list-style-type: none"> <li>&lt; Aluminium shaft with ergonomic plastic coating</li> <li>&lt; Plastic blade, reinforced with aluminium strip</li> <li>&lt; Redesigned sloop</li> </ul>					

## CAR AND CAMPING SPADES



Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Car Spade</b>	<b>131900</b>	850 g	850 mm		6	 6 411503 239905
	<ul style="list-style-type: none"> <li>&lt; Efficient spade for the car</li> <li>&lt; Short wooden handle, fits in small space</li> <li>&lt; Wet snow does not stick to the blade</li> </ul>					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Snow Light Car Spade</b>	<b>141020</b>	750 g	715 mm	255 mm	3	 7 317794 310004
	<ul style="list-style-type: none"> <li>&lt; Aluminium shaft with ergonomic plastic coating</li> <li>&lt; Aluminium blade</li> </ul>					

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Safety Camping and Car Spade</b>	<b>131520</b>	479 g	700 mm		6	 6 411503 270007
	<ul style="list-style-type: none"> <li>&lt; A lightweight spade for camping and gardening</li> <li>&lt; Floats in water</li> <li>&lt; Durable aluminium scoop for stiffness and high tensile strength</li> <li>&lt; Hexagonal shaft for good grip</li> <li>&lt; The plastic (PP) handle is well resistant to low temperatures</li> </ul>					

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
<b>Foldable Spade</b>	<b>131320</b>	1016 g	246-590 mm		4	 6 411503 275019
	<ul style="list-style-type: none"> <li>&lt; Handy and practical for camping, sports etc.</li> <li>&lt; Works as a spade and as a hoe</li> <li>&lt; Canvas sheath for safe transportation and storage</li> <li>&lt; Durable spade of hardened boron steel, hardened aluminium and special plastic</li> <li>&lt; Easy and silent to fold and unfold</li> </ul>					

# MAINTENANCE & ACCESSORIES

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
<b>Maintenance Set</b>	<b>110990</b>	135 g	195 mm	104 mm	4	 6 411501 969903
 <ul style="list-style-type: none"> <li>&lt; Includes a maintenance guide book, a diamond file and oil</li> <li>&lt; Instructions on sharpening, oiling, washing, storage etc. in pictures and symbols</li> <li>&lt; The diamond file is long-lasting and suitable for hardened steel. Little sharpening makes a great difference!</li> <li>&lt; Oil reduces friction and protects from corrosion</li> </ul>						

Well cared for garden tools perform better and last longer. A tool can be made as good as new and ready for the next use in just a few minutes. Fiskars Care Kit contains all the necessary equipment and instructions needed for maintenance of your gardening tools:



#### Instructions

(how/when to sharpen, oil, wash, store, etc.)



#### Diamond File

(long-lasting and suitable for hardened steel)



#### Oil



(reduce friction and protect blades against corrosion)

**Sharpening:** With time, blades become blunt and begin to lose their cutting capacity. When cutting marks are no longer tidy and strands and bark start getting stuck to the blade, it is time to sharpen the tool. Working with sharp tools benefit both the gardener and the gardening object: sharp tools demand less effort from the user and clean cuts promote faster healing of the plants. The easiest way to sharpen the blade is using a Diamond File. **Greasing:** Blades, joints and springs should be greased on a regular basis with just a few drops of oil. **Springs:** If the tool has springs, the blades should be securely locked before storage to maintain the spring tension.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Garden Gloves</b>	<b>160000</b>	110 g	260 mm	10	 6 411501 600004
 <ul style="list-style-type: none"> <li>&lt; Suitable for chopping wood, sawing and other work in the garden</li> <li>&lt; Split leather, palm, black drill cotton with full cotton lining inside for more comfort</li> </ul>					



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Ladies Garden Gloves</b>	<b>160001</b>	105 g	292 mm	10	 6 411501 600001
  <ul style="list-style-type: none"> <li>&lt; Suitable for chopping wood, sawing and other work in the garden</li> <li>&lt; Split leather, palm, black drill cotton with full cotton lining inside for more comfort</li> </ul>					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
<b>Tool hanging system</b>	<b>161000</b>	875 g	935 mm	5	 6 411501 610003
 <ul style="list-style-type: none"> <li>&lt; Suitable for 10 different garden tools</li> <li>&lt; Flexible hooks facilitating the storage of stick, nursery and cutting tools</li> <li>&lt; Space-saving, perfect for garages, small cellar rooms, etc</li> </ul>					



# Fiskars QUALITY

**“Fiskars Quality since 1649”**

According to the strict Finnish standards for design, Fiskars has a history of using only exclusive quality, durable materials for the finest end result. Before entering the market, each product stands subject to extensive operational tests, where blade sharpeners and maintenance kits ensure the best performance and preservation of frequently used tools. With peace of mind, Fiskars guarantees the quality of all of its products.



## **A lifelong commitment to quality**

Quality has always been one of Fiskars' core values, to which the company stands firm on having a holistic approach throughout its entities and throughout the product's lifecycle. Delivering a quality end product is merely the basis that extends into top service levels for customers and consumers alike.

## **Anytime.....anywhere**

When properly used and maintained, Fiskars garden tools shall remain free of defects in material and workmanship. Any exception to the rule will simply be repaired, replaced or substituted by a product of equal value. Replacement tools or spare parts are offered when returning the tool to the retailer, or contacting the local customer service department.

# AWARDS



**reddot design award**  
Design Zentrum  
Nordrhein-Westfalen  
Germany

Reddot 2000 • Best of the best  
Reddot 2001 • Best of the best  
Reddot 2002  
Reddot 2002  
Reddot 2002  
Reddot 2003  
Reddot 2003  
Reddot 2004  
Reddot 2006  
Reddot 2006  
Reddot 2009  
Reddot 2009 • Best of the best  
Reddot 2009  
Reddot 2010  
Reddot 2010  
Reddot 2010 • Best of the best

Universal Telescopic Garden Cutter p. 21  
PowerGear™ Hedge Shear p. 26  
PowerLever™ Hedge Shear p. 26  
PowerLever™ Grass & Hedge Shear p. 24  
PowerLever™ Pruners p. 9  
Grass Shear p. 23  
Telescopic Spades & Fork p. 50  
Weed puller p. 27  
Grass Shear, long p. 24  
Universal Rake p. 47  
Splitting Wedge SAFE-T p. 71  
PowerStep™ Pruner p. 7  
PowerStep™ Lopper p. 17  
ErgoPlus p. 48  
QuikFit p. 31  
Axes p. 69



**design awards**  
Industrie Forum  
Industrial Design  
Hannover  
Germany

IF 1994 • Excellent Design Top 10  
IF 1994 • Good Industrial Design  
IF 1994 • Good Industrial Design  
IF 1996 • Good Industrial Design  
IF 1996 • Good Industrial Design  
IF 1996 • Good Industrial Design  
IF 1997 • Good Industrial Design  
IF 1998  
IF 1999 • Good Industrial Design  
IF 2001  
IF 2002  
IF 2002  
IF 2002  
IF 2003 • Product Design  
IF 2003 • Gold Medal

Axes p. 69  
Planters Garden Tools p. 42  
Ergonomic Spades & Forks p. 55  
PowerGear™ Lopper p. 17  
Foldable Spade p. 87  
Floral Snips p. 67  
PowerGear™ Pruner p. 7  
Universal Garden Cutter p. 21  
Garden and Camping Saw p. 75  
PowerGear™ Hedge Shear p. 26  
PowerLever™ Hedge Shear p. 26  
PowerLever™ Grass & Hedge Shear p. 24  
PowerLever™ Pruners p. 9  
Grass Shear p. 23  
Telescopic Spades & Fork p. 50



**GOOD DESIGN**  
The Chicago  
Athenaeum  
USA

Good Design 1997  
Good Design 1997  
Good Design 1998  
Good Design 1999  
Good Design 2002  
Good Design 2002  
Good Design 2002

PowerGear™ Lopper p. 17  
PowerGear™ Pruner p. 7  
Universal Cutter p. 21  
Garden & Camping Saw p. 75  
PowerLever™ Grass & Hedge Shear p. 24  
PowerGear™ Hedge Shear p. 26  
PowerLever™ Pruners p. 9



**fennia prize**  
Honorary Mention  
Finland

Fennia Prize 03  
Fennia Prize 03  
Fennia Prize 03  
Fennia Prize 09  
Fennia Prize 09

PowerLever™ Hedge Shear p. 26  
PowerLever™ Grass & Hedge Shear p. 24  
PowerLever™ Pruners p. 9  
PowerStep™ Pruner p. 7  
PowerStep™ Lopper p. 17



Focus way of life 2002  
Focus open 2009 • Gold medal  
Focus open 2009 • Silver medal

PowerLever™ Pruners p. 9  
PowerStep™ Pruner p. 7  
PowerStep™ Lopper p. 17



Pro Finnish Design 1994  
Pro Finnish Design 1997  
Pro Finnish Design 1997

Axes p. 69  
PowerGear™ Lopper p. 17  
PowerGear™ Pruner p. 7



1994 • High Design Quality  
1996 • High Design Quality  
1999 • High Design Quality

Utility Knife p. 76  
PowerGear™ Lopper p. 17  
Garden & Camping Saw p. 75

1987 • Finnish Design 6th Exhibition • Honourable Mention	Axe and Knife Sharpener	p. 72
1988 • Blue Ribbon, England • One of the best products	Axe and Knife Sharpener	p. 72
1988 • Modernité et Innovation, France • Best products	Axe and Knife Sharpener	p. 72
1988 • ION-prize, The Netherlands • Good Industrial Design	Axe and Knife Sharpener	p. 72
1988 • Formland, Denmark • One of the best products	Axe and Knife Sharpener	p. 72
1991 • Retailer's Choice Award, England	Ergonomic Spades & Forks	p. 55
1996 • Trophée de la Nouveauté, Paris	PowerGear™ Pruner	p. 7
1996 • Int. Consumer Goods Fair, Brno • Gold Medal	PowerGear™ Lopper	p. 17
1997 • Int. Consumer Goods Fair, Brno • Gold Medal	PowerGear™ Pruner	p. 7
1998 • Innovative New Product Award, Canada	PowerGear™ Pruner	p. 7
1999 • Trophée de la Nouveauté, Paris	Universal Telescopic Garden Cutter	p. 21
2000 • Popular Mechanics, Chicago • Editors Choice	Universal Telescopic Garden Cutter	p. 21

# PICTOGRAMS

## EaseCut™

**2x**  
EaseCut™

**25x**  
EaseCut™

**3x**  
EaseCut™

**35x**  
EaseCut™

**EaseCut™**

Indicates how many times the cutting power is multiplied by.

## USAGE AREA



### Bypass blade

Best for making clean cuts to fresh, living growth.



### Anvil blade

Best for cutting dry, hard growth even in rough places.



### Snip blade

Best for cutting thin steel plates, plastic, tube, rope and hose etc. (Not recommended for cutting branches)



### Hook Head

Optimal blade geometry for heavy cutting of fresh wood.



### Scissor head

Optimal blade geometry for precision cutting of fresh wood.



### Splitting axe

The splitting axe has a unique wedge-shaped blade that easily slices into the wood, for easier, faster splitting.



### Chopping axe

The chopping axe has a thin, wide edge that ensures a clean, easy cut through fresh, resinous wood.



### Brush hook

The brush hook has a unique blade design with optimal thickness for trimming underbrush and even small trees.



### Fine toothing

Best for ensuring a clean cut of dry wood strips and boards.



### Efficient toothing

Best for highly efficient sawing of fresh wood.

## PRODUCT MATERIAL



### FiberComp™

Indicate that the component has strong/durable and lightweight properties due to its reinforced fibre-glass construction.



### PBT

The component has lightweight, flexible and hard-wearing properties due to its polymer construction.



### Genuine leather

The component is made of tough genuine leather.



### CrMov

The blade is highly durable and stays sharp due to its special CrMov steel construction.



### Aluminium

The component has lightweight, strong properties due to its hardened aluminium construction.



### Stainless steel tube

The component is mechanically strong and corrosion resistant due to its stainless steel construction.



### Boron steel

The component sharp and corrosion resistant due to its stainless steel construction.



### Steel gear mechanism

The mechanically strong and effective steel mechanism enhances the cutting power.



### PTFE coating

Corrosion resistant, non-stick blade coating reduces friction to make cutting easier.



## PRODUCT FEATURES



### Cutting capacity

Shows the maximum cutting diameter.



### Spare parts

Indicates that replaceable spare parts are available for this product.



### Plus parts

Indicates that the features of this product can be expanded with additional parts.



### Anti shock

The anti-shock system improves comfort by absorbing the vibrations transferred from the handles.



### Softgrip™

The product has a comfortable SoftGrip™ handle which enhances its ergonomic design.



### Fingerloop handle

Loop handle design prevents slipping and protects fingers.



### Power tip

The cutting power is distributed evenly all the way to the tip of the blade.



### Micro tip

The product is equipped with thin and sharp blades for precision cutting.



### Saw teeth

The geometry of the saw teeth means that they cut on both push and pull-strokes.



### Telescopic

Indicates that the length of the product can be adjusted seamlessly, for improved working position or better reach.



### Female

Optimal design for female use.



### Male

Optimal design for male use.



### Ambidextrous

Indicates that the product is intended for both right- and lefthanded use.



### Right handed product

Indicates that the product geometry is intended for right handed use.



### Hand size

Indicates what hand size is most suitable for using this product. The product is suitable for small hands.



### Weather proof

The product withstands all types of weather.



### Vegetables

For cutting and picking vegetables.



### Flowers

Indicates what hand size is most suitable for using this product. The product is suitable for small hands.



### Grass

For cutting grass.



### Hedges and bushes

For straight cutting of hedges and bushes.



### Pot plants

For precision cutting of pot plants.



### Bonsai plants

For cutting bonsai plants.



### Herbs

For precision cutting of delicate herbs.



### Fish

For gutting fish.



### Grafting

For cutting of small side shoots, laterals and pruning of weak growth.



### Carving

For peeling bark for grafting.



### Grafting

For various grafting tasks.



### Sharpening wooden canes

For sharpening of wooden canes to support small bushes and plants.



### Building site

For effortless cutting of rockwool and fibers.



### Whittling

For whittling wood.

# EDUCATION

## CHOPPING VS. SPLITTING



**Chopping axe** – The Universal Chopping Axe’s thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



**Splitting axe** – The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

## ANVIL VS. BYPASS



**Bypass:** Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



**Anvil:** Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

## WHICH TOOL FOR WHICH TASK

Picking the right tool for the job means less work for you and ensures that your plants heal faster.

Pruners work well for the smaller cutting jobs

Pruners work well for the smaller cutting jobs

Universal Cutters are ideal for those hard-to-reach tree limbs

Loppers are the best choice for larger stems

Saws are primarily used to prune branches of over Ø 50 mm

Axes are for chopping thicker branches or splitting wood logs



# NOTES



---

### **Made in Finland**

Founded in the small village of Fiskars, Finland 1649, the company has grown into a large multinational corporation, celebrated for a history of products accommodating the strict Finnish standards for quality and design. Following its tradition to drive innovation of tools that reduce the effort, fatigue and strains so often associated with gardening, Fiskars ergonomic, high performance cutting and landscaping tools are designed to do the hard work, so you don't have to!

---

**Fiskars Brands Finland Oy Ab / Exports**  
Hämeentie 135 A, FIN 00560 Helsinki, Finland,  
Tel. +358 204 3910, Fax +358 204 395 170  
**exports.emea@fiskars.com - [www.fiskars.com](http://www.fiskars.com)**