



## New Drywall Accessories

Our product range is extended in order to serve better and faster drywall solutions

# DRYWALL ACCESSORIES



Note: The items which are listed below are only the new additions to our existing product range. Please kindly refer to the Knauf Pricelist in order to review all accessories.

## Hammer Fixings

Hammer Fixings are light duty fixings which has a special thread lock design that prevents pre-expansion during transit installation and provides an option for faster fixing without screwdriver work. Both sizes are suitable for perimeter fixings for both partitions and ceilings. In addition to that, 8x45 mm is perfectly suitable with universal bracket in wall claddings. Hammer fixings are faster alternatives to the Plastic plug and Plastic plug screw.



Knauf Code	Item Size	Unit	Gross Price (AED)*
414428	6x40 mm	Pack (200 pcs)	25
414429	8x45 mm	Pack (200 pcs)	19

## Wedge Anchor

Wedge Anchor is a very easy-to-apply accessory which can be used as a best solution for Knauf Ceiling systems (RCS and D112 with Nonius Hangers), perimeter fixings for ceilings, and even for partitions where fire resistance is required.

Wedge Anchor is faster alternative to the ceiling steel dowel in case of RCS Ceiling systems and FR rated alternative to Plastic Plug & Screw in terms of fire rated partitions.



Knauf Code	Item Size	Unit	Gross Price (AED)*
403866	Screw 6x40 mm	Pack (200 pcs)	88

## Ceiling Wire Hanger

Ceiling Wire Anchor is as easy as the Wedge Anchor in terms of application and it can be used as a perfect solution for D112 Ceiling System with Hanger Wires.

Ceiling Wire Hanger is a faster alternative to Ceiling steel dowel in case of D112 Ceiling systems.



Knauf Code	Item Size	Unit	Gross Price (AED)*
403868	Screw 6x40 mm	Pack (200 pcs)	98

## Driva Plus Self Drilling Metal Plug

Driva Plus with screw requires no drilling and can be screwed simply on the partitions for standard loads.



Knauf Code	Item Size	Unit	Gross Price (AED)*
403843	Screw (200)	Pack (200 pcs)	180

## Cavity Fixings

Cavity fixing is used for superior loads on partitions and it's design enables that the fixtures can be removed and refitted.



Knauf Code	Item Size	Unit	Gross Price (AED)*
403869	5x65 mm	Pack (100 pcs)	80

## Spring Toggle with Screw

Spring Toggle is a cavity fixing with long threaded screw and it is ideal for superior loads especially for ceilings.



Knauf Code	Item Size	Unit	Gross Price (AED)*
403867	Screw M5x50 mm	Pack (100 pcs)	45

\* Prices are informative and subject to change as per market conditions.

# DRYWALL ACCESSORIES



Note: The items which are listed below are only the new additions to our existing product range. Please kindly refer to the Knauf Pricelist in order to review all accessories.

## Concrete Screwbolt

Concrete Screwbolt is a non-expansion bolt with undercut technology for fixing into wood, brick, cracked or non-cracked concrete and it is a high performance bolt that cuts its own thread. It suits to perimeter fixings, to some details of Fire Resistant partition and it is specific for Head of Wall connections.



Knauf Code	Item Size	Unit	Gross Price (AED)*
414429	7.5x100 mm	Pack (100 pcs)	160

## Special textile fiber glass Joint tape

Special Textile Fiber Glass joint Tape is a premium joint tape which performs at the best level to prevent cracks and to provide the best finishing.



Knauf Code	Item Size	Unit	Gross Price (AED)*
3698	Width 50 mm	Length/Roll (25 m)	5.3

## Corner Bead - Micro

Corner finishing and protection for gypsum boards with fine expanded metal wings which provides superior keying to the plasters, which eliminates shadowing and avoiding cracking.



Knauf Code	Item Size	Unit	Per Meter (AED)*
205279	32x300 mm	Pack (60 pcs)	2.90
403462	32x2500 mm	Pack (60 pcs)	2.90

## Edge Bead - Micro

Edge finishing and protection for gypsum boards with fine expanded metal wings provides superior Keying to the plasters, which eliminates shadowing and avoiding cracking.



Knauf Code	Item Size	Unit	Per Meter (AED)*
205280	32x2500 mm	Pack (50 pcs)	2.90

## PVC Shadowline Trim

PVC Shadowing trim is preferred especially for aesthetic drywall finishing and it is used to create a shadow line which minimizes building imperfections.



Knauf Code	Item Size	Type	Per Meter (AED)*
403466	3000 mm	PVC	3.10

## PVC Control Joint (Movement Bead)

Designed to provide for movement to accommodate expansion and contraction caused by initial stucco shrinkage and minor thermal movement.



Knauf Code	Item Size	Type	Unit	Per Meter (AED)*
403469	3000 mm	PVC	Pack (50 pcs)	5.45

\* Prices are informative and subject to change as per market conditions.

# KNAUF

# كناوف

We reserve the right to amend technical specifications without notice. The current edition applies. Our guarantee applies only to the defect free state of our materials. The structural, static and physical characteristics of Knauf systems can only be ensured where Knauf system components or products recommended by Knauf are used. Consumption, quantity and design specifications are typical figures, which may not be transferable under different circumstances. All rights reserved. Changes, reproductions and photo-mechanical and electronic repetition, even in part; require the specific permission of Knauf LLC, P.O. Box 112871, Dubai, United Arab Emirates.



Start of Construction: 15 September 2008  
End of Construction: 31 December 2011  
Official begin of production: 19 September 2011  
Total Area of Knauf RAK: 125,000 m<sup>2</sup>

Knauf Drywall Systems publishes updated technical information on various products and topics. In order to request any of the brochures listed below, please contact our office at the address given below.

- Knauf System Cost Estimation Guide**
- Knauf Access Panels Brochure**
- Knauf Drywall Tools Brochure**
- Knauf Drywall Training Brochure**
- Knauf T-Grid System Brochure**
- Knauf General Brochure**
- Knauf EN-BS Gypsum Board Datasheets**
- Knauf Coreboard Datasheets**
- Knauf Readygips Datasheets**
- Knauf ASTM Gypsum Board Datasheets**
- Knauf ASTM and EN-BS Price List**
- Knauf Price List**

Please contact us at [info@knauf.ae](mailto:info@knauf.ae) for availability and further information

#### Knauf Head Office

- ▶ Phone: +971 4 337 7170
- ▶ Fax: +971 4 334 9659
- ▶ P.O.Box: 112871, Dubai
- ▶ [info@knauf.ae](mailto:info@knauf.ae)

#### Knauf Qatar Branch

P.O.Box 27111  
Doha, State of Qatar  
Tel: +974 4452 8191  
Fax: +974 4452 8181

#### Knauf Manufacturing Plant

P.O.Box 50006  
Ras Al Khaimah, U.A.E.  
Tel: +971 7 221 5300  
Fax: +971 7 221 5301

**KNAUF**  
Made in UAE

The information provided in this leaflet is only intended to give guidance in selecting and using Knauf products. While we make every effort to ensure its accuracy, neither Knauf LLC and its branches nor any of this employees or affiliates warrant or assume any legal liability or responsibility for the completeness or usefulness of any failure in installation or constructing any structure installation or building or caused by using this leaflet. Readers are advised to independently verify this information prior to rely on it. In particular, readers must obtain appropriate independent advice on the use of products in specific structures, installations or buildings to ensure compliance with all regulations, including health and safety regulations. Knauf reserves the right to amend technical specification without notice.

[www.knauf.ae](http://www.knauf.ae)

The constructional and structural properties, and characteristic building physics Knauf system can solely be ensured with the exclusive use Knauf system components, or other product expressly recommended by Knauf.