



OSLER 7 Platform offer reliable performance and value under the toughest site conditions. The platforms are made of aluminum to maintain light weight while maintaining the structural strength of the platform. The design is easy to assemble, mounting without tools and reduces the number of items in your stock as any module is made of only 3 parts: front back and base.

## FEATURES

- Aluminium structure and steel painted end stirrups
- Anti slipping aluminium base section
- Modular from 2m to 9m (1, 2 and 3m sections)
- Mounting without tools
- Assembly with quick pin type
- Completed by a range of user accessories such as façade protector, caster wheels, etc

Optional: can be fixed on 90 degrees corner platform, and adjustable corner ranging from 27 to 90 degrees. For Double-Deck Platform configurations consult us

## PLATFORM

Sizes Available (Meter)	1,2 & 3
Materials	Aluminum Alloy (Extrusion)
Finishing	Anodized

## END-STIRRUPS

Assembly	Quick Pin Type
Materials	Mild Steel
Finishing	Painted

## PLATFORMS COMBINATION, WEIGHTS & LOAD CHART

Nominal Length	Actual Length	Composition	Weight (Kg)	Persons	Rated Load (Kg)	
					OSLER 7 (700)	OSLER 7 (800)
1 M	1.12M	[1]	310	1	120	120
2 M	2.12M	[2]	330	2	240	240
3 M	3.12M	[3]	350	3	360	360
4 M	4.17M	[2   2]	390	4	480	480
		[3   1]	390	4	480	480
5 M	5.17M	[2   3]	410	5	600	650
	5.22M	[2   1   2]	405	5	600	650
6 M	6.17M	[3   3]	430	6	650	720
	6.22M	[2   2   2]	465	6	650	720
		[3   2   1]	450	6	650	720
7 M	7.22M	[3   1   3]	470	5	650	700
	7.27M	[2   3   2]	470	5	650	700
8 M	8.22M	[3   3   3]	490	4	500	600
	8.27M	[2   2   2   2]	510	4	500	600
9 M	9.22M	[3   3   3]	505	3	400	500

The listed weights & load chart based on 100m cradle working height. Any other details for different height are available upon request.

Actual length is out to out dimension of platform with end-stirrups