
PERFORMANCE CEILINGS




More scope for innovation

THERMATEX Alpha creme, silver



TECHNICAL PERFORMANCE

A2-s1,d0 as per BS EN 13501-1 **Building material class** Fire Protection REI 30 - REI 90 as per EN 13501-2 (according to test certificate) EN ISO 354 Sound absorption $\alpha_{W} = 0.90$ as per BS EN ISO 11654 NRC = 0.95 as per ASTM C 423 Sound attenuation $D_{n,f,w} = 28 \text{ dB as per EN } 10848$ (19 mm thickness, according to test report) Thermal conductivity $\lambda = 0.040 \text{ W/mK}$ as per EN 12667 Humidity Up to 95% RH









Knauf AMF GmbH & Co. KG
Elsenthal 15
D-94481 Grafenau , Germany
Phone +49 (0) 8552 / 422-0 - Fax +49 (0) 8552 / 422-32
info@knaufamf.de - www.amfceilings.com

Due to reproduction processes colours shown in this catalogue may differ from the actual product colour. Product selection should always be made from AMF samples. All details and technical information stated in this brochure or other publicity material referring to AMF ceiling systems are based on test reports obtained under laboratory conditions. It is the responsibility of the customer to ensure that this data is suitable for the proposed application.

All information provided is based on current technical data. Further relevant test reports, assessments and installation guidelines are available. All system details conform with current standards and are based on the use of AMF products and system components. AMF accepts no liability or responsibility for use of third party components, or for any variations to conditions stipulated in test data. Mixing of production batches is not recommended.

All technical data is subject to change without prior notice and is governed by AMF Terms and Conditions of Sales. This catalogue supersedes all previous editions. Errors and omissions excepted. Printing errors excepted.

MADE IN GERMANY 06/2012